

Reference number	Model name	Price € ex. VAT	RECUPEL
A1001B	MINI TUBE ON BLACK	113,40	5.6
A1001B/927/24	MINI TUBE ON BLACK LED 927 R24	184,80	5.6
A1001B/927/36	MINI TUBE ON BLACK LED 927 R36	184,80	5.6
A1001B/930/24	MINI TUBE ON BLACK LED 930 R24	184,80	5.6
A1001B/930/36	MINI TUBE ON BLACK LED 930 R36	184,80	5.6
A1001W	MINI TUBE ON WHITE	113,40	5.6
A1001W/927/24	MINI TUBE ON WHITE LED 927 R24	184,80	5.6
A1001W/927/36	MINI TUBE ON WHITE LED 927 R36	184,80	5.6
A1001W/930/24	MINI TUBE ON WHITE LED 930 R24	184,80	5.6
A1001W/930/36	MINI TUBE ON WHITE LED 930 R36	184,80	5.6
A1002B	MINI TUBE IN BLACK	102,90	5.6
A1002B/927/24	MINI TUBE IN BLACK LED 927 R24	174,30	5.6
A1002B/927/36	MINI TUBE IN BLACK LED 927 R36	174,30	5.6
A1002B/930/24	MINI TUBE IN BLACK LED 930 R24	174,30	5.6
A1002B/930/36	MINI TUBE IN BLACK LED 930 R36	174,30	5.6
A1002W	MINI TUBE IN WHITE	102,90	5.6
A1002W/927/24	MINI TUBE IN WHITE LED 927 R24	174,30	5.6
A1002W/927/36	MINI TUBE IN WHITE LED 927 R36	174,30	5.6
A1002W/930/24	MINI TUBE IN WHITE LED 930 R24	174,30	5.6
A1002W/930/36	MINI TUBE IN WHITE LED 930 R36	174,30	5.6
A1003B	MINI TUBE IN-TRAC BLACK	161,70	5.6
A1003B/927/24	MINI TUBE IN-TRAC BLACK LED 927 R24	233,10	5.6
A1003B/927/36	MINI TUBE IN-TRAC BLACK LED 927 R36	233,10	5.6
A1003B/930/24	MINI TUBE IN-TRAC BLACK LED 930 R24	233,10	5.6
A1003B/930/36	MINI TUBE IN-TRAC BLACK LED 930 R36	233,10	5.6
A1003W	MINI TUBE IN-TRAC WHITE	161,70	5.6
A1003W/927/24	MINI TUBE IN-TRAC WHITE LED 927 R24	233,10	5.6
A1003W/927/36	MINI TUBE IN-TRAC WHITE LED 927 R36	233,10	5.6
A1003W/930/24	MINI TUBE IN-TRAC WHITE LED 930 R24	233,10	5.6
A1003W/930/36	MINI TUBE IN-TRAC WHITE LED 930 R36	233,10	5.6
A1004B	MINI TUBE 2 ON BLACK	223,65	5.6
A1004B/927/24	MINI TUBE 2 ON BLACK LED 927 R24	366,45	5.6
A1004B/927/36	MINI TUBE 2 ON BLACK LED 927 R36	366,45	5.6
A1004B/930/24	MINI TUBE 2 ON BLACK LED 930 R24	366,45	5.6
A1004B/930/36	MINI TUBE 2 ON BLACK LED 930 R36	366,45	5.6
A1004W	MINI TUBE 2 ON WHITE	223,65	5.6
A1004W/927/24	MINI TUBE 2 ON WHITE LED 927 R24	366,45	5.6
A1004W/927/36	MINI TUBE 2 ON WHITE LED 927 R36	366,45	5.6
A1004W/930/24	MINI TUBE 2 ON WHITE LED 930 R24	366,45	5.6
A1004W/930/36	MINI TUBE 2 ON WHITE LED 930 R36	366,45	5.6
A1005B	MINI TUBE 3 ON BLACK	308,70	5.6
A1005B/927/24	MINI TUBE 3 ON BLACK LED 927 R24	437,85	5.6
A1005B/927/36	MINI TUBE 3 ON BLACK LED 927 R36	437,85	5.6
A1005B/930/24	MINI TUBE 3 ON BLACK LED 930 R24	437,85	5.6
A1005B/930/36	MINI TUBE 3 ON BLACK LED 930 R36	437,85	5.6
A1005W	MINI TUBE 3 ON WHITE	308,70	5.6
A1005W/927/24	MINI TUBE 3 ON WHITE LED 927 R24	437,85	5.6
A1005W/927/36	MINI TUBE 3 ON WHITE LED 927 R36	437,85	5.6
A1005W/930/24	MINI TUBE 3 ON WHITE LED 930 R24	437,85	5.6
A1005W/930/36	MINI TUBE 3 ON WHITE LED 930 R36	437,85	5.6
A1006B/I	MINI TUBE SUSPENSION IN BLACK	155,40	5.6
A1006B/I/927/24	MINI TUBE SUSPENSION IN BLACK LED 927 R24	226,80	5.6
A1006B/I/927/36	MINI TUBE SUSPENSION IN BLACK LED 927 R36	226,80	5.6
A1006B/I/930/24	MINI TUBE SUSPENSION IN BLACK LED 930 R24	226,80	5.6
A1006B/I/930/36	MINI TUBE SUSPENSION IN BLACK LED 930 R36	226,80	5.6
A1006B/O	MINI TUBE SUSPENSION ON BLACK	155,40	5.6
A1006B/O/927/24	MINI TUBE SUSPENSION ON BLACK LED 927 R24	226,80	5.6
A1006B/O/927/36	MINI TUBE SUSPENSION ON BLACK LED 927 R36	226,80	5.6
A1006B/O/930/24	MINI TUBE SUSPENSION ON BLACK LED 930 R24	226,80	5.6
A1006B/O/930/36	MINI TUBE SUSPENSION ON BLACK LED 930 R36	226,80	5.6
A1006LB/I	MINI TUBE L SUSPENSION IN BLACK	194,25	5.6
A1006LB/I/927/24	MINI TUBE L SUSPENSION IN BLACK LED 927 R24	260,40	5.6
A1006LB/I/927/36	MINI TUBE L SUSPENSION IN BLACK LED 927 R36	260,40	5.6
A1006LB/I/930/24	MINI TUBE L SUSPENSION IN BLACK LED 930 R24	260,40	5.6
A1006LB/I/930/36	MINI TUBE L SUSPENSION IN BLACK LED 930 R36	260,40	5.6
A1006LB/O	MINI TUBE L SUSPENSION ON BLACK	194,25	5.6
A1006LB/O/927/24	MINI TUBE L SUSPENSION ON BLACK LED 927 R24	260,40	5.6
A1006LB/O/927/36	MINI TUBE L SUSPENSION ON BLACK LED 927 R36	260,40	5.6
A1006LB/O/930/24	MINI TUBE L SUSPENSION ON BLACK LED 930 R24	260,40	5.6
A1006LB/O/930/36	MINI TUBE L SUSPENSION ON BLACK LED 930 R36	260,40	5.6
A1006LW/I	MINI TUBE L SUSPENSION IN WHITE	194,25	5.6
A1006LW/I/927/24	MINI TUBE L SUSPENSION IN WHITE LED 927 R24	260,40	5.6
A1006LW/I/927/36	MINI TUBE L SUSPENSION IN WHITE LED 927 R36	260,40	5.6
A1006LW/I/930/24	MINI TUBE L SUSPENSION IN WHITE LED 930 R24	260,40	5.6
A1006LW/I/930/36	MINI TUBE L SUSPENSION IN WHITE LED 930 R36	260,40	5.6
A1006LW/O	MINI TUBE L SUSPENSION ON WHITE	194,25	5.6
A1006LW/O/927/24	MINI TUBE L SUSPENSION ON WHITE LED 927 R24	260,40	5.6
A1006LW/O/927/36	MINI TUBE L SUSPENSION ON WHITE LED 927 R36	260,40	5.6
A1006LW/O/930/24	MINI TUBE L SUSPENSION ON WHITE LED 930 R24	260,40	5.6
A1006LW/O/930/36	MINI TUBE L SUSPENSION ON WHITE LED 930 R36	260,40	5.6
A1006W/I	MINI TUBE SUSPENSION IN WHITE	155,40	5.6
A1006W/I/927/24	MINI TUBE SUSPENSION IN WHITE LED 927 R24	226,80	5.6
A1006W/I/927/36	MINI TUBE SUSPENSION IN WHITE LED 927 R36	226,80	5.6

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

A1006W/I/930/24	MINI TUBE SUSPENSION IN WHITE LED 930 R24	226,80	5,6
A1006W/I/930/36	MINI TUBE SUSPENSION IN WHITE LED 930 R36	226,80	5,6
A1006W/O	MINI TUBE SUSPENSION ON WHITE	155,40	5,6
A1006W/O/927/24	MINI TUBE SUSPENSION ON WHITE LED 927 R24	226,80	5,6
A1006W/O/927/36	MINI TUBE SUSPENSION ON WHITE LED 927 R36	226,80	5,6
A1006W/O/930/24	MINI TUBE SUSPENSION ON WHITE LED 930 R24	226,80	5,6
A1006W/O/930/36	MINI TUBE SUSPENSION ON WHITE LED 930 R36	226,80	5,6
A1007B	MINI TUBE ON IN-TRAC BLACK	161,70	5,6
A1007B/927/24	MINI TUBE ON IN-TRAC BLACK LED 927 R24	233,10	5,6
A1007B/927/36	MINI TUBE ON IN-TRAC BLACK LED 927 R36	233,10	5,6
A1007B/930/24	MINI TUBE ON IN-TRAC BLACK LED 930 R24	233,10	5,6
A1007B/930/36	MINI TUBE ON IN-TRAC BLACK LED 930 R36	233,10	5,6
A1007W	MINI TUBE ON IN-TRAC WHITE	161,70	5,6
A1007W/927/24	MINI TUBE ON IN-TRAC WHITE LED 927 R24	233,10	5,6
A1007W/927/36	MINI TUBE ON IN-TRAC WHITE LED 927 R36	233,10	5,6
A1007W/930/24	MINI TUBE ON IN-TRAC WHITE LED 930 R24	233,10	5,6
A1007W/930/36	MINI TUBE ON IN-TRAC WHITE LED 930 R36	233,10	5,6
A1008B	Mini Tube F ON Black	138,60	5,6
A1008B/927/24	Mini Tube F ON Black LED 927 R24	205,80	5,6
A1008B/927/36	Mini Tube F ON Black LED 927 R36	205,80	5,6
A1008B/930/24	Mini Tube F ON Black LED 930 R24	205,80	5,6
A1008B/930/36	Mini Tube F ON Black LED 930 R36	205,80	5,6
A1008W	Mini Tube F ON White	138,60	5,6
A1008W/927/24	Mini Tube F ON White LED 927 R24	205,80	5,6
A1008W/927/36	Mini Tube F ON White LED 927 R36	205,80	5,6
A1008W/930/24	Mini Tube F ON White LED 930 R24	205,80	5,6
A1008W/930/36	Mini Tube F ON White LED 930 R36	205,80	5,6
A1009B	MINI TUBE SUSPENDED IN-TRAC BLACK	207,90	5,6
A1009B/927/24	MINI TUBE SUSPENDED IN-TRAC BLACK LED 927 R24	258,30	5,6
A1009B/927/36	MINI TUBE SUSPENDED IN-TRAC BLACK LED 927 R36	258,30	5,6
A1009B/930/24	MINI TUBE SUSPENDED IN-TRAC BLACK LED 930 R24	258,30	5,6
A1009B/930/36	MINI TUBE SUSPENDED IN-TRAC BLACK LED 930 R36	258,30	5,6
A1009LB	MINI TUBE L SUSPENDED IN-TRAC BLACK	246,75	5,6
A1009LB/927/24	MINI TUBE L SUSPENDED IN-TRAC BLACK LED 927 R24	297,15	5,6
A1009LB/927/36	MINI TUBE L SUSPENDED IN-TRAC BLACK LED 927 R36	297,15	5,6
A1009LB/930/24	MINI TUBE L SUSPENDED IN-TRAC BLACK LED 930 R24	297,15	5,6
A1009LB/930/36	MINI TUBE L SUSPENDED IN-TRAC BLACK LED 930 R36	297,15	5,6
A1009LW	MINI TUBE L SUSPENDED IN-TRAC WHITE	246,75	5,6
A1009LW/927/24	MINI TUBE L SUSPENDED IN-TRAC WHITE LED 927 R24	297,15	5,6
A1009LW/927/36	MINI TUBE L SUSPENDED IN-TRAC WHITE LED 927 R36	297,15	5,6
A1009LW/930/24	MINI TUBE L SUSPENDED IN-TRAC WHITE LED 930 R24	297,15	5,6
A1009LW/930/36	MINI TUBE L SUSPENDED IN-TRAC WHITE LED 930 R36	297,15	5,6
A1009W	MINI TUBE SUSPENDED IN-TRAC WHITE	207,90	5,6
A1009W/927/24	MINI TUBE SUSPENDED IN-TRAC WHITE LED 927 R24	258,30	5,6
A1009W/927/36	MINI TUBE SUSPENDED IN-TRAC WHITE LED 927 R36	258,30	5,6
A1009W/930/24	MINI TUBE SUSPENDED IN-TRAC WHITE LED 930 R24	258,30	5,6
A1009W/930/36	MINI TUBE SUSPENDED IN-TRAC WHITE LED 930 R36	258,30	5,6
A2014	COMMON ALU	22,50	5,6
A2015	COMMON WHITE	22,50	5,6
A2027	COMMON BLACK	22,50	5,6
A2032	COMMON S	24,50	5,6
A2033	COMMON S WHITE	24,50	5,6
A2034	COMMON IP	31,50	5,6
A2034B	COMMON IP BLACK	31,50	5,6
A2035	COMMON IP WHITE	31,50	5,6
A2036A	COMMON DEEP ALU	31,00	5,6
A2036B	COMMON DEEP BLACK	31,00	5,6
A2036W	COMMON DEEP WHITE	31,00	5,6
A2037A	COMMON S/IP ALU	35,50	5,6
A2037B	COMMON S/IP BLACK	35,50	5,6
A2037W	COMMON S/IP WHITE	35,50	5,6
A2038B	COMMON TRIMLESS BLACK	58,00	5,6
A2038W	COMMON TRIMLESS WHITE	58,00	5,6
A2039B	COMMON S TRIMLESS BLACK	58,00	5,6
A2039W	COMMON S TRIMLESS WHITE	58,00	5,6
A2040B	Common SQ Black	34,50	5,6
A2040W	Common SQ White	34,50	5,6
A2041B	Common SQ2 Black	65,00	5,6
A2041W	Common SQ2 White	65,00	5,6
A5008B/827	DOC Black 2700K	216,03	5,6
A5008B/830	DOC Black 3000K	216,03	5,6
A5008B/840	DOC Black 4000K	216,03	5,6
A5008W/827	DOC White 2700K	216,03	5,6
A5008W/830	DOC White 3000K	216,03	5,6
A5008W/840	DOC White 4000K	216,03	5,6
A5009A/827	BEACON ALU 827	48,00	5,6
A5009A/830	BEACON ALU 830	48,00	5,6
A5009B/827	BEACON BLACK 827	48,00	5,6
A5009B/830	BEACON BLACK 830	48,00	5,6
A5009W/827	BEACON WHITE 827	48,00	5,6
A5009W/830	BEACON WHITE 830	48,00	5,6
A6058B/827	DISC BLACK 827 24Vdc	42,30	5,6
A6058B/830	DISC BLACK 830 24Vdc	42,30	5,6
A6058W/827	DISC WHITE 827 24Vdc	42,30	5,6

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

A6058W/830	DISC WHITE 830 24Vdc	42,30	5.6
A6083A	Mirador Alu	72,45	5.6
A6083B	Mirador Black	72,45	5.6
A6083W	Mirador White	72,45	5.6
A6121	Mirador RGB/CW with 12-24Vdc RGB-W converter	107,85	5.6
A6122A	POWER-DISC ALU	49,90	5.6
A6122B	POWER-DISC BLACK	49,90	5.6
A6122W	POWER-DISC WHITE	49,90	5.6
A6133	PICCOLO ALU	60,83	5.6
A6134B	PICCOLO BLACK	60,83	5.6
A6134W	PICCOLO WHITE	60,83	5.6
A6148/1300/8**/**/A	RIBS 1300lm CRI 80 Dali Dim	395,18	5.6
A6148/1300/8**/**/D	RIBS 1300lm CRI 80 Dim 1-10V	395,18	5.6
A6148/1300/8**/**/ND	RIBS 1300lm CRI 80 Non Dim	361,58	5.6
A6148/1300/8**/**/PD	RIBS 1300lm CRI 80 Phase Dim	361,58	5.6
A6148/1300/95**/**/A	RIBS 1300lm CRI 95 Dali Dim	426,43	5.6
A6148/1300/95**/**/D	RIBS 1300lm CRI 95 Dim 1-10V	426,43	5.6
A6148/1300/95**/**/ND	RIBS 1300lm CRI 95 Non Dim	392,83	5.6
A6148/1300/95**/**/PD	RIBS 1300lm CRI 95 Phase Dim	389,68	5.6
A6151B/927	Micro tube R Black 2700K	147,21	5.6
A6151B/930	Micro tube R Black 3000K	147,21	5.6
A6151W/927	Micro tube R White 2700K	147,21	5.6
A6151W/930	Micro tube R White 3000K	147,21	5.6
A6152B/927	Micro tube R Trimless Black 2700K	156,40	5.6
A6152B/930	Micro tube R Trimless Black 3000K	156,40	5.6
A6152W/927	Micro tube R Trimless White 2700K	156,40	5.6
A6152W/930	Micro tube R Trimless White 3000K	156,40	5.6
A6153W/927	Crater White 2700K	68,00	5.6
A6153W/930	Crater White 3000K	68,00	5.6
A6154B/927	Crater black 2700K	68,00	5.6
A6154B/930	Crater black 3000K	68,00	5.6
A6155W/927	Vuelta trimless White 2700K	62,10	5.6
A6155W/930	Vuelta trimless White 3000K	62,10	5.6
A6155B/927	Vuelta trimless Black 2700K	62,10	5.6
A6155B/930	Vuelta trimless Black 3000K	62,10	5.6
A6156W/927	Vuelta AS trimless 2700K	67,27	5.6
A6156W/930	Vuelta AS trimless 3000K	67,27	5.6
A6157W/927	Olla 2700K	75,90	5.6
A6157W/930	Olla 3000K	75,90	5.6
A6158W/927	Olla OR 2700K	82,80	5.6
A6158W/930	Olla OR 3000K	82,80	5.6
A6141B/827	PICCOLO 80 Black 2700K 230vac	198,36	5.6
A6141B/830	PICCOLO 80 Black 3000K 230vac	198,36	5.6
A6141W/927	PICCOLO 80 White 2700K 230vac	198,36	5.6
A6141W/930	PICCOLO 80 White 3000K 230vac	198,36	5.6
A6169B/927	PICCOLO 80 ON BLACK 2700K	282,36	5.6
A6169B/930	PICCOLO 80 ON BLACK 3000K	282,36	5.6
A6169W/927	PICCOLO 80 ON WHITE 2700K	282,36	5.6
A6169W/930	PICCOLO 80 ON WHITE 3000K	282,36	5.6
A6169WB/927	PICCOLO 80 ON BLACK-WHITE 2700K	282,36	5.6
A6169WB/930	PICCOLO 80 ON BLACK-WHITE 3000K	282,36	5.6
A6173B/20/927/D	Micro tube 2 ON Black 927 Dali	384,62	5.6
A6173B/20/927/PD	Micro tube 2 ON Black 927 Phase Dim/ 1-10V	346,82	5.6
A6173B/20/930/D	Micro tube 2 ON Black 930 Dali	384,62	5.6
A6173B/20/930/PD	Micro tube 2 ON Black 930 Phase Dim/ 1-10V	346,82	5.6
A6173B/20R/927/D	Micro tube 2 ON RECT Black 927 Dali	392,42	5.6
A6173B/20R/927/PD	Micro tube 2 ON RECT Black 927 Phase Dim/ 1-10V	354,62	5.6
A6173B/20R/930/D	Micro tube 2 ON RECT Black 930 Dali	392,42	5.6
A6173B/20R/930/PD	Micro tube 2 ON RECT Black 930 Phase Dim/ 1-10V	354,62	5.6
A6173B/30/927/D	Micro tube 3 ON Black 927 Dali	491,40	5.6
A6173B/30/927/PD	Micro tube 3 ON Black 927 Phase Dim/ 1-10V	481,95	5.6
A6173B/30/930/D	Micro tube 3 ON Black 930 Dali	491,40	5.6
A6173B/30/930/PD	Micro tube 3 ON Black 930 Phase Dim/ 1-10V	481,95	5.6
A6173B/927	Micro tube IN Black 927	102,00	5.6
A6173B/930	Micro tube IN Black 930	102,00	5.6
A6173B/O/927	Micro tube ON Black 927	123,00	5.6
A6173B/O/930	Micro tube ON Black 930	123,00	5.6
A6173B/OR/927/D	Micro tube ON RECT Black 927 Dali	295,08	5.6
A6173B/OR/927/PD	Micro tube ON RECT Black 927 Phase Dim/ 1-10V	257,28	5.6
A6173B/OR/930/D	Micro tube ON RECT Black 930 Dali	295,08	5.6
A6173B/OR/930/PD	Micro tube ON RECT Black 930 Phase Dim/ 1-10V	257,28	5.6
A6173W/20/927/D	Micro tube 2 ON White 927 Dali	384,62	5.6
A6173W/20/927/PD	Micro tube 2 ON White 927 Phase Dim/ 1-10V	346,82	5.6
A6173W/20/930/D	Micro tube 2 ON White 930 Dali	384,62	5.6
A6173W/20/930/PD	Micro tube 2 ON White 930 Phase Dim/ 1-10V	346,82	5.6
A6173W/20R/927/D	Micro tube 2 ON RECT White 927 Dali	392,42	5.6
A6173W/20R/927/PD	Micro tube 2 ON RECT White 927 Phase Dim/ 1-10V	354,62	5.6
A6173W/20R/930/D	Micro tube 2 ON RECT White 930 Dali	392,42	5.6
A6173W/20R/930/PD	Micro tube 2 ON RECT White 930 Phase Dim/ 1-10V	354,62	5.6
A6173W/30/927/D	Micro tube 3 ON White 927 Dali	491,40	5.6
A6173W/30/927/PD	Micro tube 3 ON White 927 Phase Dim/ 1-10V	481,95	5.6
A6173W/30/930/D	Micro tube 3 ON White 930 Dali	491,40	5.6
A6173W/30/930/PD	Micro tube 3 ON White 930 Phase Dim/ 1-10V	481,95	5.6
A6173W/927	Micro tube IN White 927	102,00	5.6

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

A6173W/930	Micro tube IN White 930	102,00	5.6
A6173W/O/927	Micro tube ON White 927	123,00	5.6
A6173W/O/930	Micro tube ON White 930	123,00	5.6
A6173W/OR/927/D	Micro tube ON RECT White 927 Dali	295,08	5.6
A6173W/OR/927/PD	Micro tube ON RECT White 927 Phase Dim/1-10V	257,28	5.6
A6173W/OR/930/D	Micro tube ON RECT White 930 Dali	295,08	5.6
A6173W/OR/930/PD	Micro tube ON RECT White 930 Phase Dim/ 1-10V	257,28	5.6
A6183B/927	Nano Tube Recessed Black 927	66,50	5.6
A6183B/930	Nano Tube Recessed Black 930	66,50	5.6
A6183W/927	Nano Tube Recessed White 927	66,50	5.6
A6183W/930	Nano Tube Recessed White 930	66,50	5.6
A6184B/927	Micro Tube In-trac Black 927	205,38	5.6
A6184B/930	Micro Tube In-trac Black 930	205,38	5.6
A6184W/927	Micro Tube In-trac White 927	205,38	5.6
A6184W/930	Micro Tube In-trac White 930	205,38	5.6
A6185B/927	Mini Crater Black 927	67,50	5.6
A6185B/930	Mini Crater Black 930	67,50	5.6
A6185W/927	Mini Crater White 927	67,50	5.6
A6185W/930	Mini Crater White 930	67,50	5.6
A6186B/927	Mini Crater Out Black 927	76,00	5.6
A6186B/930	Mini Crater Out Black 930	76,00	5.6
A6186W/927	Mini Crater Out White 927	76,00	5.6
A6186W/930	Mini Crater Out White 930	76,00	5.6
A6187B/927	Mini Tube Recessed Black 927	97,00	5.6
A6187B/930	Mini Tube Recessed Black 930	97,00	5.6
A6187W/927	Mini Tube Recessed White 927	97,00	5.6
A6187W/930	Mini Tube Recessed White 930	97,00	5.6
A6188B/927	Micro Tube In-flex Black 927	161,00	5.6
A6188B/930	Micro Tube In-flex Black 930	161,00	5.6
A6188W/927	Micro Tube In-flex White 927	161,00	5.6
A6188W/930	Micro Tube In-flex White 930	161,00	5.6
A6189B/927/A	Micro Tube AT BLACK 927 1-10V	237,80	5.6
A6189B/927/D	Micro Tube AT BLACK 927 Dali	237,80	5.6
A6189B/930/A	Micro Tube AT BLACK 930 1-10V	237,80	5.6
A6189B/930/D	Micro Tube AT BLACK 930 Dali	237,80	5.6
A6189W/927/A	Micro Tube AT WHITE 927 1-10V	237,80	5.6
A6189W/927/D	Micro Tube AT WHITE 927 Dali	237,80	5.6
A6189W/930/A	Micro Tube AT WHITE 930 1-10V	237,80	5.6
A6189W/930/D	Micro Tube AT WHITE 930 Dali	237,80	5.6
A6190B/927/A	Micro Tube 2 AT BLACK 927 1-10V	351,62	5.6
A6190B/927/D	Micro Tube 2 AT BLACK 927 Dali	351,62	5.6
A6190B/930/A	Micro Tube 2 AT BLACK 930 1-10V	351,62	5.6
A6190B/930/D	Micro Tube 2 AT BLACK 930 Dali	351,62	5.6
A6190W/927/A	Micro Tube 2 AT WHITE 927 1-10V	351,62	5.6
A6190W/927/D	Micro Tube 2 AT WHITE 927 Dali	351,62	5.6
A6190W/930/A	Micro Tube 2 AT WHITE 930 1-10V	351,62	5.6
A6190W/930/D	Micro Tube 2 AT WHITE 930 Dali	351,62	5.6
A6191B/I/927	Nano tube Suspension IN Black 927	221,55	5.6
A6191B/I/930	Nano tube Suspension IN Black 930	221,55	5.6
A6191B/O/927	Nano Tube Suspension ON Black 927	221,55	5.6
A6191B/O/930	Nano Tube Suspension ON Black 930	221,55	5.6
A6191W/I/927	Nano tube Suspension IN White 927	221,55	5.6
A6191W/I/930	Nano tube Suspension IN White 930	221,55	5.6
A6191W/O/927	Nano Tube Suspension ON White 927	221,55	5.6
A6191W/O/930	Nano Tube Suspension ON White 930	221,55	5.6
A6192B/927	Turio S Black 2700K	135,40	5.6
A6192B/930	Turio S Black 3000K	135,40	5.6
A6192W/927	Turio S White 2700K	135,40	5.6
A6192W/930	Turio S White 3000K	135,40	5.6
A6193B/927	Turio S2 Black 2700K	247,88	5.6
A6193B/930	Turio S2 Black 3000K	247,88	5.6
A6193W/927	Turio S2 White 2700K	247,88	5.6
A6193W/930	Turio S2 White 3000K	247,88	5.6
A6194B/927	Turio R Black 2700K	135,40	5.6
A6194B/930	Turio R Black 3000K	135,40	5.6
A6194W/927	Turio R White 2700K	135,40	5.6
A6194W/930	Turio R White 3000K	135,40	5.6
A6195B/927	Mini Crater IP Black 927 - IP44	69,00	5.6
A6195B/930	Mini Crater IP Black 930 - IP44	69,00	5.6
A6195W/927	Mini Crater IP White 927 - IP44	69,00	5.6
A6195W/930	Mini Crater IP White 930 - IP44	69,00	5.6
A6196B/827	Marker Black 827	67,79	5.6
A6196B/830	Marker Black 830	67,79	5.6
A6196W/827	Marker White 827	67,79	5.6
A6196W/830	Marker White 830	67,79	5.6
A6197B/827	Arrow Black 827	61,25	5.6
A6197B/830	Arrow Black 827	61,25	5.6
A6197W/827	Arrow White 827	61,25	5.6
A6197W/830	Arrow White 830	61,25	5.6
A6198B/20/927	Micro tube L AC 2 ON Black 927 Phase Dim	379,42	5.6
A6198B/20/930	Micro tube L AC 2 ON Black 930 Phase Dim	379,42	5.6
A6198B/20R/927	Micro tube L AC 2 ON RECT Black 927	387,22	5.6
A6198B/20R/930	Micro tube L AC 2 ON RECT Black 930	387,22	5.6
A6198B/30/927	Micro tube L AC 3 ON Black 927 Phase Dim	511,96	5.6

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

A6198B/30/930	Micro tube L AC 3 ON Black 930 Phase Dim	511,96	5.6
A6198B/I/927	Micro tube L AC IN Black 927 Phase Dim	148,05	5.6
A6198B/I/930	Micro tube L AC IN Black 930 Phase Dim	148,05	5.6
A6198B/O/927	Micro tube L AC ON Black 927 Phase Dim	159,60	5.6
A6198B/O/930	Micro tube L AC ON Black 930 Phase Dim	159,60	5.6
A6198B/OR/927	Micro tube L AC ON RECT Black 927	254,68	5.6
A6198B/OR/930	Micro tube L AC ON RECT Black 930	254,68	5.6
A6198W/20/927	Micro tube L AC 2 ON White 927 Phase Dim	379,42	5.6
A6198W/20/930	Micro tube L AC 2 ON White 930 Phase Dim	379,42	5.6
A6198W/20R/927	Micro tube L AC 2 ON RECT White 927	387,22	5.6
A6198W/20R/930	Micro tube L AC 2 ON RECT White 930	387,22	5.6
A6198W/30/927	Micro tube L AC 3 ON White 927 Phase Dim	511,96	5.6
A6198W/30/930	Micro tube L AC 3 ON White 930 Phase Dim	511,96	5.6
A6198W/I/927	Micro tube L AC IN White 927 Phase Dim	148,05	5.6
A6198W/I/930	Micro tube L AC IN White 930 Phase Dim	148,05	5.6
A6198W/O/927	Micro tube L AC ON White 927 Phase Dim	159,60	5.6
A6198W/O/930	Micro tube L AC ON White 930 Phase Dim	159,60	5.6
A6198W/OR/927	Micro tube L AC ON RECT White 927	254,68	5.6
A6198W/OR/930	Micro tube L AC ON RECT White 930	254,68	5.6
A6199B/I/927	Nano tube L IN Black 927	227,85	5.6
A6199B/I/930	Nano tube L IN Black 930	227,85	5.6
A6199B/O/927	Nano Tube L ON Black 927	227,85	5.6
A6199B/O/930	Nano Tube L ON Black 930	227,85	5.6
A6199W/I/927	Nano tube L IN White 927	227,85	5.6
A6199W/I/930	Nano tube L IN White 930	227,85	5.6
A6199W/O/927	Nano Tube L ON White 927	227,85	5.6
A6199W/O/930	Nano Tube L ON White 930	227,85	5.6
A6200BB/I/830/D	Dotline S4 IN 830 dali dim	243,11	5.6
A6200BB/I/830/PD	Dotline S4 IN 830 phase dim	198,22	5.6
A6200BW/I/830/D	Dotline S4 IN 830 dali dim	243,11	5.6
A6200BW/I/830/PD	Dotline S4 IN 830 phase dim	198,22	5.6
A6200WB/I/830/D	Dotline S4 IN 830 dali dim	243,11	5.6
A6200WB/I/830/PD	Dotline S4 IN 830 phase dim	198,22	5.6
A6200WW/I/830/D	Dotline S4 IN 830 dali dim	243,11	5.6
A6200WW/I/830/PD	Dotline S4 IN 830 phase dim	198,22	5.6
A6201BB/I/830/D	Dotline S7 IN 830 dali dim	269,80	5.6
A6201BB/I/830/PD	Dotline S7 IN 830 phase dim	224,91	5.6
A6201BW/I/830/D	Dotline S7 IN 830 dali dim	269,80	5.6
A6201BW/I/830/PD	Dotline S7 IN 830 phase dim	224,91	5.6
A6201WB/I/830/D	Dotline S7 IN 830 dali dim	269,80	5.6
A6201WB/I/830/PD	Dotline S7 IN 830 phase dim	224,91	5.6
A6201WW/I/830/D	Dotline S7 IN 830 dali dim	269,80	5.6
A6201WW/I/830/PD	Dotline S7 IN 830 phase dim	224,91	5.6
A6204/I/927	Georges Suspension IN 927	254,27	5.6
A6204/I/930	Georges Suspension IN 930	254,27	5.6
A6204/O/927	George Suspension ON 927	254,27	5.6
A6204/O/930	Georges Suspension ON 930	254,27	5.6
A6204D12/I/927	Georges D12 suspension IN 927	317,37	5.6
A6204D12/I/930	Georges D12 suspension IN 930	317,37	5.6
A6204D12/O/927	Georges D12 suspension ON 927	317,37	5.6
A6204D12/O/930	Georges D12 suspension ON 930	317,37	5.6
A6205D12/I/927	Georges D12 IN 927	243,48	5.6
A6205D12/I/930	Georges D12 IN 930	243,48	5.6
A6205D20/O/927	Georges D20 ON 927	272,86	5.6
A6205D20/O/930	Georges D20 ON 930	272,86	5.6
A6206/927	Georges D9 IN 927	243,48	5.6
A6206/930	Georges D9 IN 930	243,48	5.6
A6207/927	Georges T 927 (stand-alone) incl.driver	304,17	5.6
A6207/930	Georges T 930 (stand-alone) incl. driver	304,17	5.6
A6213B/927	Micro Tube FL AC Black 927 Phase Dim	143,22	5.6
A6213B/930	Micro Tube FL AC Black 930 Phase Dim	143,22	5.6
A6213W/927	Micro Tube FL AC White 927 Phase Dim	143,22	5.6
A6213W/930	Micro Tube FL AC White 930 Phase Dim	143,22	5.6
A-TRACK-TIF			
AT/COVER/B	Cover black 3m	51,73	
AT/COVER/W	Cover White 3m	51,73	
AT/COVPLAS	Plaster cover 2m	14,28	
AT/CS/2000/B	5x0,75mm ² - 2000mm - black	33,60	
AT/CS/2000/T	5x0,75mm ² - 2000mm - transparant	29,40	
AT/CS/5000/B	5x0,75mm ² - 5000mm - black	56,70	
AT/CS/5000/T	5x0,75mm ² - 5000mm - transparant	51,24	
AT/EC/B	End cap High Track LV Black	15,28	
AT/EC/W	End cap High Track LV White	15,28	
AT/ECF/B	End cap Feed High Track LV Black	18,18	
AT/ECF/W	End cap Feed High Track LV White	18,18	
AT/HO/B/1000	Magnetic High Track LV Black 1Mt	102,47	
AT/HO/B/2000	Magnetic High Track LV Black 2Mt	212,07	
AT/HO/B/3000	Magnetic High Track LV Black 3Mt	327,42	
AT/HO/W/1000	Magnetic High Track LV White 1Mt	102,47	
AT/HO/W/2000	Magnetic High Track LV White 2Mt	212,07	
AT/HO/W/3000	Magnetic High Track LV White 3Mt	327,42	
AT/HT/B/1000	Magnetic High Trimless Track LV Black 1Mt	108,11	
AT/HT/B/2000	Magnetic High Trimless Track LV Black 2Mt	222,89	
AT/HT/B/3000	Magnetic High Trimless Track LV Black 3Mt	342,98	

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

AT/HT/W/1000	Magnetic High Trimless Track LV White 1Mt	108,11	
AT/HT/W/2000	Magnetic High Trimless Track LV White 2Mt	222,89	
AT/HT/W/3000	Magnetic High Trimless Track LV White 3Mt	342,98	
AT/LO/W/1000	AT Low LV Track White 1m	76,44	
AT/LO/W/2000	AT Low LV Track White 2m	144,62	
AT/LO/W/3000	AT Low LV Track White 3m	212,77	
AT/LO/B/1000	AT Low LV Track Black 1m	76,44	
AT/LO/B/2000	AT Low LV Track Black 2m	144,62	
AT/LO/B/3000	AT Low LV Track Black 3m	212,77	
AT/ECL/B	AT End cap Low Track LV Black	8,80	
AT/ECL/W	AT End cap Low Track LV White	8,80	
AT/LFI/B	AT L connector internal Black	66,54	
AT/LFI/W	AT L connector internal White	66,54	
AT/LFE/B	AT L connector external Black	66,54	
AT/LFE/W	AT L connector external White	66,54	
AT/LO/COVER/B	AT LO Cover Black (3m)	51,73	
AT/LO/COVER/W	AT LO Cover White (3m)	51,73	
AT/LO/OPALCOV	AT LO Opal Cover	51,73	
AT/LO/LPB/B	AT LO pendant bracket Black	15,78	
AT/LO/LPB/W	AT LO pendant bracket White	15,78	
ATP/60W/PS/B	A-Track-Tif 60W 48Vdc Inline Driver Kit black	123,90	5.14
ATP/60W/PS/W	A-Track-Tif 60W 48Vdc Inline Driver Kit white	123,90	5.14
ATP/60W/PCAS/B	A-Track-Tif 60W 48Vdc Inline Driver Kit black + Casambi	277,00	5.14
ATP/60W/PCAS/W	A-Track-Tif 60W 48Vdc Inline Driver Kit white + Casambi	277,00	5.14
ATP/60W/PMAT/B	A-Track-Tif 60W 48Vdc Inline Driver Kit black + MATTER	279,00	5.14
ATP/60W/PMAT/W	A-Track-Tif 60W 48Vdc Inline Driver Kit white + MATTER	279,00	5.14
ATP/DALI-CAS/B	A-Track-Tif Daligate Casambi black	499,80	5.14
ATP/DALI-CAS/W	A-Track-Tif Daligate Casambi white	499,80	
ATP/EFL/B	Magnetic End Feed LEFT LV Polarised Black	42,15	
ATP/EFL/W	Magnetic End Feed LEFT LV Polarised White	42,15	
ATP/EFR/B	Magnetic End Feed RIGHT LV Polarised Black	42,15	
ATP/EFR/W	Magnetic End Feed RIGHT LV Polarised White	42,15	
ATP/FC/B	Magnetic Flex coupler black	123,31	
ATP/FC/W	Magnetic Flex coupler white	123,31	
ATP/MF/B	Magnetic Coupler LV Polarised Black	27,64	
ATP/MF/W	Magnetic Coupler LV Polarised White	27,64	
AT/LB	Magn. High Track L-bracket	25,64	
AT/LPB	Magn. High track Long pendant bracket/connection bracket	10,46	
AT/SPB	Magn. High track Short pendant bracket	7,10	
ATUL1/927/D	AT HO uplight option 1m 927 dali (pre-installed)	300,03	
ATUL1/930/D	AT HO uplight option 1m 930 dali (pre-installed)	300,03	
ATUL1/927/A	AT HO uplight option 1m 927 1-10V (pre-installed)	300,03	
ATUL1/930/A	AT HO uplight option 1m 930 1-10V (pre-installed)	300,03	
ATUL2/927/D	AT HO uplight option 2m 927 dali (pre-installed)	401,63	
ATUL2/930/D	AT HO uplight option 2m 930 dali (pre-installed)	401,63	
ATUL2/927/A	AT HO uplight option 2m 927 1-10V (pre-installed)	401,63	
ATUL2/930/A	AT HO uplight option 2m 930 1-10V (pre-installed)	401,63	
ATUL3/927/D	AT HO uplight option 3m 927 dali (pre-installed)	445,63	
ATUL3/930/D	AT HO uplight option 3m 930 dali (pre-installed)	445,63	
ATUL3/927/A	AT HO uplight option 3m 927 1-10V (pre-installed)	445,63	
ATUL3/930/A	AT HO uplight option 3m 930 1-10V (pre-installed)	445,63	
AT/MC60/B	Mounting connecting box Ø 60mm matt black texture	17,80	
AT/MC60/W	Mounting connecting box Ø 60mm matt white texture	17,80	
AT/MC80/B	Mounting connecting box Ø 80mm matt black texture	19,90	
AT/MC80/W	Mounting connecting box Ø 80mm matt white texture	19,90	
AT/PS/2000	Magn. High Track Suspension set 2000mm (incl. ceiling fix)	12,60	
AT/PS/5000	Magn. High Track Suspension set 5000mm (incl. ceiling fix)	18,38	
AT/RC60/B	Recessed connecting box Ø 60mm matt black texture	17,80	
AT/RC60/W	Recessed connecting box Ø 60mm matt white texture	17,80	
AT/RC90/B	Recessed connecting box Ø 90mm matt black texture	19,90	
AT/RC90/W	Recessed connecting box Ø 90mm matt white texture	19,90	
AT/SB/B	Black mounting connecting box (rect)	35,94	
AT/SB/W	White mounting connecting box (rect)	35,94	
AT/TJC/B	Magn. trimless joining connector set (2pcs.)	17,26	
AT1001/927/500/A	Line IN AT 500mm 927 1-10V DIM	259,01	5.6
AT1001/927/500/D	Line IN AT 500mm 927 DALI DIM	259,01	5.6
AT1001/927/1000/A	Line IN AT 1000mm 927 1-10V DIM	325,79	4.6
AT1001/927/1000/D	Line IN AT 1000mm 927 DALI DIM	325,79	4.6
AT1001/927/1500/A	Line IN AT 1500mm 927 1-10V DIM	430,58	4.6
AT1001/927/1500/D	Line IN AT 1500mm 927 DALI DIM	430,58	4.6
AT1001/927/2000/A	Line IN AT 2000mm 927 1-10V DIM	493,16	4.6
AT1001/927/2000/D	Line IN AT 2000mm 927 DALI DIM	493,16	4.6
AT1001/930/500/A	Line IN AT 500mm 930 1-10V DIM	259,01	4.6
AT1001/930/500/D	Line IN AT 500mm 930 DALI DIM	259,01	4.6
AT1001/930/1000/A	Line IN AT 1000mm 930 1-10V DIM	325,79	4.6
AT1001/930/1000/D	Line IN AT 1000mm 930 DALI DIM	325,79	4.6
AT1001/930/1500/A	Line IN AT 1500mm 930 1-10V DIM	430,58	4.6
AT1001/930/1500/D	Line IN AT 1500mm 930 DALI DIM	430,58	4.6
AT1001/930/2000/A	Line IN AT 2000mm 930 1-10V DIM	493,16	4.6
AT1001/930/2000/D	Line IN AT 2000mm 930 DALI DIM	493,16	4.6
AT1001/TW/600/D	Line IN AT 600mm TUNABLE WHITE DALI DIM	305,97	4.6
AT1001/TW/1200/D	Line IN AT 1200mm TUNABLE WHITE DALI DIM	398,71	4.6
AT1001/TW/1800/D	Line IN AT 1800mm TUNABLE WHITE DALI DIM	491,44	4.6
AT1001/BTC/927/500/A	Line IN AT BLACK TRANSPARANT DIFFUSOR 500mm 927 1-10V DIM	274,76	5.6

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

AT1001/BTC/927/500/D	Line IN AT BLACK TRANSPARANT DIFFUSOR 500mm 927 DALI DIM	274,76	5.6
AT1001/BTC/927/1000/A	Line IN AT BLACK TRANSPARANT DIFFUSOR 1000mm 927 1-10V DIM	341,54	4.6
AT1001/BTC/927/1000/D	Line IN AT BLACK TRANSPARANT DIFFUSOR 1000mm 927 DALI DIM	341,54	4.6
AT1001/BTC/927/1500/A	Line IN AT BLACK TRANSPARANT DIFFUSOR 1500mm 927 1-10V DIM	446,33	4.6
AT1001/BTC/927/1500/D	Line IN AT BLACK TRANSPARANT DIFFUSOR 1500mm 927 DALI DIM	446,33	4.6
AT1001/BTC/927/2000/A	Line IN AT BLACK TRANSPARANT DIFFUSOR 2000mm 927 1-10V DIM	508,91	4.6
AT1001/BTC/927/2000/D	Line IN AT BLACK TRANSPARANT DIFFUSOR 2000mm 927 DALI DIM	508,91	4.6
AT1001/BTC/930/500/A	Line IN AT BLACK TRANSPARANT DIFFUSOR 500mm 930 1-10V DIM	274,76	4.6
AT1001/BTC/930/500/D	Line IN AT BLACK TRANSPARANT DIFFUSOR 500mm 930 DALI DIM	274,76	4.6
AT1001/BTC/930/1000/A	Line IN AT BLACK TRANSPARANT DIFFUSOR 1000mm 930 1-10V DIM	341,54	4.6
AT1001/BTC/930/1000/D	Line IN AT BLACK TRANSPARANT DIFFUSOR 1000mm 930 DALI DIM	341,54	4.6
AT1001/BTC/930/1500/A	Line IN AT BLACK TRANSPARANT DIFFUSOR 1500mm 930 1-10V DIM	446,33	4.6
AT1001/BTC/930/1500/D	Line IN AT BLACK TRANSPARANT DIFFUSOR 1500mm 930 DALI DIM	446,33	4.6
AT1001/BTC/930/2000/A	Line IN AT BLACK TRANSPARANT DIFFUSOR 2000mm 930 1-10V DIM	508,91	4.6
AT1001/BTC/930/2000/D	Line IN AT BLACK TRANSPARANT DIFFUSOR 2000mm 930 DALI DIM	508,91	4.6
AT1001/BTC/TW/600/D	Line IN AT BLACK TRANSPARANT DIFFUSOR 600mm 930 TUNABLE WHITE DALI DIM	321,72	4.6
AT1001/BTC/TW/1200/D	Line IN AT BLACK TRANSPARANT DIFFUSOR 1200mm 930 TUNABLE WHITE DALI DIM	414,46	4.6
AT1001/BTC/TW/1800/D	Line IN AT BLACK TRANSPARANT DIFFUSOR 1800mm 930 TUNABLE WHITE DALI DIM	507,19	4.6
AT1002B/927/500/A	Line OUT AT BLACK 500mm 927 1-10V DIM	265,49	5.6
AT1002B/927/500/D	Line OUT AT BLACK 500mm 927 DALI DIM	265,49	5.6
AT1002B/927/1000/A	Line OUT AT BLACK 1000mm 927 1-10V DIM	333,94	4.6
AT1002B/927/1000/D	Line OUT AT BLACK 1000mm 927 DALI DIM	333,94	4.6
AT1002B/927/1500/A	Line OUT AT BLACK 1500mm 927 1-10V DIM	441,35	4.6
AT1002B/927/1500/D	Line OUT AT BLACK 1500mm 927 DALI DIM	441,35	4.6
AT1002B/927/2000/A	Line OUT AT BLACK 2000mm 927 1-10V DIM	505,49	4.6
AT1002B/927/2000/D	Line OUT AT BLACK 2000mm 927 DALI DIM	505,49	4.6
AT1002B/930/500/A	Line OUT AT BLACK 500mm 930 1-10V DIM	265,49	4.6
AT1002B/930/500/D	Line OUT AT BLACK 500mm 930 DALI DIM	265,49	4.6
AT1002B/930/1000/A	Line OUT AT BLACK 1000mm 930 1-10V DIM	333,94	4.6
AT1002B/930/1000/D	Line OUT AT BLACK 1000mm 930 DALI DIM	333,94	4.6
AT1002B/930/1500/A	Line OUT AT BLACK 1500mm 930 1-10V DIM	441,35	4.6
AT1002B/930/1500/D	Line OUT AT BLACK 1500mm 930 DALI DIM	441,35	4.6
AT1002B/930/2000/A	Line OUT AT BLACK 2000mm 930 1-10V DIM	505,49	4.6
AT1002B/930/2000/D	Line OUT AT BLACK 2000mm 930 DALI DIM	505,49	4.6
AT1002B/TW/600/D	Line OUT AT BLACK 600mm TUNABLE WHITE DALI DIM	313,62	4.6
AT1002B/TW/1200/D	Line OUT AT BLACK 1200mm TUNABLE WHITE DALI DIM	408,67	4.6
AT1002B/TW/1800/D	Line OUT AT BLACK 1800mm TUNABLE WHITE DALI DIM	503,73	4.6
AT1002W/927/500/A	Line OUT AT WHITE 500mm 927 1-10V DIM	265,49	5.6
AT1002W/927/500/D	Line OUT AT WHITE 500mm 927 DALI DIM	265,49	5.6
AT1002W/927/1000/A	Line OUT AT WHITE 1000mm 927 1-10V DIM	333,94	4.6
AT1002W/927/1000/D	Line OUT AT WHITE 1000mm 927 DALI DIM	333,94	4.6
AT1002W/927/1500/A	Line OUT AT WHITE 1500mm 927 1-10V DIM	441,35	4.6
AT1002W/927/1500/D	Line OUT AT WHITE 1500mm 927 DALI DIM	441,35	4.6
AT1002W/927/2000/A	Line OUT AT WHITE 2000mm 927 1-10V DIM	505,49	4.6
AT1002W/927/2000/D	Line OUT AT WHITE 2000mm 927 DALI DIM	505,49	4.6
AT1002W/930/500/A	Line OUT AT WHITE 500mm 930 1-10V DIM	265,49	4.6
AT1002W/930/500/D	Line OUT AT WHITE 500mm 930 DALI DIM	265,49	4.6
AT1002W/930/1000/A	Line OUT AT WHITE 1000mm 930 1-10V DIM	333,94	4.6
AT1002W/930/1000/D	Line OUT AT WHITE 1000mm 930 DALI DIM	333,94	4.6
AT1002W/930/1500/A	Line OUT AT WHITE 1500mm 930 1-10V DIM	441,35	4.6
AT1002W/930/1500/D	Line OUT AT WHITE 1500mm 930 DALI DIM	441,35	4.6
AT1002W/930/2000/A	Line OUT AT WHITE 2000mm 930 1-10V DIM	505,49	4.6
AT1002W/930/2000/D	Line OUT AT WHITE 2000mm 930 DALI DIM	505,49	4.6
AT1002W/TW/600/D	Line OUT AT WHITE 600mm TUNABLE WHITE DALI DIM	313,62	4.6
AT1002W/TW/1200/D	Line OUT AT WHITE 1200mm TUNABLE WHITE DALI DIM	408,67	4.6
AT1002W/TW/1800/D	Line OUT AT WHITE 1800mm TUNABLE WHITE DALI DIM	503,73	4.6
AT1003B/927/250/A	Line OR AT Black 250mm 927 1-10V DIM	266,87	5.6
AT1003B/927/250/D	Line OR AT Black 250mm 927 DALI DIM	266,87	5.6
AT1003B/927/500/A	Line OR AT Black 500mm 927 1-10V DIM	309,92	5.6
AT1003B/927/500/D	Line OR AT Black 500mm 927 DALI DIM	309,92	5.6
AT1003B/930/250/A	Line OR AT Black 250mm 930 1-10V DIM	266,87	5.6
AT1003B/930/250/D	Line OR AT Black 250mm 930 DALI DIM	266,87	5.6
AT1003B/930/500/A	Line OR AT Black 500mm 930 1-10V DIM	309,92	5.6
AT1003B/930/500/D	Line OR AT Black 500mm 930 DALI DIM	309,92	5.6
AT1003B/BTC/927/250/A	Line OR AT Black BLACK TRANSPARANT COVER 250mm 927 1-10V DIM	266,87	5.6
AT1003B/BTC/927/250/D	Line OR AT Black BLACK TRANSPARANT COVER 250mm 927 DALI DIM	266,87	5.6
AT1003B/BTC/927/500/A	Line OR AT Black BLACK TRANSPARANT COVER 500mm 927 1-10V DIM	309,92	5.6
AT1003B/BTC/927/500/D	Line OR AT Black BLACK TRANSPARANT COVER 500mm 927 DALI DIM	309,92	5.6
AT1003B/BTC/930/250/A	Line OR AT Black BLACK TRANSPARANT COVER 250mm 930 1-10V DIM	266,87	5.6
AT1003B/BTC/930/250/D	Line OR AT Black BLACK TRANSPARANT COVER 250mm 930 DALI DIM	266,87	5.6
AT1003B/BTC/930/500/A	Line OR AT Black BLACK TRANSPARANT COVER 500mm 930 1-10V DIM	309,92	5.6
AT1003B/BTC/930/500/D	Line OR AT Black BLACK TRANSPARANT COVER 500mm 930 DALI DIM	309,92	5.6
AT1003W/927/250/A	Line OR AT White 250mm 927 1-10V DIM	266,87	5.6
AT1003W/927/250/D	Line OR AT White 250mm 927 DALI DIM	266,87	5.6
AT1003W/927/500/A	Line OR AT White 500mm 927 1-10V DIM	309,92	5.6
AT1003W/927/500/D	Line OR AT White 500mm 927 DALI DIM	309,92	5.6
AT1003W/930/250/A	Line OR AT White 250mm 930 1-10V DIM	266,87	5.6
AT1003W/930/250/D	Line OR AT White 250mm 930 DALI DIM	266,87	5.6
AT1003W/930/500/A	Line OR AT White 500mm 930 1-10V DIM	309,92	5.6
AT1003W/930/500/D	Line OR AT White 500mm 930 DALI DIM	309,92	5.6
AT1003W/BTC/927/250/A	Line OR AT White BLACK TRANSPARANT COVER 250mm 927 1-10V DIM	266,87	5.6
AT1003W/BTC/927/250/D	Line OR AT White BLACK TRANSPARANT COVER 250mm 927 DALI DIM	266,87	5.6
AT1003W/BTC/927/500/A	Line OR AT White BLACK TRANSPARANT COVER 500mm 927 1-10V DIM	309,92	5.6
AT1003W/BTC/927/500/D	Line OR AT White BLACK TRANSPARANT COVER 500mm 927 DALI DIM	309,92	5.6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

AT1003W/BTC/930/250/A	Line OR AT White BLACK TRANSPARANT COVER 250mm 930 1-10V DIM	266,87	5.6
AT1003W/BTC/930/250/D	Line OR AT White BLACK TRANSPARANT COVER 250mm 930 DALI DIM	266,87	5.6
AT1003W/BTC/930/500/A	Line OR AT White BLACK TRANSPARANT COVER 500mm 930 1-10V DIM	309,92	5.6
AT1003W/BTC/930/500/D	Line OR AT White BLACK TRANSPARANT COVER 500mm 930 DALI DIM	309,92	5.6
AT1004/927/286/A	DOT LINE AT 286mm 927 1-10V DIM	263,05	5.6
AT1004/927/286/D	DOT LINE AT 286mm 927 DALI DIM	263,05	5.6
AT1004/927/567/A	DOT LINE AT 567mm 927 1-10V DIM	372,41	4.6
AT1004/927/567/D	DOT LINE AT 567mm 927 DALI DIM	372,41	4.6
AT1004/930/286/A	DOT LINE AT 286mm 930 1-10V DIM	263,05	5.6
AT1004/930/286/D	DOT LINE AT 286mm 930 DALI DIM	263,05	5.6
AT1004/930/567/A	DOT LINE AT 567mm 930 1-10V DIM	372,41	4.6
AT1004/930/567/D	DOT LINE AT 567mm 930 DALI DIM	372,41	4.6
AT1005/927/310/D	DOT LINE OR 310mm 930 dali	273,26	5.6
AT1005/930/310/D	DOT LINE OR 310mm 927 dali	273,26	5.6
AT1005/927/310/A	DOT LINE OR 310mm 930 1-10V	273,26	5.6
AT1005/930/310/A	DOT LINE OR 310mm 927 1-10V	273,26	5.6
AT6191B/927/A	Nano Tube Susp AT 927 black 1-10V	281,90	5.6
AT6191B/927/D	Nano Tube Susp AT 927 black Dali	281,90	5.6
AT6191B/930/A	Nano Tube Susp AT 930 black 1-10V	281,90	5.6
AT6191B/930/D	Nano Tube Susp AT 930 black Dali	281,90	5.6
AT6191W/927/A	Nano Tube Susp AT 927 white 1-10V	281,90	5.6
AT6191W/927/D	Nano Tube Susp AT 927 white Dali	281,90	5.6
AT6191W/930/A	Nano Tube Susp AT 930 white 1-10V	281,90	5.6
AT6191W/930/D	Nano Tube Susp AT 930 white Dali	281,90	5.6
AT6199B/927/A	Nano Tube L AT 927 black 1-10V	311,30	5.6
AT6199B/927/D	Nano Tube L AT 927 black Dali	311,30	5.6
AT6199B/930/A	Nano Tube L AT 930 black 1-10V	311,30	5.6
AT6199B/930/D	Nano Tube L AT 930 black Dali	311,30	5.6
AT6199W/927/A	Nano Tube L AT 927 white 1-10V	311,30	5.6
AT6199W/927/D	Nano Tube L AT 927 white Dali	311,30	5.6
AT6199W/930/A	Nano Tube L AT 930 white 1-10V	311,30	5.6
AT6199W/930/D	Nano Tube L AT 930 white Dali	311,30	5.6
AT6204/927/A	George AT Suspension 927 Dim 1-10V	361,73	5.6
AT6204/927/D	George AT Suspension 927 Dali Dim	361,73	5.6
AT6204/930/A	George AT Suspension 930 Dim 1-10V	361,73	5.6
AT6204/930/D	George AT Suspension 930 Dali Dim	361,73	5.6
AT6204D12/927/A	George D12 AT Suspension 927 Dim 1-10V	424,82	5.6
AT6204D12/927/D	George D12 AT Suspension 927 Dali Dim	424,82	5.6
AT6204D12/930/A	George D12 AT Suspension 930 Dim 1-10V	424,82	5.6
AT6204D12/930/D	George D12 AT Suspension 930 Dali Dim	424,82	5.6
AT6206/927/A	George AT ON 927 Dim 1-10V	282,60	5.6
AT6206/927/D	George AT ON 927 Dali Dim	282,60	5.6
AT6206/930/A	George AT ON 930 Dim 1-10V	282,60	5.6
AT6206/930/D	George AT ON 930 Dali Dim	282,60	5.6
A6189B/927/A	Micro Tube AT BLACK 927 1-10V	237,80	5.6
A6189B/927/D	Micro Tube AT BLACK 927 Dali	237,80	5.6
A6189B/930/A	Micro Tube AT BLACK 930 1-10V	237,80	5.6
A6189B/930/D	Micro Tube AT BLACK 930 Dali	237,80	5.6
A6189W/927/A	Micro Tube AT WHITE 927 1-10V	237,80	5.6
A6189W/927/D	Micro Tube AT WHITE 927 Dali	237,80	5.6
A6189W/930/A	Micro Tube AT WHITE 930 1-10V	237,80	5.6
A6189W/930/D	Micro Tube AT WHITE 930 Dali	237,80	5.6
A6190B/927/A	Micro Tube 2 AT BLACK 927 1-10V	351,62	5.6
A6190B/927/D	Micro Tube 2 AT BLACK 927 Dali	351,62	5.6
A6190B/930/A	Micro Tube 2 AT BLACK 930 1-10V	351,62	5.6
A6190B/930/D	Micro Tube 2 AT BLACK 930 Dali	351,62	5.6
A6190W/927/A	Micro Tube 2 AT WHITE 927 1-10V	351,62	5.6
A6190W/927/D	Micro Tube 2 AT WHITE 927 Dali	351,62	5.6
A6190W/930/A	Micro Tube 2 AT WHITE 930 1-10V	351,62	5.6
A6190W/930/D	Micro Tube 2 AT WHITE 930 Dali	351,62	5.6
AT6146W/1200/927/24/A	Mini Tube AT White 1200lm 927 24° 1-10V	274,26	5.6
AT6146W/1200/927/36/A	Mini Tube AT White 1200lm 927 36° 1-10V	274,26	5.6
AT6146W/1200/927/24/D	Mini Tube AT White 1200lm 927 24° Dali	274,26	5.6
AT6146W/1200/927/36/D	Mini Tube AT White 1200lm 927 36° Dali	274,26	5.6
AT6146W/1200/930/24/A	Mini Tube AT White 1200lm 930 24° 1-10V	274,26	5.6
AT6146W/1200/930/36/A	Mini Tube AT White 1200lm 930 36° 1-10V	274,26	5.6
AT6146W/1200/930/24/D	Mini Tube AT White 1200lm 930 24° Dali	274,26	5.6
AT6146W/1200/930/36/D	Mini Tube AT White 1200lm 930 36° Dali	274,26	5.6
AT6146B/1200/927/24/A	Mini Tube AT Black 1200lm 927 24° 1-10V	274,26	5.6
AT6146B/1200/927/36/A	Mini Tube AT Black 1200lm 927 36° 1-10V	274,26	5.6
AT6146B/1200/927/24/D	Mini Tube AT Black 1200lm 927 24° Dali	274,26	5.6
AT6146B/1200/927/36/D	Mini Tube AT Black 1200lm 927 36° Dali	274,26	5.6
AT6146B/1200/930/24/A	Mini Tube AT Black 1200lm 930 24° 1-10V	274,26	5.6
AT6146B/1200/930/36/A	Mini Tube AT Black 1200lm 930 36° 1-10V	274,26	5.6
AT6146B/1200/930/24/D	Mini Tube AT Black 1200lm 930 24° Dali	274,26	5.6
AT6146B/1200/930/36/D	Mini Tube AT Black 1200lm 930 36° Dali	274,26	5.6
Exterior			
B1014	MODEST	97,50	5.6
B1015	TERRA SPIKE	216,30	5.6
B1016	TERRA WALL	216,30	5.6
B1017/1	Nail-IT	202,51	5.6
B1017/2	Nail-IT 2	352,84	5.6
B1018/827	Viktor N 827	216,30	5.6
B1018/830	Viktor N 830	216,30	5.6

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

B1019/827	Viktor Corten 827	347,55	5.6
B1019/830	Viktor Corten 830	347,55	5.6
B1020/827	Viktor Black 827	347,55	5.6
B1020/830	Viktor Black 830	347,55	5.6
B2001	POWERDOT WW	82,30	5.6
B2002	CARRE ES WW	82,30	5.6
B2003	LIMBUS WW	179,55	5.6
B2004	LIMBUS CW	179,55	5.6
B2005	LIMBUS RGB	230,48	5.6
B2006	HALOS WW	179,55	5.6
B2007	HALOS CW	179,55	5.6
B2008	HALOS RGB	230,48	5.6
B2013	Nino CW	52,40	5.6
B2014	Nino WW	52,40	5.6
B2015	Costa WW	81,38	5.6
B2016	Costa CW	81,38	5.6
B2017	Costa D WW	81,38	5.6
B2018	Costa D CW	81,38	5.6
B2019	Vega R	221,55	5.6
B2020	Vega S	221,55	5.6
B3001	ACERO DOUBLE	162,30	5.6
B3010/B830	Icon Black 3000K	127,51	5.6
B3010/W830	Icon White 3000K	127,51	5.6
B5008/830	BEAM 50 3000K	177,45	5.6
B5008/840	BEAM 50 4000K	177,45	5.6
B5009/830	BEAM 150-2 3000K	444,15	5.6
B5009/840	BEAM 150-2 4000K	444,15	5.6
B5034/8027	C-line Alu 24Vdc 2700K IP67	252,00	4.6
B5034/8030	C-line Alu 24Vdc 3000K IP67	252,00	4.6
B5034/8040	C-line Alu 24Vdc 4000K IP67	252,00	4.6
B5035/8027	C-line Alu recessed 24Vdc 2700K IP67	315,00	4.6
B5035/8030	C-line Alu recessed 24Vdc 3000K IP67	315,00	4.6
B5035/8040	C-line Alu recessed 24Vdc 4000K IP67	315,00	4.6
EXT RU05/B-1W	POWERDOT BLUE	82,30	5.6
EXT RU05/W-1W	POWERDOT CW	82,30	5.6
EXT SU03/B-1W	CARRE ES Blue	82,30	5.6
EXT SU03/W-1W	CARRE ES CW	82,30	5.6
Led modules			
Reference number	Model name	Price € ex. VAT	RECUPEL
C1001/827	RE-LED 827 36° 780lm 500mA 9.3W	40,95	3.2
C1001/827 KIT	RE-LED 827 + Phase/1-10V Dim driver KIT	57,75	3.2
C1001/830	RE-LED 830 36° 825lm 500mA 9.3W	40,95	3.2
C1001/830 KIT	RE-LED 830 + Phase/1-10V Dim driver KIT	57,75	3.2
C1002/927/24	Re-LED AC 927 24°	29,40	3.2
C1002/927/36	Re-LED AC 927 36°	29,40	3.2
C1002/930/24	Re-LED AC 927 24°	29,40	3.2
C1002/930/36	Re-LED AC 927 36°	29,40	3.2
C1003/927/24	Re-LED 1200 927 24° => Re-LED 1200 927 24°	29,40	3.2
C1003/927/36	Re-LED 1200 927 36° => Re-LED 1200 927 36°	29,40	3.2
C1003/930/24	Re-LED 1200 930 24° => Re-LED 1200 930 24°	29,40	3.2
C1003/930/36	Re-LED 1200 930 36° => Re-LED 1200 930 36°	29,40	3.2
C1004	Re-LED 900lm 40° D2W(927-918)	38,00	3.2
C2001/FA	Re-light module T 3860lm - FASHION - incl. driver	167,40	3.2
C2001/FIS	Re-light module T 3600lm - FISH - incl. driver	167,40	3.2
C2001/FM	Re-light module T 2550lm - FRESH MEAT - incl. driver	167,40	3.2
C2001/G	Re-light module T 3900lm - GOLD - incl. driver	167,40	3.2
C2001/G+	Re-light module T 2900lm - GOLD+ - incl. driver	167,40	3.2
C2001/M+	Re-light module T 2600lm - MEAT+ - incl. driver	167,40	3.2
C2001T/927	Re-light module T 3870lm - 927 - incl. driver	167,40	3.2
C2001T/930	Re-light module T 4130lm - 930 - incl. driver	167,40	3.2
C2001T/940	Re-light module T 4330lm - 940 - incl. driver	167,40	3.2
C2001T/9730	Re-light module T 3520lm - 9730 - incl. driver	181,22	3.2
C2001T/FR	Re-light module T 3600lm - FRUIT - incl. driver	167,40	3.2
C2001T/PW930	Re-light module T 4180lm - PURE WHITE 930 - incl. driver	167,40	3.2
C2001T/PW940	Re-light module T 4180lm - PURE WHITE 940 - incl. driver	167,40	3.2
C2002/FA	Wide beam module T 3860lm - FASHION - incl. driver	183,40	3.2
C2002/FIS	Wide beam module T 3600lm - FISH - incl. driver	183,40	3.2
C2002/FM	Wide beam module T 2550lm - FRESH MEAT - incl. driver	183,40	3.2
C2002/G	Wide beam module T 3900lm - GOLD - incl. driver	183,40	3.2
C2002/G+	Wide beam module T 2900lm - GOLD+ - incl. driver	183,40	3.2
C2002/M+	Wide beam module T 2600lm - MEAT+ - incl. driver	183,40	3.2
C2002T/927	Wide beam module T 3870lm - 927 - incl. driver	183,40	3.2
C2002T/930	Wide beam module T 4130lm - 930 - incl. driver	183,40	3.2
C2002T/940	Wide beam module T 4330lm - 940 - incl. driver	183,40	3.2
C2002T/9730	Wide beam module T 3520lm - 9730 - incl. driver	197,22	3.2
C2002T/FR	Wide beam module T 3600lm - FRUIT - incl. driver	183,40	3.2
C2002T/PW930	Wide beam module T 4180lm - PURE WHITE 930 - incl. driver	183,40	3.2
C2002T/PW940	Wide beam module T 4180lm - PURE WHITE 940 - incl. driver	183,40	3.2
Led strips + PCB's			
C7007V2/IP20*	STRIP-4040-120-24V-RGB-IP20	150,00	
C7007/IP65	STRIP-5050-60-24V-RGB	160,00	
C7008V3/IP20	STRIP-2835-120-24V-WW-3000K-IP20	165,00	
C7008V3/IP64	STRIP-2835-120-24V-WW-3000K-IP20	180,00	
C7009V3/IP20	STRIP-2835-120-24V-CW-4500K-IP20	165,00	

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

C7009V3/IP64	STRIP-2835-120-24V-CW-4500K-IP20	165,00	
C7015V3/IP20	STRIP-2835-120-24V-WW 2700K-IP20	165,00	
C7015V3/IP64	STRIP-2835-120-24V-WW 2700K-IP64	180,00	
C7012/IP20	STRIP-2835-120-24V-WW-3000K-IP20	99,00	
C7012/IP20-25m	STRIP-2835-120-24V-WW-3000K-IP20	384,00	
C7013/IP20	STRIP-2835-120-24V-CW-4500K-IP20	99,00	
C7014/IP20	STRIP-2835-120-24V-WW-2700K-IP20	99,00	
C7014/IP20-25m	STRIP-2835-120-24V-WW-2700K-IP20	384,00	
C7012/IP65	STRIP-3528-120-24V-WW-3000K-IP65	125,00	
C7013/IP65	STRIP-2835-120-24V-CW-4500K-IP65	125,00	
C7014/IP65	STRIP-2835-120-24V-WW-2700K-IP65	125,00	
C7016V3/IP20	STRIP-2835-240-24V-WW-2700K-IP20	175,00	
C7017V3/IP20	STRIP-2835-320-24V-WW-3000K-IP20	175,00	
C7018/IP20	STRIP-COB-512-24V-WW-2700K-IP20	198,00	
C7019/IP20	STRIP-COB-512-24V-WW-3000K-IP20	198,00	
C7020/IP20	STRIP-2110-336-24V-Hybrid-IP20	175,00	
C7301/827	NEON-SV-3014-182-24V-2700K-IP67	248,00	
C7301/830	NEON-SV-3014-182-24V-3000K-IP67	248,00	
C7302/827	NEON-TV-3014-182-24V-2700K-IP67	248,00	
C7302/830	NEON-TV-3014-182-24V-3000K-IP67	248,00	
C7011/IP64	STRIP-3528-60-12V-CW-4500K	90,00	
C7201	STRIP-2835-120-48V-WW-2700K-IP20	165,00	
C7202	STRIP-2835-120-48V-WW-3000K-IP20	165,00	
C7101	36 LED 9W/0,5m 2700K CRI>80 PCB	40,00	
C7102	36 LED 9W/0,5m 3000K CRI>80 PCB	40,00	
C7103	36 LED 9W/0,5m 3000K CRI>80 PCB	40,00	
Led profiles			
C8001	NOVUS 22,6x15,6 mm - Anodised price/m	27,30	
C8001/2	NOVUS 22,6x15,6 mm - Anodised 2m length	54,60	
C8001/3	NOVUS 22,6x15,6 mm - Anodised 3m length	81,90	
C8001/BTC	NOVUS Anodised 22,6x15, mm - Black transparant cover price/m	30,45	
C8001/2/BTC	NOVUS Anodised 22,6x15, mm - Black transparant cover 2m length	60,90	
C8001/3/BTC	NOVUS Anodised 22,6x15, mm - Black transparant cover 3m length	91,35	
C8001-B	NOVUS Brace	6,30	
C8001-PL/2	Novus opal cover 2m	27,30	
C8001-PL/3	Novus opal cover 3m	40,95	
C8001-PLBT/2	Novus black transparent cover 2m	30,45	
C8001-PLBT/3	Novus black transparent cover 3m	45,68	
C8001-BL	NOVUS 22,6x15,6 mm - Black Texture price/m	44,10	
C8001/2-BL	NOVUS 22,6x15,6 mm - Black Texture 2m length	88,20	
C8001/3-BL	NOVUS 22,6x15,6 mm - Black Texture 3m length	132,30	
C8001-BL/BTC	NOVUS Black 22,6x15,6 mm - Black transparant cover price/m	47,25	
C8001/2-BL/BTC	NOVUS Black 22,6x15,6 mm - Black transparant cover 2m length	94,50	
C8001/3-BL/BTC	NOVUS Black 22,6x15,6 mm - Black transparant cover 3m length	141,75	
C8001-E	NOVUS End-cap - Anodised	6,30	
C8001-EB	NOVUS End-cap - Black Texture	8,40	
C8001-EW	NOVUS End-cap - White	8,40	
C8001-W	NOVUS 22,6x15,6 mm - White Texture price/m	44,10	
C8001/2-W	NOVUS 22,6x15,6 mm - White Texture 2m length	88,20	
C8001/3-W	NOVUS 22,6x15,6 mm - White Texture 3m length	132,30	
C8001-W/BTC	NOVUS White 22,6x15,6 mm - Black transparant cover price/m	47,25	
C8001/2-W/BTC	NOVUS White 22,6x15,6 mm - Black transparant cover 2m length	94,50	
C8001/3-W/BTC	NOVUS White 22,6x15,6 mm - Black transparant cover 3m length	141,75	
C8002	CIELLO 34x31,5 mm - Anodised price/m	46,20	
C8002/2	CIELLO 34x31,5 mm - Anodised 2m length	92,40	
C8002/3	CIELLO 34x31,5 mm - Anodised 3m length	138,60	
C8002-BL	CIELLO 34x31,5 mm - Black Texture price/m	73,50	
C8002/2-BL	CIELLO 34x31,5 mm - Black Texture 2m length	147,00	
C8002/3-BL	CIELLO 34x31,5 mm - Black Texture 3m length	220,50	
C8002-E	CIELLO End-cap	9,45	
C8002-EB	CIELLO End-cap - Black	11,55	
C8002-EW	CIELLO End-cap - White	11,55	
C8002-SB	CIELLO Ceiling Mounting	15,75	
C8002-W	CIELLO 34x31,5 mm - White Texture price/m	73,50	
C8002/2-W	CIELLO 34x31,5 mm - White Texture 2m length	147,00	
C8002/3-W	CIELLO 34x31,5 mm - White Texture 3m length	220,50	
C8003	CORNU 45° - Anodised price/m	36,12	
C8003/3	CORNU 45° - Anodised 3m length	108,36	
C8003-B	CORNU Brace	7,35	
C8003-BL	CORNU 45° - Black Texture price/m	52,92	
C8003/3-BL	CORNU 45° - Black Texture 3m length	158,76	
C8003-E	CORNU End-cap - Anodised	7,35	
C8003-EB	CORNU End-cap - Black	9,45	
C8003-EW	CORNU End-cap - White	9,45	
C8003-W	CORNU 45° - mat White Texture price/m	52,92	
C8003/3-W	CORNU 45° - White Texture 3m length	158,76	
C8004	LINEA 20x22 mm - Anodised price/m	27,30	
C8004/2	LINEA 20x22 mm - Anodised 2m length	54,60	
C8004-B	LINEA Brace	6,30	
C8004-BL	LINEA 20x22 mm - Black Texture price/m	44,10	
C8004/2-BL	LINEA 20x22 mm - Black Texture 2m length	88,20	
C8004-E	LINEA End-cap - Anodised	6,30	
C8004-EB	LINEA End-cap - Black Texture	8,40	
C8004-EW	LINEA End-cap - White	8,40	

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

C8004-W	LINEA 20x22 mm - White Texture price/m	44,10	
C8004/2-W	LINEA 20x22 mm - White Texture 2m length	88,20	
C8005	KWADRU 35x35 mm - Anodised price/m	46,20	
C8005/2	KWADRU 35x35 mm - Anodised 2m length	92,40	
C8005/3	KWADRU 35x35 mm - Anodised 3m length	138,60	
C8005-BL	KWADRU 35x35 mm - Black Texture price/m	73,50	
C8005/2-BL	KWADRU 35x35 mm - Black 2m length	92,40	
C8005/3-BL	KWADRU 35x35 mm - Black 3m length	138,60	
C8005-E	KWADRU End-cap - Anodised	9,45	
C8005-EB	KWADRU End-cap - Black Texture	11,55	
C8005-EW	KWADRU End-cap - White Texture	11,55	
C8005-W	KWADRU 35x35 mm - White Texture price/m	73,50	
C8005/2-W	KWADRU 35x35 mm - White 2m length	92,40	
C8005/3-W	KWADRU 35x35 mm - White 3m length	138,60	
C8006	LOW Profile - Anodised price/m	21,00	
C8006/3	LOW Profile - Anodised 3m length	63,00	
C8006-BL	LOW Profile Black price/m	37,80	
C8006/3-BL	LOW Profile Black 3m length	113,40	
C8006-W	LOW Profile White price/m	37,80	
C8006/3-W	LOW Profile White 3m length	113,40	
C8006-E	LOW End-cap	6,30	
C8006-EB	LOW End-cap black	8,40	
C8006-EW	LOW End-cap White	8,40	
C8007	Duo anodised price/m	74,45	
C8007/2	Duo anodised 2m length	148,90	
C8007-B	Duo clip	4,20	
C8007-BL	Duo Black price/m	91,25	
C8007/3-BL	Duo Black 2m length	182,50	
C8007-E	Duo endcap	7,35	
C8007-EB	Duo Endcap black	15,75	
C8007-EW	Duo endcap White	15,75	
C8007-W	Duo White price/m	91,25	
C8007/2-W	Duo White 2m length	182,50	
C8008	Minus TR price/m	38,33	
C8008/2	Minus TR 2m length	76,66	
C8008-E	Minus TR endcap set (2pcs)	8,40	
C8009	Minus TR IN price/m	41,48	
C8009/2	Minus TR IN 2m length	82,96	
C8010	Minus TR OUT price/m	41,48	
C8010/2	Minus TR OUT 2m length	82,96	
C8011	NovusPlus Anodised /m 3m length	46,20	
C8011/3	NovusPlus Anodised 3m length	138,60	
C8011/BTC	NovusPlus Ano /m 3m length / Black transparant cover	49,35	
C8011/3/BTC	NovusPlus Ano 3m lengths / Black transparant cover	148,05	
C8011-B	NovusPlus brace /pcs	8,51	
C8011-BL	NovusPlus Black /m 3m length	58,80	
C8011/3-BL	NovusPlus Black 3m length	176,40	
C8011-BL/BTC	NovusPlus Black /m 3m length / Black transparant cover	61,95	
C8011/3-BL/BTC	NovusPlus Black 3m length / Black transparant cover	185,85	
C8011-C	NovusPlus profile connector /pcs	18,90	
C8011-E	NovusPlus endcap /pcs	15,75	
C8011-EB	NovusPlus endcap black /pcs	22,05	
C8011-EW	NovusPlus endcap White /pcs	22,05	
C8011-W	NovusPlus White /m 3m lengths	58,80	
C8011/3-W	NovusPlus White 3m length	176,40	
C8011-W/BTC	NovusPlus White /m 3m lengths / White transparant cover	61,95	
C8011/3-W/BTC	NovusPlus White 3m length / White transparant cover	185,85	
DRIVERS			
C5001	CC LED DRIVER 350mA/8W	24,64	5.14
C5002	CC LED DRIVER 700mA/7W	16,80	5.14
C5005	CC LED DRIVER 350mA/4W	16,80	5.14
C5066/500mA	CC LED DRIVER 40W 500mA	46,20	5.14
C5066/700mA	CC LED DRIVER 40W 700mA	46,20	5.14
C5066/1050mA	CC LED DRIVER 40W 1050mA	46,20	5.14
C5070	CC LED DRIVER 7W 350mA	16,80	5.14
C5003	CC DIM PHASE 700mA/14W	24,98	5.14
C5016	CC/CV Dimmable Multi Led driver Phase dim	66,99	5.14
C5029	CC DIM PHASE 18W 350mA	30,24	5.14
C5045	CC DIM PHASE 350mA/9W	30,24	5.14
C5063	CC DIM PHASE 15W 350mA SLIM 21-46Vdc	24,66	5.14
C5065	CC DIM PHASE 15W 500mA SLIM 13.5-30Vdc	24,66	5.14
C5067	CC DIM PHASE 7W 180-350mA	23,63	5.14
C5068	CC DIM PHASE 7W 350-500mA	23,63	5.14
C5069	CC DIM PHASE 10W 500-700mA	23,63	5.14
C5072	CC DIM PHASE 10W 250mA	19,95	5.14
C5082	CC DIM PHASE 7W 350mA	21,00	5.14
C5087	CC DIM PHASE 15W 700mA SLIM	24,66	5.14
C5050	CC DIM PHASE/1-10V 10W 350mA	21,00	5.14
C5051	CC DIM PHASE/1-10V 10W 500mA	21,00	5.14
C5062	CC DIM PHASE/1-10V 10W 350mA SLIM 14-28Vdc	22,05	5.14
C5064	CC DIM PHASE/1-10V 10W 500mA SLIM 10-20Vdc	22,05	5.14
C5046	CC DIM 1-10V 350mA/80W	86,92	5.14
C5073	CC DIM 1-10V 300-1050mA 36W	62,40	5.14
C5088	CC DIM 0-10V 40W 350-1050mA	69,76	5.14

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

C5106	CC DIM 1-10V 60W 500-1400mA	86,94	5.14
C5017	CC/CV Dim Dali/1-10V MULTI DRIVER	85,68	5.14
C5035/350mA	CC DIM DALI 35W 350mA	64,85	5.14
C5035/500mA	CC DIM DALI 35W 500mA	64,85	5.14
C5035/700mA	CC DIM DALI 35W 700mA	64,85	5.14
C5035/1050mA	CC DIM DALI 35W 1050mA	64,85	5.14
C5043/350mA	CC DIM DALI 15W 350mA	60,43	5.14
C5043/500mA	CC DIM DALI 15W 500mA	60,43	5.14
C5043/700mA	CC DIM DALI 15W 700mA	60,43	5.14
C5043/1050mA	CC DIM DALI 15W 1050mA	60,43	5.14
C5044/350mA	CC DIM DALI 25W 350mA	62,64	5.14
C5044/500mA	CC DIM DALI 25W 500mA	62,64	5.14
C5044/700mA	CC DIM DALI 25W 700mA	62,64	5.14
C5052	CC DIM DALI 48Vdc 100-1000mA	65,04	5.14
C5071/700mA	CC DIM DALI 50W 700mA	86,77	5.14
C5071/1050mA	CC DIM DALI 50W 1050mA	86,77	5.14
C5071/1400mA	CC DIM DALI 50W 1400mA	86,77	5.14
C5074/350mA	CC DIM DALI 10W 350mA	54,97	5.14
C5074/500mA	CC DIM DALI 10W 500mA	54,97	5.14
C5074/700mA	CC DIM DALI 10W 700mA	54,97	5.14
C5080	CC DIM DALI 25W 350-1050mA	71,16	5.14
C5081	CC DIM DALI 40W 350-1050mA	76,51	5.14
C5083	CC DIM DALI 25W 150-700mA	54,00	5.14
C5089	CC DIM DALI 8W 150-350mA 5-24Vdc	44,00	5.14
C5090	CC DIM DALI 15W 150-350mA 9-42Vdc	45,48	5.14
C5091/350mA	CC DIM DALI 18W 350mA	51,66	5.14
C5091/500mA	CC DIM DALI 18W 500mA	51,66	5.14
C5091/700mA	CC DIM DALI 18W 700mA	51,66	5.14
C5107	CC DIM DALI 60W 500-1400mA	99,36	5.14
C5030	12-24Vdc to 350mA DIM converter	22,47	5.14
C5010	CV LED DRIVER 12Vdc 75W IP67	63,84	5.14
C5021	CV LED DRIVER 12Vdc 20W IP20	18,68	5.14
C5092	CV LED DRIVER 24Vdc 18W IP20	18,87	5.14
C5093	CV LED DRIVER 24Vdc 35W IP20	27,70	5.14
C5094	CV LED DRIVER 24Vdc 60W IP20	49,58	5.14
C5095	CV LED DRIVER 24Vdc 100W IP20	69,14	5.14
C5096	CV LED DRIVER 24Vdc 160W IP20	90,39	5.14
C5097	CV LED DRIVER 24Vdc 35W IP67	39,95	5.14
C5098	CV LED DRIVER 24Vdc 75W IP67	68,79	5.14
C5099	CV LED DRIVER 24Vdc 100W IP67	79,89	5.14
C5100	CV LED DRIVER 24Vdc 200W IP67	126,46	5.14
C5057	CV DRIVER 24VDC 60W SLIM	72,26	5.14
C5058	CV DRIVER 24VDC 96W SLIM	74,24	5.14
C5075	CV DRIVER 24VDC 60W 3DIN RAIL	56,20	5.14
C5076	CV DRIVER 24VDC 150W 6DIN RAIL	80,35	5.14
C5103	CV DIM PHASE 36W 24Vdc IP20	52,51	5.14
C5104	CV DIM PHASE 75W 24Vdc IP20	73,09	5.14
C5105	CV DIM PHASE 150W 24 Vdc IP20	122,67	5.14
C5048	CV DIM DALI 24Vdc 60W IP20	95,83	5.14
C5060	CV DIM DALI 24VDC 100W IP20	115,01	5.14
C5049	CV DIM DALI 24Vdc 150W IP20	149,06	5.14
C5101	CV DRIVER 48VDC 75W IP20	57,49	5.14
C5102	CV DRIVER 48Vdc 120W IP20	64,11	5.14
C5059	CV DRIVER 48VDC 60W SLIM IP20	66,43	5.14
C5077	CV DRIVER 48VDC 60W 3DIN RAIL	66,43	5.14
C5078	CV DRIVER 48VDC 150W 6DIN RAIL	86,72	5.14
C5039	CV LED DRIVER 48VDC 240W DIN RAIL	147,17	5.14
C5053	CV DRIVER 48Vdc 480W DIN RAIL	247,28	5.14
C5015	CV LED DRIVER 24Vdc 60W IP67	46,42	5.14
C5022	CV LED DRIVER 24Vdc 20W IP67	24,69	5.14
C5023	CV LED DRIVER 24Vdc 150W IP67	104,40	5.14
C5027	CV LED DRIVER 24Vdc 35W IP67	35,14	5.14
C5034	CV LED DRIVER 24Vdc 100W IP67	78,27	5.14
C5047	CV DRIVER 24Vdc 240W IP67	114,24	5.14
C5084	CV DIM DALI2 60W 24Vdc IP67	76,59	5.14
C5085	CV DIM DALI2 120W 24Vdc IP67	108,45	5.14
C5086	CV DIM DALI2 200W 24Vdc IP67	129,06	5.14
C5038	CV LED DRIVER 48VDC 150W IP67	104,40	5.14
C5041	CV LED DRIVER 48VDC 60W IP67	46,42	5.14
Controls			
24138923	Dali USB programming tool	282,24	5.14
28000876	Dali PS2 240mA Din Rail	186,23	5.14
28001716	Dali XC-4 Dali controler	144,59	5.14
C5011-2	RGB Led controller set	84,00	5.14
C5012-3	RGB(W) Led remote controller	120,75	6.1
C5013-2	RGB(W) Constant voltage transceiver	110,25	5.14
C5014	CV PWM DIMMER 1X5A 12-24Vdc	94,50	5.14
C5028	CV PWM DIMMER 4X10A 12-48Vdc	246,75	5.14
C5033	LED EMERGENCY MODULE 6-55V	122,01	5.14
C5040	Dali Push Button control Unit	122,85	5.14
C5042	Dali bluetooth controller (free app download)	91,56	5.14
C5054	4 Zone single color RF remote	44,10	6.1
C5055	WIFI to RF control system	140,70	5.14
C5056	RGB(W) RF Wall touch panel white	131,25	5.14

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

C5061	4 Zone dual color RF remote	106,05	6.1
C5079	CASAMBI MODULE Dali	118,00	5.14
C5108	MATTER MODULE DALI	120,00	5.14
Eutrac			
25-102	25-102 3~SURFACE TRACK 1.000MM, BLACK	54,81	
25-106	25-106 3~SURFACE TRACK 1.000MM, WHITE	54,81	
25-202	25-202 3~SURFACE TRACK 2.000MM, BLACK	91,98	
25-206	25-206 3~SURFACE TRACK 2.000MM, WHITE	91,91	
25-302	25-302 3~SURFACE TRACK 3.000MM, BLACK	136,08	
25-306	25-306 3~SURFACE TRACK 3.000MM, WHITE	136,08	
555 0 1217 2	555 0 1217 2 3~ENDCAP BLACK	2,18	
555 0 1217 6	555 0 1217 6 3~ENDCAP WHITE	2,18	
555 0 7227 2	555 0 7227 2 3~RECESSED POT FOR MONOPOINT BLACK	18,06	
555 0 7227 6	555 0 7227 6 3~RECESSED POT FOR MONOPOINT WHITE	18,06	
555 0 7228 2	555 0 7228 2 3~MONOPOINT W. BUS BLACK	67,74	
555 0 7228 6	555 0 7228 6 3~MONOPOINT W. BUS WHITE	67,74	
555 1 1201 2	555 1 1201 2 3~END FEED,EARTH RIGHT BLACK	19,86	
555 1 1201 6	555 1 1201 6 3~END FEED,EARTH RIGHT WHITE	19,86	
555 1 1202 2	555 1 1202 2 3~END FEED,EARTH LEFT BLACK	19,86	
555 1 1202 6	555 1 1202 6 3~END FEED,EARTH LEFT WHITE	19,86	
555 1 1206 2	555 1 1206 2 3~EL. STRAIGHT COUPLER BLACK	13,65	
555 1 1206 6	555 1 1206 6 3~EL. STRAIGHT COUPLER WHITE	13,65	
555 1 1208 2	555 1 1208 2 3~I-COUPLER BLACK + FEED	49,87	
555 1 1208 6	555 1 1208 6 3~I-COUPLER WHITE + FEED	49,87	
555 1 1209 2	555 1 1209 2 3~L-COUPLER,EARTH OUT. BLACK	49,87	
555 1 1209 6	555 1 1209 6 3~L-COUPLER,EARTH OUT. WHITE	49,87	
555 1 1210 2	555 1 1210 2 3~L-COUPLER,EARTH INS. BLACK	49,87	
555 1 1210 6	555 1 1210 6 3~L-COUPLER,EARTH INS. WHITE	49,87	
555 1 1211 2	555 1 1211 2 3~ FLEXIBLE COUPLER BLACK	72,45	
555 1 1211 6	555 1 1211 6 3~ FLEXIBLE COUPLER WHITE	72,45	
555 1 1212 2	555 1 1212 2 3~T-COUPLER, EARTH INS. RIGHT black	77,15	
555 1 1212 6	555 1 1212 6 3~T-COUPLER, EARTH INS. RIGHT white	77,15	
555 1 1213 2	555 1 1213 2 3~T-COUPLER, EARTH INS. LEFT Black	77,15	
555 1 1213 6	555 1 1213 6 3~T-COUPLER, EARTH INS. LEFT white	77,15	
555 1 1214 2	555 1 1214 2 3~T-COUPLER, EARTH OUT. RIGHT Black	77,15	
555 1 1214 6	555 1 1214 6 3~T-COUPLER, EARTH OUT. RIGHT white	77,15	
555 1 1215 2	555 1 1215 2 3~T-COUPLER, EARTH OUT. LEFT Black	77,15	
555 1 1215 6	555 1 1215 6 3~T-COUPLER, EARTH OUT. LEFT white	77,15	
555 1 1216 2	555 1 1216 2 3~X-COUPLER Black	97,84	
555 1 1216 6	555 1 1216 6 3~X-COUPLER White	97,84	
555 1 5203 2	555 1 5203 2 3~ MIDFEED BLACK	39,52	
555 1 5203 6	555 1 5203 6 3~ MIDFEED WHITE	38,52	
88-888-2	88-888-2 3F-cover pvc black	15,06	
88-888-6	88-888-6 3F-cover pvc white	15,06	
99-075-2	99-075-2 3-pendant clip 50mm black	9,41	
99-075-6	99-075-6 3-pendant clip 50mm white	9,41	
99-123-2	99-123-2 3-pendant coupler 100mm black	16,00	
99-123-6	99-123-6 3-pendant coupler 100mm white	16,00	
99-318-0	99-318-0 3-suspension steel wire L1,5m	24,70	
99-319-0	99-319-0 3-suspension steel wire L3m	25,94	
One track by Eutrac			
575 2 1101 2	3~ Eutrac Onetrack Surface track, black - 1000mm	60,50	
575 2 1101 6	3~ Eutrac Onetrack Surface track, white - 1000mm	60,50	
575 2 1102 2	3~ Eutrac Onetrack Surface track, black - 2000mm	104,00	
575 2 1102 6	3~ Eutrac Onetrack Surface track, white - 2000mm	104,00	
575 2 1103 2	3~ Eutrac Onetrack Surface track, black - 3000mm	156,00	
575 2 1103 6	3~ Eutrac Onetrack Surface track, white - 3000mm	156,00	
575 0 1217 2	3~ Eutrac Onetrack end cap, black	1,83	
575 0 1217 6	3~ Eutrac Onetrack end cap, white	1,83	
575 0 1401 0	3~ Eutrac Onetrack clip, raw	4,44	
575 0 1402 2	3~ Eutrac Onetrack pendant clip, black	8,60	
575 0 1402 6	3~ Eutrac Onetrack pendant clip, white	8,60	
575 0 1403 2	3~ Eutrac Onetrack mechanical coupler, black	15,86	
575 0 1404 2	3~ Eutrac Onetrack clip, black	17,02	
575 0 1404 6	3~ Eutrac Onetrack clip, white	17,02	
575 0 1405 2	3~ Eutrac Onetrack Suspension clip, black	9,63	
575 0 1405 6	3~ Eutrac Onetrack Suspension clip, white	9,63	
575 0 1406 2	3~ Eutrac Onetrack mechanical Suspension coupler, black	20,16	
575 0 1406 6	3~ Eutrac Onetrack mechanical Suspension coupler, white	20,16	
575 0 1407 2	3~ Eutrac Onetrack cover, black	4,26	
575 0 1407 6	3~ Eutrac Onetrack cover, white	4,26	
575 0 6618 2	3~ Eutrac Onetrack, BRACKET FOR FAST FIXING, black	9,54	
575 0 6618 6	3~ Eutrac Onetrack, BRACKET FOR FAST FIXING, white	9,54	
575 2 1201 2	3~ Eutrac Onetrack end feed right, black	23,50	
575 2 1201 6	3~ Eutrac Onetrack end feed right, white	23,50	
575 2 1202 2	3~ Eutrac Onetrack end feed left, black	23,50	
575 2 1202 6	3~ Eutrac Onetrack end feed left, white	23,50	
575 2 1206 2	3~ Eutrac Onetrack coupler, black	18,12	
575 2 1206 6	3~ Eutrac Onetrack coupler, white	18,12	
575 2 1208 2	3~ Eutrac Onetrack I-coupler, black	60,51	
575 2 1208 6	3~ Eutrac Onetrack I-coupler, white	60,51	
575 2 1209 2	3~ Eutrac Onetrack L-coupler outside, black	60,51	
575 2 1209 6	3~ Eutrac Onetrack L-coupler outside, white	60,51	
575 2 1210 2	3~ Eutrac Onetrack L-coupler inside, black	60,51	

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

575 2 1210 6	3~ Eutrac Onetrack L-coupler inside, white	60,51	
575 2 1211 2	3~ Eutrac Onetrack Flex-coupler, black	67,60	
575 2 1211 6	3~ Eutrac Onetrack Flex-coupler, white	67,60	
575 2 1212 2	3~ Eutrac Onetrack T-coupler inside right, black	92,27	
575 2 1212 6	3~ Eutrac Onetrack T-coupler inside right, white	92,27	
575 2 1213 2	3~ Eutrac Onetrack T-coupler inside left, black	92,27	
575 2 1213 6	3~ Eutrac Onetrack T-coupler inside left, white	92,27	
575 2 1214 2	3~ Eutrac Onetrack T-coupler outside right, black	92,27	
575 2 1214 6	3~ Eutrac Onetrack T-coupler outside right, white	92,27	
575 2 1215 2	3~ Eutrac Onetrack T-coupler outside left, black	92,27	
575 2 1215 6	3~ Eutrac Onetrack T-coupler outside left, white	92,27	
575 2 1216 2	3~ Eutrac Onetrack X-coupler, black	102,68	
575 2 1216 6	3~ Eutrac Onetrack X-coupler, white	102,68	
575 2 5203 2	3~ Eutrac Onetrack mid feed, black	43,08	
575 2 5203 6	3~ Eutrac Onetrack mid feed, white	43,08	
Accessories & services			
C6013	Pink Meat filter Tube X track	39,06	
C6014	Pink Meat filter BFD Flex - Mini BFD	55,60	
C6016	Pink Meat filter for Drop-it	75,60	
C6016/30	Beam 50 lens 30°	12,60	
C6016/60	Beam 50 lens 60°	12,60	
C6017-2/60	Beam 150-2 lens 60°	12,60	
C6018/B	enlargement ring BFD Flex Black (Ø240mm)	25,20	
C6018/W	enlargement ring BFD Flex White (Ø 240mm)	25,20	
C6019/W	enlargement ring Drop It (280x205mm)	30,45	
C6019W	ENLARGEMENT RING DROP IT (280X205)	30,45	
C6020	Honeycomb Ø50mm	9,45	
C6021	Honeycomb Ø70mm	9,45	
C6022	Honeycomb Tube X track	14,50	
C6023	Honeycomb Flat Hores	14,50	
C6024	PAR X Barndoors	41,03	
C6025	Mini Tube Cone set	24,50	
C6025B/PART	Mini Tube Cone Black	10,76	
C6025G/PART	Mini Tube Cone Gold	15,75	
C6025W/PART	Mini Tube Cone White	15,75	
C6026	Honeycomb Common series	6,30	
C6027/B	3F suspension adapter Black	31,50	
C6027/W	3F suspension adapter White	31,50	
C6028	Plexi inlay Common series	4,20	
C6029G	Micro tube Gold Cone option	12,60	
C6029W	Micro tube White Cone option	12,60	
C6030	Micro tube 24° lens	12,60	
C6031/EBO	Micro tube Ebony veneer option	120,00	
C6031/OAK	Micro tube Oak veneer option	98,00	
C6031/WALN	Micro tube Walnut veneer option	98,00	
C6032/EBO	Mini tube Ebony veneer option	142,00	
C6032/OAK	Mini tube Oak veneer option	121,00	
C6032/WALN	Mini tube Walnut veneer option	121,00	
C6033/B	3F suspension in-track adapter Black	42,50	
C6033/W	3F suspension in-track adapter White	42,50	
C6034/W	Midi Tube White Barndoors	38,00	
C6034/B	Midi Tube BlackBarndoors	38,00	
C6035	Honeycomb Flat Hores	14,50	
C6036	Honeycomb Tube Track	14,50	
C6037	Honeycomb Midi tube	14,50	
C6038	Blade spring set Ø80mm build-in (2pcs)	1,80	
C6039	Blade spring set Ø40-50mm build in (2pcs)	2,40	
S1001	per profile cut 90° or 45°	8,00	
S1003	A-TRACK-TIF profile cut + prep	40,00	
S1004	Blade springs mounting Common Series	3,00	
S1005	Blade springs mounting Micro tube	12,00	
Doxx			
R30W	Roxx 300mm White	172,00	5.6
R30B	Roxx 300mm Black	172,00	5.6
D23WH	Doxx 230mm White horizontal	89,05	5.6
D23BH	Doxx 230mm Black horizontal	89,05	5.6
D33WH	Doxx 330mm White horizontal	104,20	5.6
D33BH	Doxx 330mm Black horizontal	104,20	5.6
D42BH	Doxx 420 mm black horizontal	171,03	5.6
D42BV	Doxx 420 mm black vertical	171,03	5.6
D42WH	Doxx 420 mm white horizontal	171,03	5.6
D42WV	Doxx 420 mm white vertical	171,03	4.6
D70BH	Doxx 700 mm black horizontal	197,07	4.6
D70BV	Doxx 700 mm black vertical	197,07	4.6
D70WH	Doxx 700 mm white horizontal	197,07	4.6
D70WV	Doxx 700 mm white vertical	197,07	4.6
D98BH	Doxx 980 mm black horizontal	228,44	4.6
D98BV	Doxx 980 mm black vertical	228,44	4.6
D98WH	Doxx 980 mm white horizontal	228,44	4.6
D98WV	Doxx 980 mm white vertical	228,44	4.6
D126BH	Doxx 1260 mm black horizontal	279,46	4.6
D126BV	Doxx 1260 mm black vertical	279,46	4.6
D126WH	Doxx 1260 mm white horizontal	279,46	4.6
D126WV	Doxx 1260 mm white vertical	279,46	4.6

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

D154BH	Doxx 1540 mm black horizontal	310,81	4.6
D154BV	Doxx 1540 mm black vertical	310,81	4.6
D154WH	Doxx 1540 mm white horizontal	310,81	4.6
D154WV	Doxx 1540 mm white vertical	310,81	4.6
D210BH	Doxx 2100 mm black horizontal	385,59	4.6
D210BV	Doxx 2100 mm black vertical	385,59	4.6
D210WH	Doxx 2100 mm white horizontal	385,59	4.6
D210WV	Doxx 2100 mm white vertical	385,59	4.6
D/STR	Free mounting with strain relief (Ø 4,2-5,8mm)	27,30	
D/STR/M	Free Mini mounting with strain relief (Ø3,2-4,8mm)	27,30	
D1003B	Doxx Mini tube GU10 black	135,11	
D1003B/927/24	Doxx Mini tube LED black 927 R24	171,34	
D1003B/927/36	Doxx Mini tube LED black 927 R36	171,34	
D1003B/930/24	Doxx Mini tube LED black 930 R24	171,34	
D1003B/930/36	Doxx Mini tube LED black 930 R36	171,34	
D1003W	Doxx Mini tube GU10 white	135,11	
D1003W/927/24	Doxx Mini tube LED white 927 R24	171,34	
D1003W/927/36	Doxx Mini tube LED white 927 R36	171,34	
D1003W/930/24	Doxx Mini tube LED white 930 R24	171,34	
D1003W/930/36	Doxx Mini tube LED white 930 R36	171,34	
D1006B	Doxx Mini tube GU10 Suspension black	168,19	
D1006B/927/24	Doxx Mini tube LED Suspension black 927 R24	204,41	
D1006B/927/36	Doxx Mini tube LED Suspension black 927 R36	204,41	
D1006B/930/24	Doxx Mini tube LED Suspension black 930 R24	204,41	
D1006B/930/36	Doxx Mini tube LED Suspension black 930 R24	204,41	
D1006W	Doxx Mini tube GU10 Suspension white	168,19	
D1006W/927/24	Doxx Mini tube LED Suspension white 927 R24	204,41	
D1006W/927/36	Doxx Mini tube LED Suspension white 927 R36	204,41	
D1006W/930/24	Doxx Mini tube LED Suspension white 930 R24	204,41	
D1006W/930/36	Doxx Mini tube LED Suspension white 930 R36	204,41	
D1006LB	Doxx Mini tube L Suspension GU10 BLACK	216,49	
D1006LB/927/24	Doxx Mini tube L Suspension LED black 927 R24	252,71	
D1006LB/927/36	Doxx Mini tube L Suspension LED black 927 R36	252,71	
D1006LB/930/24	Doxx Mini tube L Suspension LED black 930 R24	252,71	
D1006LB/930/36	Doxx Mini tube L Suspension LED black 930 R36	252,71	
D1006LW	Doxx Mini tube L Suspension GU10 WHITE	216,49	
D1006LW/927/24	Doxx Mini tube L Suspension LED white 927 R24	252,71	
D1006LW/927/36	Doxx Mini tube L Suspension LED white 927 R36	252,71	
D1006LW/930/24	Doxx Mini tube L Suspension LED white 930 R24	252,71	
D1006LW/930/36	Doxx Mini tube L Suspension LED white 930 R36	252,71	
D6173B/927/D	Doxx Micro tube 927 black Dali	209,32	
D6173B/927/PD	Doxx Micro tube 927 black Phase dim/ Phase dim	164,85	
D6173B/930/D	Doxx Micro tube 930 black Dali	209,32	
D6173B/930/PD	Doxx Micro tube 930 black Phase dim/ Phase dim	164,85	
D6173W/927/D	Doxx Micro tube 927 white Dali	209,32	
D6173W/927/PD	Doxx Micro tube 927 white Phase dim/ Phase dim	164,85	
D6173W/930/D	Doxx Micro tube 930 white Dali	209,32	
D6173W/930/PD	Doxx Micro tube 930 white Phase dim/ Phase dim	164,85	
D6191B/927/D	Doxx Nanotube L suspension 927 black Dali	286,49	
D6191B/927/PD	Doxx Nanotube L suspension 927 black Phase dim/ Phase dim	242,03	
D6191B/930/D	Doxx Nanotube L suspension 930 black Dali	286,49	
D6191B/930/PD	Doxx Nanotube L suspension 930 black Phase dim/ Phase dim	242,03	
D6191W/927/D	Doxx Nanotube L suspension 927 white Dali	286,49	
D6191W/927/PD	Doxx Nanotube L suspension 927 white Phase dim/ Phase dim	242,03	
D6191W/930/D	Doxx Nanotube L suspension 930 white Dali	286,49	
D6191W/930/PD	Doxx Nanotube L suspension 930 white Phase dim/ Phase dim	242,03	
D6198B/927/PD	Doxx Micro tube L AC 927 black Phase dim	180,08	
D6198B/930/PD	Doxx Micro tube L AC 930 black Phase dim	180,08	
D6198W/927/PD	Doxx Micro tube L AC 927 white Phase dim	180,08	
D6198W/930/PD	Doxx Micro tube L AC 930 white Phase dim	180,08	
D6199B/927/D	Doxx Nanotube L 927 black Dali	307,49	
D6199B/927/PD	Doxx Nanotube L 927 black Phase dim/ Phase dim	252,53	
D6199B/930/D	Doxx Nanotube L 930 black Dali	307,49	
D6199B/930/PD	Doxx Nanotube L 930 black Phase dim/ Phase dim	252,53	
D6199W/927/D	Doxx Nanotube L 927 white Dali	307,49	
D6199W/927/PD	Doxx Nanotube L 927 white Phase dim/ Phase dim	252,53	
D6199W/930/D	Doxx Nanotube L 930 white Dali	307,49	
D6199W/930/PD	Doxx Nanotube L 930 white Phase dim/ Phase dim	252,53	
DN1BR/927/16/PD	Doxx Nala Bronze 927 16° Phase dim	264,02	
DN1BR/927/36/PD	Doxx Nala Bronze 927 36° Phase dim	264,02	
DN1BR/927/50/PD	Doxx Nala Bronze 927 50° Phase dim	264,02	
DN1BR/930/16/PD	Doxx Nala Bronze 930 16° Phase dim	264,02	
DN1BR/930/36/PD	Doxx Nala Bronze 930 36° Phase dim	264,02	
DN1BR/930/50/PD	Doxx Nala Bronze 930 50° Phase dim	264,02	
DN1CH/927/16/PD	Doxx Nala Champagne 927 16° Phase dim	264,02	
DN1CH/927/36/PD	Doxx Nala Champagne 927 36° Phase dim	264,02	
DN1CH/927/50/PD	Doxx Nala Champagne 927 50° Phase dim	264,02	
DN1CH/930/16/PD	Doxx Nala Champagne 930 16° Phase dim	264,02	
DN1CH/930/36/PD	Doxx Nala Champagne 930 36° Phase dim	264,02	
DN1CH/930/50/PD	Doxx Nala Champagne 930 50° Phase dim	264,02	
DN1GM/927/16/PD	Doxx Nala Gun Metal Bronze 927 16° Phase dim	264,02	
DN1GM/927/36/PD	Doxx Nala Gun Metal Bronze 927 36° Phase dim	264,02	
DN1GM/927/50/PD	Doxx Nala Gun Metal Bronze 927 50° Phase dim	264,02	
DN1GM/930/16/PD	Doxx Nala Gun Metal Bronze 930 16° Phase dim	264,02	

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

DN1GM/930/36/PD	Doxx Nala Gun Metal Bronze 930 36° Phase dim	264,02	
DN1GM/930/50/PD	Doxx Nala Gun Metal Bronze 930 50° Phase dim	264,02	
DN1BL/927/16/PD	Doxx Nala Black 927 16° Phase dim	264,02	
DN1BL/927/36/PD	Doxx Nala Black 927 36° Phase dim	264,02	
DN1BL/927/50/PD	Doxx Nala Black 927 50° Phase dim	264,02	
DN1BL/930/16/PD	Doxx Nala Black 930 16° Phase dim	264,02	
DN1BL/930/36/PD	Doxx Nala Black 930 36° Phase dim	264,02	
DN1BL/930/50/PD	Doxx Nala Black 930 50° Phase dim	264,02	
DN1WH/927/16/PD	Doxx Nala White 927 16° Phase dim	264,02	
DN1WH/927/36/PD	Doxx Nala White 927 36° Phase dim	264,02	
DN1WH/927/50/PD	Doxx Nala White 927 50° Phase dim	264,02	
DN1WH/930/16/PD	Doxx Nala White 930 16° Phase dim	264,02	
DN1WH/930/36/PD	Doxx Nala White 930 36° Phase dim	264,02	
DN1WH/930/50/PD	Doxx Nala White 930 50° Phase dim	264,02	
DN1BR/927/16/D	Doxx Nala Bronze 927 16° Dali	308,60	
DN1BR/927/36/D	Doxx Nala Bronze 927 36° Dali	308,60	
DN1BR/927/50/D	Doxx Nala Bronze 927 50° Dali	308,60	
DN1BR/930/16/D	Doxx Nala Bronze 930 16° Dali	308,60	
DN1BR/930/36/D	Doxx Nala Bronze 930 36° Dali	308,60	
DN1BR/930/50/D	Doxx Nala Bronze 930 50° Dali	308,60	
DN1CH/927/16/D	Doxx Nala Champagne 927 16° Dali	308,60	
DN1CH/927/36/D	Doxx Nala Champagne 927 36° Dali	308,60	
DN1CH/927/50/D	Doxx Nala Champagne 927 50° Dali	308,60	
DN1CH/930/16/D	Doxx Nala Champagne 930 16° Dali	308,60	
DN1CH/930/36/D	Doxx Nala Champagne 930 36° Dali	308,60	
DN1CH/930/50/D	Doxx Nala Champagne 930 50° Dali	308,60	
DN1GM/927/16/D	Doxx Nala Gun Metal Bronze 927 16° Dali	308,60	
DN1GM/927/36/D	Doxx Nala Gun Metal Bronze 927 36° Dali	308,60	
DN1GM/927/50/D	Doxx Nala Gun Metal Bronze 927 50° Dali	308,60	
DN1GM/930/16/D	Doxx Nala Gun Metal Bronze 930 16° Dali	308,60	
DN1GM/930/36/D	Doxx Nala Gun Metal Bronze 930 36° Dali	308,60	
DN1GM/930/50/D	Doxx Nala Gun Metal Bronze 930 50° Dali	308,60	
DN1BL/927/16/D	Doxx Nala Black 927 16° Dali	308,60	
DN1BL/927/36/D	Doxx Nala Black 927 36° Dali	308,60	
DN1BL/927/50/D	Doxx Nala Black 927 50° Dali	308,60	
DN1BL/930/16/D	Doxx Nala Black 930 16° Dali	308,60	
DN1BL/930/36/D	Doxx Nala Black 930 36° Dali	308,60	
DN1BL/930/50/D	Doxx Nala Black 930 50° Dali	308,60	
DN1WH/927/16/D	Doxx Nala White 927 16° Dali	308,60	
DN1WH/927/36/D	Doxx Nala White 927 36° Dali	308,60	
DN1WH/927/50/D	Doxx Nala White 927 50° Dali	308,60	
DN1WH/930/16/D	Doxx Nala White 930 16° Dali	308,60	
DN1WH/930/36/D	Doxx Nala White 930 36° Dali	308,60	
DN1WH/930/50/D	Doxx Nala White 930 50° Dali	308,60	
DNS1BR/927/16/PD	Doxx Nala Susp. S Bronze 927 16° Phase dim	302,45	
DNS1BR/927/36/PD	Doxx Nala Susp. S Bronze 927 36° Phase dim	302,45	
DNS1BR/927/50/PD	Doxx Nala Susp. S Bronze 927 50° Phase dim	302,45	
DNS1BR/930/16/PD	Doxx Nala Susp. S Bronze 930 16° Phase dim	302,45	
DNS1BR/930/36/PD	Doxx Nala Susp. S Bronze 930 36° Phase dim	302,45	
DNS1BR/930/50/PD	Doxx Nala Susp. S Bronze 930 50° Phase dim	302,45	
DNS1CH/927/16/PD	Doxx Nala Susp. S Champagne 927 16° Phase dim	302,45	
DNS1CH/927/36/PD	Doxx Nala Susp. S Champagne 927 36° Phase dim	302,45	
DNS1CH/927/50/PD	Doxx Nala Susp. S Champagne 927 50° Phase dim	302,45	
DNS1CH/930/16/PD	Doxx Nala Susp. S Champagne 930 16° Phase dim	302,45	
DNS1CH/930/36/PD	Doxx Nala Susp. S Champagne 930 36° Phase dim	302,45	
DNS1CH/930/50/PD	Doxx Nala Susp. S Champagne 930 50° Phase dim	302,45	
DNS1GM/927/16/PD	Doxx Nala Susp. S Gun Metal Bronze 927 16° Phase dim	302,45	
DNS1GM/927/36/PD	Doxx Nala Susp. S Gun Metal Bronze 927 36° Phase dim	302,45	
DNS1GM/927/50/PD	Doxx Nala Susp. S Gun Metal Bronze 927 50° Phase dim	302,45	
DNS1GM/930/16/PD	Doxx Nala Susp. S Gun Metal Bronze 930 16° Phase dim	302,45	
DNS1GM/930/36/PD	Doxx Nala Susp. S Gun Metal Bronze 930 36° Phase dim	302,45	
DNS1GM/930/50/PD	Doxx Nala Susp. S Gun Metal Bronze 930 50° Phase dim	302,45	
DNS1BL/927/16/PD	Doxx Nala Susp. S Black 927 16° Phase dim	302,45	
DNS1BL/927/36/PD	Doxx Nala Susp. S Black 927 36° Phase dim	302,45	
DNS1BL/927/50/PD	Doxx Nala Susp. S Black 927 50° Phase dim	302,45	
DNS1BL/930/16/PD	Doxx Nala Susp. S Black 930 16° Phase dim	302,45	
DNS1BL/930/36/PD	Doxx Nala Susp. S Black 930 36° Phase dim	302,45	
DNS1BL/930/50/PD	Doxx Nala Susp. S Black 930 50° Phase dim	302,45	
DNS1WH/927/16/PD	Doxx Nala Susp. S White 927 16° Phase dim	302,45	
DNS1WH/927/36/PD	Doxx Nala Susp. S White 927 36° Phase dim	302,45	
DNS1WH/927/50/PD	Doxx Nala Susp. S White 927 50° Phase dim	302,45	
DNS1WH/930/16/PD	Doxx Nala Susp. S White 930 16° Phase dim	302,45	
DNS1WH/930/36/PD	Doxx Nala Susp. S White 930 36° Phase dim	302,45	
DNS1WH/930/50/PD	Doxx Nala Susp. S White 930 50° Phase dim	302,45	
DNS1BR/927/16/D	Doxx Nala Susp. S Bronze 927 16° Dali	347,04	
DNS1BR/927/36/D	Doxx Nala Susp. S Bronze 927 36° Dali	347,04	
DNS1BR/927/50/D	Doxx Nala Susp. S Bronze 927 50° Dali	347,04	
DNS1BR/930/16/D	Doxx Nala Susp. S Bronze 930 16° Dali	347,04	
DNS1BR/930/36/D	Doxx Nala Susp. S Bronze 930 36° Dali	347,04	
DNS1BR/930/50/D	Doxx Nala Susp. S Bronze 930 50° Dali	347,04	
DNS1CH/927/16/D	Doxx Nala Susp. S Champagne 927 16° Dali	347,04	
DNS1CH/927/36/D	Doxx Nala Susp. S Champagne 927 36° Dali	347,04	
DNS1CH/927/50/D	Doxx Nala Susp. S Champagne 927 50° Dali	347,04	
DNS1CH/930/16/D	Doxx Nala Susp. S Champagne 930 16° Dali	347,04	

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

DNS1CH/930/36/D	Doxx Nala Susp. S Champagne 930 36° Dali	347,04	
DNS1CH/930/50/D	Doxx Nala Susp. S Champagne 930 50° Dali	347,04	
DNS1GM/927/16/D	Doxx Nala Susp. S Gun Metal Bronze 927 16° Dali	347,04	
DNS1GM/927/36/D	Doxx Nala Susp. S Gun Metal Bronze 927 36° Dali	347,04	
DNS1GM/927/50/D	Doxx Nala Susp. S Gun Metal Bronze 927 50° Dali	347,04	
DNS1GM/930/16/D	Doxx Nala Susp. S Gun Metal Bronze 930 16° Dali	347,04	
DNS1GM/930/36/D	Doxx Nala Susp. S Gun Metal Bronze 930 36° Dali	347,04	
DNS1GM/930/50/D	Doxx Nala Susp. S Gun Metal Bronze 930 50° Dali	347,04	
DNS1BL/927/16/D	Doxx Nala Susp. S Black 927 16° Dali	347,04	
DNS1BL/927/36/D	Doxx Nala Susp. S Black 927 36° Dali	347,04	
DNS1BL/927/50/D	Doxx Nala Susp. S Black 927 50° Dali	347,04	
DNS1BL/930/16/D	Doxx Nala Susp. S Black 930 16° Dali	347,04	
DNS1BL/930/36/D	Doxx Nala Susp. S Black 930 36° Dali	347,04	
DNS1BL/930/50/D	Doxx Nala Susp. S Black 930 50° Dali	347,04	
DNS1WH/927/16/D	Doxx Nala Susp. S White 927 16° Dali	347,04	
DNS1WH/927/36/D	Doxx Nala Susp. S White 927 36° Dali	347,04	
DNS1WH/927/50/D	Doxx Nala Susp. S White 927 50° Dali	347,04	
DNS1WH/930/16/D	Doxx Nala Susp. S White 930 16° Dali	347,04	
DNS1WH/930/36/D	Doxx Nala Susp. S White 930 36° Dali	347,04	
DNS1WH/930/50/D	Doxx Nala Susp. S White 930 50° Dali	347,04	
DNS2BR/927/16/PD	Doxx Nala Susp. M Bronze 927 16° Phase dim	325,45	
DNS2BR/927/36/PD	Doxx Nala Susp. M Bronze 927 36° Phase dim	325,45	
DNS2BR/927/50/PD	Doxx Nala Susp. M Bronze 927 50° Phase dim	325,45	
DNS2BR/930/16/PD	Doxx Nala Susp. M Bronze 930 16° Phase dim	325,45	
DNS2BR/930/36/PD	Doxx Nala Susp. M Bronze 930 36° Phase dim	325,45	
DNS2BR/930/50/PD	Doxx Nala Susp. M Bronze 930 50° Phase dim	325,45	
DNS2CH/927/16/PD	Doxx Nala Susp. M Champagne 927 16° Phase dim	325,45	
DNS2CH/927/36/PD	Doxx Nala Susp. M Champagne 927 36° Phase dim	325,45	
DNS2CH/927/50/PD	Doxx Nala Susp. M Champagne 927 50° Phase dim	325,45	
DNS2CH/930/16/PD	Doxx Nala Susp. M Champagne 930 16° Phase dim	325,45	
DNS2CH/930/36/PD	Doxx Nala Susp. M Champagne 930 36° Phase dim	325,45	
DNS2CH/930/50/PD	Doxx Nala Susp. M Champagne 930 50° Phase dim	325,45	
DNS2GM/927/16/PD	Doxx Nala Susp. M Gun Metal Bronze 927 16° Phase dim	325,45	
DNS2GM/927/36/PD	Doxx Nala Susp. M Gun Metal Bronze 927 36° Phase dim	325,45	
DNS2GM/927/50/PD	Doxx Nala Susp. M Gun Metal Bronze 927 50° Phase dim	325,45	
DNS2GM/930/16/PD	Doxx Nala Susp. M Gun Metal Bronze 930 16° Phase dim	325,45	
DNS2GM/930/36/PD	Doxx Nala Susp. M Gun Metal Bronze 930 36° Phase dim	325,45	
DNS2GM/930/50/PD	Doxx Nala Susp. M Gun Metal Bronze 930 50° Phase dim	325,45	
DNS2BL/927/16/PD	Doxx Nala Susp. M Black 927 16° Phase dim	325,45	
DNS2BL/927/36/PD	Doxx Nala Susp. M Black 927 36° Phase dim	325,45	
DNS2BL/927/50/PD	Doxx Nala Susp. M Black 927 50° Phase dim	325,45	
DNS2BL/930/16/PD	Doxx Nala Susp. M Black 930 16° Phase dim	325,45	
DNS2BL/930/36/PD	Doxx Nala Susp. M Black 930 36° Phase dim	325,45	
DNS2BL/930/50/PD	Doxx Nala Susp. M Black 930 50° Phase dim	325,45	
DNS2WH/927/16/PD	Doxx Nala Susp. M White 927 16° Phase dim	325,45	
DNS2WH/927/36/PD	Doxx Nala Susp. M White 927 36° Phase dim	325,45	
DNS2WH/927/50/PD	Doxx Nala Susp. M White 927 50° Phase dim	325,45	
DNS2WH/930/16/PD	Doxx Nala Susp. M White 930 16° Phase dim	325,45	
DNS2WH/930/36/PD	Doxx Nala Susp. M White 930 36° Phase dim	325,45	
DNS2WH/930/50/PD	Doxx Nala Susp. M White 930 50° Phase dim	325,45	
DNS2BR/927/16/D	Doxx Nala Susp. M Bronze 927 16° Dali	370,04	
DNS2BR/927/36/D	Doxx Nala Susp. M Bronze 927 36° Dali	370,04	
DNS2BR/927/50/D	Doxx Nala Susp. M Bronze 927 50° Dali	370,04	
DNS2BR/930/16/D	Doxx Nala Susp. M Bronze 930 16° Dali	370,04	
DNS2BR/930/36/D	Doxx Nala Susp. M Bronze 930 36° Dali	370,04	
DNS2BR/930/50/D	Doxx Nala Susp. M Bronze 930 50° Dali	370,04	
DNS2CH/927/16/D	Doxx Nala Susp. M Champagne 927 16° Dali	370,04	
DNS2CH/927/36/D	Doxx Nala Susp. M Champagne 927 36° Dali	370,04	
DNS2CH/927/50/D	Doxx Nala Susp. M Champagne 927 50° Dali	370,04	
DNS2CH/930/16/D	Doxx Nala Susp. M Champagne 930 16° Dali	370,04	
DNS2CH/930/36/D	Doxx Nala Susp. M Champagne 930 36° Dali	370,04	
DNS2CH/930/50/D	Doxx Nala Susp. M Champagne 930 50° Dali	370,04	
DNS2GM/927/16/D	Doxx Nala Susp. M Gun Metal Bronze 927 16° Dali	370,04	
DNS2GM/927/36/D	Doxx Nala Susp. M Gun Metal Bronze 927 36° Dali	370,04	
DNS2GM/927/50/D	Doxx Nala Susp. M Gun Metal Bronze 927 50° Dali	370,04	
DNS2GM/930/16/D	Doxx Nala Susp. M Gun Metal Bronze 930 16° Dali	370,04	
DNS2GM/930/36/D	Doxx Nala Susp. M Gun Metal Bronze 930 36° Dali	370,04	
DNS2GM/930/50/D	Doxx Nala Susp. M Gun Metal Bronze 930 50° Dali	370,04	
DNS2BL/927/16/D	Doxx Nala Susp. M Black 927 16° Dali	370,04	
DNS2BL/927/36/D	Doxx Nala Susp. M Black 927 36° Dali	370,04	
DNS2BL/927/50/D	Doxx Nala Susp. M Black 927 50° Dali	370,04	
DNS2BL/930/16/D	Doxx Nala Susp. M Black 930 16° Dali	370,04	
DNS2BL/930/36/D	Doxx Nala Susp. M Black 930 36° Dali	370,04	
DNS2BL/930/50/D	Doxx Nala Susp. M Black 930 50° Dali	370,04	
DNS2WH/927/16/D	Doxx Nala Susp. M White 927 16° Dali	370,04	
DNS2WH/927/36/D	Doxx Nala Susp. M White 927 36° Dali	370,04	
DNS2WH/927/50/D	Doxx Nala Susp. M White 927 50° Dali	370,04	
DNS2WH/930/16/D	Doxx Nala Susp. M White 930 16° Dali	370,04	
DNS2WH/930/36/D	Doxx Nala Susp. M White 930 36° Dali	370,04	
DNS2WH/930/50/D	Doxx Nala Susp. M White 930 50° Dali	370,04	
DNS3BR/927/16/PD	Doxx Nala Susp. L Bronze 927 16° Phase dim	338,45	
DNS3BR/927/36/PD	Doxx Nala Susp. L Bronze 927 36° Phase dim	338,45	
DNS3BR/927/50/PD	Doxx Nala Susp. L Bronze 927 50° Phase dim	338,45	
DNS3BR/930/16/PD	Doxx Nala Susp. L Bronze 930 16° Phase dim	338,45	

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

DNS3BR/930/36/PD	Doxx Nala Susp. L Bronze 930 36° Phase dim	338,45	
DNS3BR/930/50/PD	Doxx Nala Susp. L Bronze 930 50° Phase dim	338,45	
DNS3CH/927/16/PD	Doxx Nala Susp. L Champagne 927 16° Phase dim	338,45	
DNS3CH/927/36/PD	Doxx Nala Susp. L Champagne 927 36° Phase dim	338,45	
DNS3CH/927/50/PD	Doxx Nala Susp. L Champagne 927 50° Phase dim	338,45	
DNS3CH/930/16/PD	Doxx Nala Susp. L Champagne 930 16° Phase dim	338,45	
DNS3CH/930/36/PD	Doxx Nala Susp. L Champagne 930 36° Phase dim	338,45	
DNS3CH/930/50/PD	Doxx Nala Susp. L Champagne 930 50° Phase dim	338,45	
DNS3GM/927/16/PD	Doxx Nala Susp. L Gun Metal Bronze 927 16° Phase dim	338,45	
DNS3GM/927/36/PD	Doxx Nala Susp. L Gun Metal Bronze 927 36° Phase dim	338,45	
DNS3GM/927/50/PD	Doxx Nala Susp. L Gun Metal Bronze 927 50° Phase dim	338,45	
DNS3GM/930/16/PD	Doxx Nala Susp. L Gun Metal Bronze 930 16° Phase dim	338,45	
DNS3GM/930/36/PD	Doxx Nala Susp. L Gun Metal Bronze 930 36° Phase dim	338,45	
DNS3GM/930/50/PD	Doxx Nala Susp. L Gun Metal Bronze 930 50° Phase dim	338,45	
DNS3BL/927/16/PD	Doxx Nala Susp. L Black 927 16° Phase dim	338,45	
DNS3BL/927/36/PD	Doxx Nala Susp. L Black 927 36° Phase dim	338,45	
DNS3BL/927/50/PD	Doxx Nala Susp. L Black 927 50° Phase dim	338,45	
DNS3BL/930/16/PD	Doxx Nala Susp. L Black 930 16° Phase dim	338,45	
DNS3BL/930/36/PD	Doxx Nala Susp. L Black 930 36° Phase dim	338,45	
DNS3BL/930/50/PD	Doxx Nala Susp. L Black 930 50° Phase dim	338,45	
DNS3WH/927/16/PD	Doxx Nala Susp. L White 927 16° Phase dim	338,45	
DNS3WH/927/36/PD	Doxx Nala Susp. L White 927 36° Phase dim	338,45	
DNS3WH/927/50/PD	Doxx Nala Susp. L White 927 50° Phase dim	338,45	
DNS3WH/930/16/PD	Doxx Nala Susp. L White 930 16° Phase dim	338,45	
DNS3WH/930/36/PD	Doxx Nala Susp. L White 930 36° Phase dim	338,45	
DNS3WH/930/50/PD	Doxx Nala Susp. L White 930 50° Phase dim	338,45	
DNS3BR/927/16/D	Doxx Nala Susp. L Bronze 927 16° Dali	383,04	
DNS3BR/927/36/D	Doxx Nala Susp. L Bronze 927 36° Dali	383,04	
DNS3BR/927/50/D	Doxx Nala Susp. L Bronze 927 50° Dali	383,04	
DNS3BR/930/16/D	Doxx Nala Susp. L Bronze 930 16° Dali	383,04	
DNS3BR/930/36/D	Doxx Nala Susp. L Bronze 930 36° Dali	383,04	
DNS3BR/930/50/D	Doxx Nala Susp. L Bronze 930 50° Dali	383,04	
DNS3CH/927/16/D	Doxx Nala Susp. L Champagne 927 16° Dali	383,04	
DNS3CH/927/36/D	Doxx Nala Susp. L Champagne 927 36° Dali	383,04	
DNS3CH/927/50/D	Doxx Nala Susp. L Champagne 927 50° Dali	383,04	
DNS3CH/930/16/D	Doxx Nala Susp. L Champagne 930 16° Dali	383,04	
DNS3CH/930/36/D	Doxx Nala Susp. L Champagne 930 36° Dali	383,04	
DNS3CH/930/50/D	Doxx Nala Susp. L Champagne 930 50° Dali	383,04	
DNS3GM/927/16/D	Doxx Nala Susp. L Gun Metal Bronze 927 16° Dali	383,04	
DNS3GM/927/36/D	Doxx Nala Susp. L Gun Metal Bronze 927 36° Dali	383,04	
DNS3GM/927/50/D	Doxx Nala Susp. L Gun Metal Bronze 927 50° Dali	383,04	
DNS3GM/930/16/D	Doxx Nala Susp. L Gun Metal Bronze 930 16° Dali	383,04	
DNS3GM/930/36/D	Doxx Nala Susp. L Gun Metal Bronze 930 36° Dali	383,04	
DNS3GM/930/50/D	Doxx Nala Susp. L Gun Metal Bronze 930 50° Dali	383,04	
DNS3BL/927/16/D	Doxx Nala Susp. L Black 927 16° Dali	383,04	
DNS3BL/927/36/D	Doxx Nala Susp. L Black 927 36° Dali	383,04	
DNS3BL/927/50/D	Doxx Nala Susp. L Black 927 50° Dali	383,04	
DNS3BL/930/16/D	Doxx Nala Susp. L Black 930 16° Dali	383,04	
DNS3BL/930/36/D	Doxx Nala Susp. L Black 930 36° Dali	383,04	
DNS3BL/930/50/D	Doxx Nala Susp. L Black 930 50° Dali	383,04	
DNS3WH/927/16/D	Doxx Nala Susp. L White 927 16° Dali	383,04	
DNS3WH/927/36/D	Doxx Nala Susp. L White 927 36° Dali	383,04	
DNS3WH/927/50/D	Doxx Nala Susp. L White 927 50° Dali	383,04	
DNS3WH/930/16/D	Doxx Nala Susp. L White 930 16° Dali	383,04	
DNS3WH/930/36/D	Doxx Nala Susp. L White 930 36° Dali	383,04	
DNS3WH/930/50/D	Doxx Nala Susp. L White 930 50° Dali	383,04	
SHOPLINE			
T1003B/927/24	MINI TUBE T INVITRACK BLACK LED 927 R24	247,68	5.6
T1003B/927/36	MINI TUBE T INVITRACK BLACK LED 927 R36	247,68	5.6
T1003B/930/24	MINI TUBE T INVITRACK BLACK LED 930 R24	247,68	5.6
T1003B/930/36	MINI TUBE T INVITRACK BLACK LED 930 R36	247,68	5.6
T1003W/927/24	MINI TUBE T INVITRACK WHITE LED 927 R24	247,68	5.6
T1003W/927/36	MINI TUBE T INVITRACK WHITE LED 927 R36	247,68	5.6
T1003W/930/24	MINI TUBE T INVITRACK WHITE LED 930 R24	247,68	5.6
T1003W/930/36	MINI TUBE T INVITRACK WHITE LED 930 R36	247,68	5.6
T1009LB/927/24	MINI TUBE L SUSPENDED T INVITRACK BLACK LED 927 R24	307,69	5.6
T1009LB/927/36	MINI TUBE L SUSPENDED T INVITRACK BLACK LED 927 R36	307,69	5.6
T1009LB/930/24	MINI TUBE L SUSPENDED T INVITRACK BLACK LED 930 R24	307,69	5.6
T1009LB/930/36	MINI TUBE L SUSPENDED T INVITRACK BLACK LED 930 R36	307,69	5.6
T1009LW/927/24	MINI TUBE L SUSPENDED T INVITRACK WHITE LED 927 R24	307,69	5.6
T1009LW/927/36	MINI TUBE L SUSPENDED T INVITRACK WHITE LED 927 R36	307,69	5.6
T1009LW/930/24	MINI TUBE L SUSPENDED T INVITRACK WHITE LED 930 R24	307,69	5.6
T1009LW/930/36	MINI TUBE L SUSPENDED T INVITRACK WHITE LED 930 R36	307,69	5.6
T6073B/927/20°	Edna T - 927 - 20° - incl. driver	229,61	5.6
T6073B/927/40°	Edna T - 927 - 40° - incl. driver	229,61	5.6
T6073B/927/60°	Edna T - 927 - 60° - incl. driver	229,61	5.6
T6073B/930/20°	Edna T - 930 - 20° - incl. driver	229,61	5.6
T6073B/930/40°	Edna T - 930 - 40° - incl. driver	229,61	5.6
T6073B/930/60°	Edna T - 930 - 60° - incl. driver	229,61	5.6
T6073B/940/20°	Edna T - 940 - 20° - incl. driver	229,61	5.6
T6073B/940/40°	Edna T - 940 - 40° - incl. driver	229,61	5.6
T6073B/940/60°	Edna T - 940 - 60° - incl. driver	229,61	5.6
T6073B/9730/20°	Edna T - 9730 - 20° - incl. driver	229,61	5.6
T6073B/9730/40°	Edna T - 9730 - 40° - incl. driver	229,61	5.6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

T6073B/9730/60°	Edna T - 9730 - 60° - incl. driver	229,61	5,6
T6073B/FA/20°	Edna T - FASHION - 20° - incl. driver	229,61	5,6
T6073B/FA/40°	Edna T - FASHION - 40° - incl. driver	229,61	5,6
T6073B/FA/60°	Edna T - FASHION - 60° - incl. driver	229,61	5,6
T6073B/FIS/20°	Edna T - FISH - 20° - incl. driver	229,61	5,6
T6073B/FIS/40°	Edna T - FISH - 40° - incl. driver	229,61	5,6
T6073B/FIS/60°	Edna T - FISH - 60° - incl. driver	229,61	5,6
T6073B/FM/20°	Edna T - FRESH MEAT - 20° - incl. driver	229,61	5,6
T6073B/FM/40°	Edna T - FRESH MEAT - 40° - incl. driver	229,61	5,6
T6073B/FM/60°	Edna T - FRESH MEAT - 60° - incl. driver	229,61	5,6
T6073B/FR/20°	Edna T - FRUIT - 20° - incl. driver	229,61	5,6
T6073B/FR/40°	Edna T - FRUIT - 40° - incl. driver	229,61	5,6
T6073B/FR/60°	Edna T - FRUIT - 60° - incl. driver	229,61	5,6
T6073B/G/20°	Edna T - GOLD - 20° - incl. driver	229,61	5,6
T6073B/G/40°	Edna T - GOLD - 40° - incl. driver	229,61	5,6
T6073B/G/60°	Edna T - GOLD - 60° - incl. driver	229,61	5,6
T6073B/G+/20°	Edna T - GOLD+ - 20° - incl. driver	229,61	5,6
T6073B/G+/60°	Edna T - GOLD+ - 60° - incl. driver	229,61	5,6
T6073B/G+40°	Edna T - GOLD+ - 40° - incl. driver	229,61	5,6
T6073B/M+/20°	Edna T - MEAT+ - 20° - incl. driver	229,61	5,6
T6073B/M+/40°	Edna T - MEAT+ - 40° - incl. driver	229,61	5,6
T6073B/M+/60°	Edna T - MEAT+ - 60° - incl. driver	229,61	5,6
T6073B/PW930/20°	Edna T - Pure White 930 - 20° - incl. driver	229,61	5,6
T6073B/PW930/40°	Edna T - Pure White 930 - 40° - incl. driver	229,61	5,6
T6073B/PW930/60°	Edna T - Pure White 930 - 60° - incl. driver	229,61	5,6
T6073B/PW940/20°	Edna T - Pure White 940 - 20° - incl. driver	229,61	5,6
T6073B/PW940/40°	Edna T - Pure White 940 - 40° - incl. driver	229,61	5,6
T6073B/PW940/60°	Edna T - Pure White 940 - 60° - incl. driver	229,61	5,6
T6073W/927/20°	Edna T - 927 - 20° - incl. driver	229,61	5,6
T6073W/927/40°	Edna T - 927 - 40° - incl. driver	229,61	5,6
T6073W/927/60°	Edna T - 927 - 60° - incl. driver	229,61	5,6
T6073W/930/20°	Edna T - 930 - 20° - incl. driver	229,61	5,6
T6073W/930/40°	Edna T - 930 - 40° - incl. driver	229,61	5,6
T6073W/930/60°	Edna T - 930 - 60° - incl. driver	229,61	5,6
T6073W/940/20°	Edna T - 940 - 20° - incl. driver	229,61	5,6
T6073W/940/40°	Edna T - 940 - 40° - incl. driver	229,61	5,6
T6073W/940/60°	Edna T - 940 - 60° - incl. driver	229,61	5,6
T6073W/9730/20°	Edna T - 9730 - 20° - incl. driver	229,61	5,6
T6073W/9730/40°	Edna T - 9730 - 40° - incl. driver	229,61	5,6
T6073W/9730/60°	Edna T - 9730 - 60° - incl. driver	229,61	5,6
T6073W/FA/20°	Edna T - FASHION - 20° - incl. driver	229,61	5,6
T6073W/FA/40°	Edna T - FASHION - 40° - incl. driver	229,61	5,6
T6073W/FA/60°	Edna T - FASHION - 60° - incl. driver	229,61	5,6
T6073W/FIS/20°	Edna T - FISH - 20° - incl. driver	229,61	5,6
T6073W/FIS/40°	Edna T - FISH - 40° - incl. driver	229,61	5,6
T6073W/FIS/60°	Edna T - FISH - 60° - incl. driver	229,61	5,6
T6073W/FM/20°	Edna T - FRESH MEAT - 20° - incl. driver	229,61	5,6
T6073W/FM/40°	Edna T - FRESH MEAT - 40° - incl. driver	229,61	5,6
T6073W/FM/60°	Edna T - FRESH MEAT - 60° - incl. driver	229,61	5,6
T6073W/FR/20°	Edna T - FRUIT - 20° - incl. driver	229,61	5,6
T6073W/FR/40°	Edna T - FRUIT - 40° - incl. driver	229,61	5,6
T6073W/FR/60°	Edna T - FRUIT - 60° - incl. driver	229,61	5,6
T6073W/G/20°	Edna T - GOLD - 20° - incl. driver	229,61	5,6
T6073W/G/40°	Edna T - GOLD - 40° - incl. driver	229,61	5,6
T6073W/G/60°	Edna T - GOLD - 60° - incl. driver	229,61	5,6
T6073W/G+/20°	Edna T - GOLD+ - 20° - incl. driver	229,61	5,6
T6073W/G+/40°	Edna T - GOLD+ - 40° - incl. driver	229,61	5,6
T6073W/G+/60°	Edna T - GOLD+ - 60° - incl. driver	229,61	5,6
T6073W/M+/20°	Edna T - MEAT+ - 20° - incl. driver	229,61	5,6
T6073W/M+/40°	Edna T - MEAT+ - 40° - incl. driver	229,61	5,6
T6073W/M+/60°	Edna T - MEAT+ - 60° - incl. driver	229,61	5,6
T6073W/PW930/20°	Edna T - Pure White 930 - 20° - incl. driver	229,61	5,6
T6073W/PW930/40°	Edna T - Pure White 930 - 40° - incl. driver	229,61	5,6
T6073W/PW930/60°	Edna T - Pure White 930 - 60° - incl. driver	229,61	5,6
T6073W/PW940/20°	Edna T - Pure White 940 - 20° - incl. driver	229,61	5,6
T6073W/PW940/40°	Edna T - Pure White 940 - 40° - incl. driver	229,61	5,6
T6073W/PW940/60°	Edna T - Pure White 940 - 60° - incl. driver	229,61	5,6
T6104W/927	Drop-it T - 927 - incl. driver	256,91	5,6
T6104W/930	Drop-it T - 930 - incl. driver	256,91	5,6
T6104W/940	Drop-it T - 940 - incl. driver	256,91	5,6
T6104W/9730	Drop-it T - 9730 - incl. driver	256,91	5,6
T6104W/FA	Drop-it T - FASHION - incl. driver	256,91	5,6
T6104W/FIS	Drop-it T - FISH - incl. driver	256,91	5,6
T6104W/FM	Drop-it T - FRESH MEAT - incl. driver	256,91	5,6
T6104W/FR	Drop-it T - FRUIT - incl. driver	256,91	5,6
T6104W/G	Drop-it T - GOLD - incl. driver	256,91	5,6
T6104W/G+	Drop-it T - GOLD+ - incl. driver	256,91	5,6
T6104W/M+	Drop-it T - MEAT+ - incl. driver	256,91	5,6
T6104W/PW930	Drop-it T - PURE WHITE 930 - incl. driver	256,91	5,6
T6104W/PW940	Drop-it T - PURE WHITE 940 - incl. driver	256,91	5,6
T6105B/927/52°	BFD T - 927 - 52° - incl. driver	240,11	5,6
T6105B/930/52°	BFD T - 930 - 52° - incl. driver	240,11	5,6
T6105B/940/52°	BFD T - 940 - 52° - incl. driver	240,11	5,6
T6105B/9730/52°	BFD T - 9730 - 52° - incl. driver	240,11	5,6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

T6105B/FA/52°	BFD T - FASHION - 52° - incl. driver	240,11	5,6
T6105B/FIS/52°	BFD T - FISH - 52° - incl. driver	240,11	5,6
T6105B/FM/52°	BFD T - FRESH MEAT - 52° - incl. driver	240,11	5,6
T6105B/FR	BFD T - FRUIT - incl. driver	240,11	5,6
T6105B/G/52°	BFD T - GOLD - 52° - incl. driver	240,11	5,6
T6105B/G+/52°	BFD T - GOLD+ - 52° - incl. driver	240,11	5,6
T6105B/M+/52°	BFD T - MEAT+ - 52° - incl. driver	240,11	5,6
T6105B/PW930	BFD T - PURE WHITE 930 - incl. driver	240,11	5,6
T6105B/PW940	BFD T - PURE WHITE 940 - incl. driver	240,11	5,6
T6105W/927/52°	BFD T - 927 - 52° - incl. driver	240,11	5,6
T6105W/930/52°	BFD T - 930 - 52° - incl. driver	240,11	5,6
T6105W/940/52°	BFD T - 940 - 52° - incl. driver	240,11	5,6
T6105W/9730/52°	BFD T - 9730 - 52° - incl. driver	240,11	5,6
T6105W/FA/52°	BFD T - FASHION - 52° - incl. driver	240,11	5,6
T6105W/FIS/52°	BFD T - FISH - 52° - incl. driver	240,11	5,6
T6105W/FM/52°	BFD T - FRESH MEAT - 52° - incl. driver	240,11	5,6
T6105W/FR	BFD T - FRUIT - incl. driver	240,11	5,6
T6105W/G/52°	BFD T - GOLD - 52° - incl. driver	240,11	5,6
T6105W/G+/52°	BFD T - GOLD+ - 52° - incl. driver	240,11	5,6
T6105W/M+/52°	BFD T - MEAT+ - 52° - incl. driver	240,11	5,6
T6105W/PW930	BFD T - PURE WHITE 930 - incl. driver	240,11	5,6
T6105W/PW940	BFD T - PURE WHITE 940 - incl. driver	240,11	5,6
T6111B/927/39°	BFD Flex T - 927 - 39° - incl. driver	250,61	5,6
T6111B/930/39°	BFD Flex T - 930 - 39° - incl. driver	250,61	5,6
T6111B/940/39°	BFD Flex T - 940 - 39° - incl. driver	250,61	5,6
T6111B/9730/39°	BFD Flex T - 9730 - 39° - incl. driver	250,61	5,6
T6111B/FA/39°	BFD Flex T - FASHION - 39° - incl. driver	250,61	5,6
T6111B/FIS/39°	BFD Flex T - FISH - 39° - incl. driver	250,61	5,6
T6111B/FM/39°	BFD Flex T - FRESH MEAT - 39° - incl. driver	250,61	5,6
T6111B/FR	BFD Flex T - FRUIT - incl. driver	250,61	5,6
T6111B/G/39°	BFD Flex T - GOLD - 39° - incl. driver	250,61	5,6
T6111B/G+/39°	BFD Flex T - GOLD+ - 39° - incl. driver	250,61	5,6
T6111B/M+/39°	BFD Flex T - MEAT+ - 39° - incl. driver	250,61	5,6
T6111B/PW930	BFD Flex T - PURE WHITE 930 - incl. driver	250,61	5,6
T6111B/PW940	BFD Flex T - PURE WHITE 940 - incl. driver	250,61	5,6
T6111W/927/39°	BFD Flex T - 927 - 39° - incl. driver	250,61	5,6
T6111W/930/39°	BFD Flex T - 930 - 39° - incl. driver	250,61	5,6
T6111W/940/39°	BFD Flex T - 940 - 39° - incl. driver	250,61	5,6
T6111W/9730/39°	BFD Flex T - 9730 - 39° - incl. driver	250,61	5,6
T6111W/FA/39°	BFD Flex T - FASHION - 39° - incl. driver	250,61	5,6
T6111W/FIS/39°	BFD Flex T - FISH - 39° - incl. driver	250,61	5,6
T6111W/FM/39°	BFD Flex T - FRESH MEAT - 39° - incl. driver	250,61	5,6
T6111W/FR	BFD Flex T - FRUIT - incl. driver	250,61	5,6
T6111W/G/39°	BFD Flex T - GOLD - 39° - incl. driver	250,61	5,6
T6111W/G+/39°	BFD Flex T - GOLD+ - 39° - incl. driver	250,61	5,6
T6111W/M+/39°	BFD Flex T - MEAT+ - 39° - incl. driver	250,61	5,6
T6111W/PW930	BFD Flex T - PURE WHITE 930 - incl. driver	250,61	5,6
T6111W/PW940	BFD Flex T - PURE WHITE 940 - incl. driver	250,61	5,6
T6112B/927/39°	Edna Flex T - 927 - 39° - incl. driver	263,84	5,6
T6112B/930/39°	Edna Flex T - 930 - 39° - incl. driver	263,84	5,6
T6112B/940/39°	Edna Flex T - 940 - 39° - incl. driver	263,84	5,6
T6112B/9730/39°	Edna Flex T - 9730 - 39° - incl. driver	263,84	5,6
T6112B/FA/39°	Edna Flex T - FASHION - 39° - incl. driver	263,84	5,6
T6112B/FIS/39°	Edna Flex T - FISH - 39° - incl. driver	263,84	5,6
T6112B/FM/39°	Edna Flex T - FRESH MEAT - 39° - incl. driver	263,84	5,6
T6112B/FR/39°	Edna Flex T - FRUIT - 39° - incl. driver	263,84	5,6
T6112B/G/39°	Edna Flex T - GOLD - 39° - incl. driver	263,84	5,6
T6112B/G+/39°	Edna Flex T - GOLD+ - 39° - incl. driver	263,84	5,6
T6112B/M+/39°	Edna Flex T - MEAT+ - 39° - incl. driver	263,84	5,6
T6112B/PW930/39°	Edna Flex T - Pure White 930 - 39° - incl. driver	263,84	5,6
T6112B/PW940/39°	Edna Flex T - Pure White 940 - 39° - incl. driver	263,84	5,6
T6112W/927/39°	Edna Flex T - 927 - 39° - incl. driver	263,84	5,6
T6112W/930/39°	Edna Flex T - 930 - 39° - incl. driver	263,84	5,6
T6112W/940/39°	Edna Flex T - 940 - 39° - incl. driver	263,84	5,6
T6112W/9730/39°	Edna Flex T - 9730 - 39° - incl. driver	263,84	5,6
T6112W/FA/39°	Edna Flex T - FASHION - 39° - incl. driver	263,84	5,6
T6112W/FIS/39°	Edna Flex T - FISH - 39° - incl. driver	263,84	5,6
T6112W/FM/39°	Edna Flex T - FRESH MEAT - 39° - incl. driver	263,84	5,6
T6112W/FR/39°	Edna Flex T - FRUIT - 39° - incl. driver	263,84	5,6
T6112W/G/39°	Edna Flex T - GOLD - 39° - incl. driver	263,84	5,6
T6112W/G+/39°	Edna Flex T - GOLD+ - 39° - incl. driver	263,84	5,6
T6112W/M+/39°	Edna Flex T - MEAT+ - 39° - incl. driver	263,84	5,6
T6112W/PW930/39°	Edna Flex T - Pure White 930 - 39° - incl. driver	263,84	5,6
T6112W/PW940/39°	Edna Flex T - Pure White 940 - 39° - incl. driver	263,84	5,6
T6126B/927/20°	Edna Deep T - 927 - 20° - incl. driver	250,61	5,6
T6126B/927/40°	Edna Deep T - 927 - 40° - incl. driver	250,61	5,6
T6126B/927/60°	Edna Deep T - 927 - 60° - incl. driver	250,61	5,6
T6126B/930/20°	Edna Deep T - 930 - 20° - incl. driver	250,61	5,6
T6126B/930/40°	Edna Deep T - 930 - 40° - incl. driver	250,61	5,6
T6126B/930/60°	Edna Deep T - 930 - 60° - incl. driver	250,61	5,6
T6126B/940/20°	Edna Deep T - 940 - 20° - incl. driver	250,61	5,6
T6126B/940/40°	Edna Deep T - 940 - 40° - incl. driver	250,61	5,6
T6126B/940/60°	Edna Deep T - 940 - 60° - incl. driver	250,61	5,6
T6126B/9730/20°	Edna Deep T - 9730 - 20° - incl. driver	250,61	5,6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

T6126B/9730/40°	Edna Deep T - 9730 - 40° - incl. driver	250,61	5,6
T6126B/9730/60°	Edna Deep T - 9730 - 60° - incl. driver	250,61	5,6
T6126B/FA/20°	Edna Deep T - FASHION - 20° - incl. driver	250,61	5,6
T6126B/FA/40°	Edna Deep T - FASHION - 40° - incl. driver	250,61	5,6
T6126B/FA/60°	Edna Deep T - FASHION - 60° - incl. driver	250,61	5,6
T6126B/FIS/20°	Edna Deep T - FISH - 20° - incl. driver	250,61	5,6
T6126B/FIS/40°	Edna Deep T - FISH - 40° - incl. driver	250,61	5,6
T6126B/FIS/60°	Edna Deep T - FISH - 60° - incl. driver	250,61	5,6
T6126B/FM/20°	Edna Deep T - FRESH MEAT - 20° - incl. driver	250,61	5,6
T6126B/FM/40°	Edna Deep T - FRESH MEAT - 40° - incl. driver	250,61	5,6
T6126B/FM/60°	Edna Deep T - FRESH MEAT - 60° - incl. driver	250,61	5,6
T6126B/FR/20°	Edna Deep T - FRUIT - 20° - incl. driver	250,61	5,6
T6126B/FR/40°	Edna Deep T - FRUIT - 40° - incl. driver	250,61	5,6
T6126B/FR/60°	Edna Deep T - FRUIT - 60° - incl. driver	250,61	5,6
T6126B/G/20°	Edna Deep T - GOLD - 20° - incl. driver	250,61	5,6
T6126B/G/40°	Edna Deep T - GOLD - 40° - incl. driver	250,61	5,6
T6126B/G/60°	Edna Deep T - GOLD - 60° - incl. driver	250,61	5,6
T6126B/G+/20°	Edna Deep T - GOLD+ - 20° - incl. driver	250,61	5,6
T6126B/G+/40°	Edna Deep T - GOLD+ - 40° - incl. driver	250,61	5,6
T6126B/G+/60°	Edna Deep T - GOLD+ - 60° - incl. driver	250,61	5,6
T6126B/M+/20°	Edna Deep T - MEAT+ - 20° - incl. driver	250,61	5,6
T6126B/M+/40°	Edna Deep T - MEAT+ - 40° - incl. driver	250,61	5,6
T6126B/M+/60°	Edna Deep T - MEAT+ - 60° - incl. driver	250,61	5,6
T6126B/PW930/20°	Edna Deep T - Pure White 930 - 20° - incl. driver	250,61	5,6
T6126B/PW930/40°	Edna Deep T - Pure White 930 - 40° - incl. driver	250,61	5,6
T6126B/PW930/60°	Edna Deep T - Pure White 930 - 60° - incl. driver	250,61	5,6
T6126B/PW940/20°	Edna Deep T - Pure White 940 - 20° - incl. driver	250,61	5,6
T6126B/PW940/40°	Edna Deep T - Pure White 940 - 40° - incl. driver	250,61	5,6
T6126B/PW940/60°	Edna Deep T - Pure White 940 - 60° - incl. driver	250,61	5,6
T6126W/927/20°	Edna Deep T - 927 - 20° - incl. driver	250,61	5,6
T6126W/927/40°	Edna Deep T - 927 - 40° - incl. driver	250,61	5,6
T6126W/927/60°	Edna Deep T - 927 - 60° - incl. driver	250,61	5,6
T6126W/930/20°	Edna Deep T - 930 - 20° - incl. driver	250,61	5,6
T6126W/930/40°	Edna Deep T - 930 - 40° - incl. driver	250,61	5,6
T6126W/930/60°	Edna Deep T - 930 - 60° - incl. driver	250,61	5,6
T6126W/940/20°	Edna Deep T - 940 - 20° - incl. driver	250,61	5,6
T6126W/940/40°	Edna Deep T - 940 - 40° - incl. driver	250,61	5,6
T6126W/940/60°	Edna Deep T - 940 - 60° - incl. driver	250,61	5,6
T6126W/9730/20°	Edna Deep T - 9730 - 20° - incl. driver	250,61	5,6
T6126W/9730/40°	Edna Deep T - 9730 - 40° - incl. driver	250,61	5,6
T6126W/9730/60°	Edna Deep T - 9730 - 60° - incl. driver	250,61	5,6
T6126W/FA/20°	Edna Deep T - FASHION - 20° - incl. driver	250,61	5,6
T6126W/FA/40°	Edna Deep T - FASHION - 40° - incl. driver	250,61	5,6
T6126W/FA/60°	Edna Deep T - FASHION - 60° - incl. driver	250,61	5,6
T6126W/FIS/20°	Edna Deep T - FISH - 20° - incl. driver	250,61	5,6
T6126W/FIS/40°	Edna Deep T - FISH - 40° - incl. driver	250,61	5,6
T6126W/FIS/60°	Edna Deep T - FISH - 60° - incl. driver	250,61	5,6
T6126W/FM/20°	Edna Deep T - FRESH MEAT - 20° - incl. driver	250,61	5,6
T6126W/FM/40°	Edna Deep T - FRESH MEAT - 40° - incl. driver	250,61	5,6
T6126W/FM/60°	Edna Deep T - FRESH MEAT - 60° - incl. driver	250,61	5,6
T6126W/FR/20°	Edna Deep T - FRUIT - 20° - incl. driver	250,61	5,6
T6126W/FR/40°	Edna Deep T - FRUIT - 40° - incl. driver	250,61	5,6
T6126W/FR/60°	Edna Deep T - FRUIT - 60° - incl. driver	250,61	5,6
T6126W/G/20°	Edna Deep T - GOLD - 20° - incl. driver	250,61	5,6
T6126W/G/40°	Edna Deep T - GOLD - 40° - incl. driver	250,61	5,6
T6126W/G/60°	Edna Deep T - GOLD - 60° - incl. driver	250,61	5,6
T6126W/G+/20°	Edna Deep T - GOLD+ - 20° - incl. driver	250,61	5,6
T6126W/G+/40°	Edna Deep T - GOLD+ - 40° - incl. driver	250,61	5,6
T6126W/G+/60°	Edna Deep T - GOLD+ - 60° - incl. driver	250,61	5,6
T6126W/M+/20°	Edna Deep T - MEAT+ - 20° - incl. driver	250,61	5,6
T6126W/M+/40°	Edna Deep T - MEAT+ - 40° - incl. driver	250,61	5,6
T6126W/M+/60°	Edna Deep T - MEAT+ - 60° - incl. driver	250,61	5,6
T6126W/PW930/20°	Edna Deep T - Pure White 930 - 20° - incl. driver	250,61	5,6
T6126W/PW930/40°	Edna Deep T - Pure White 930 - 40° - incl. driver	250,61	5,6
T6126W/PW930/60°	Edna Deep T - Pure White 930 - 60° - incl. driver	250,61	5,6
T6126W/PW940/20°	Edna Deep T - Pure White 940 - 20° - incl. driver	250,61	5,6
T6126W/PW940/40°	Edna Deep T - Pure White 940 - 40° - incl. driver	250,61	5,6
T6126W/PW940/60°	Edna Deep T - Pure White 940 - 60° - incl. driver	250,61	5,6
T6127W/927/39°	Unilite T - 927 - 39° - incl. driver	299,67	5,6
T6127W/930/39°	Unilite T - 930 - 39° - incl. driver	299,67	5,6
T6127W/940/39°	Unilite T - 940 - 39° - incl. driver	299,67	5,6
T6127W/9730/39°	Unilite T - 9730 - 39° - incl. driver	299,67	5,6
T6127W/FA/39°	Unilite T - FASHION - 39° - incl. driver	299,67	5,6
T6127W/FIS/39°	Unilite T - FISH - 39° - incl. driver	299,67	5,6
T6127W/FM/39°	Unilite T - FRESH MEAT - 39° - incl. driver	299,67	5,6
T6127W/FR/39°	Unilite T - FRUIT - 39° - incl. driver	299,67	5,6
T6127W/G/39°	Unilite T - GOLD - 39° - incl. driver	299,67	5,6
T6127W/G+/39°	Unilite T - GOLD+ - 39° - incl. driver	299,67	5,6
T6127W/M+/39°	Unilite T - MEAT+ - 39° - incl. driver	299,67	5,6
T6127W/PW930/39°	Unilite T - PURE WHITE 930 - 39° - incl. driver	299,67	5,6
T6127W/PW940/39°	Unilite T - PURE WHITE 940 - 39° - incl. driver	299,67	5,6
T6128W/927/39°	Duolite T - 927 - 39° - incl. driver	526,26	5,6
T6128W/930/39°	Duolite T - 930 - 39° - incl. driver	526,26	5,6
T6128W/940/39°	Duolite T - 940 - 39° - incl. driver	526,26	5,6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

T6128W/9730/39°	Duolite T - 9730 - 39° - incl. driver	526,26	5,6
T6128W/FA/39°	Duolite T - FASHION - 39° - incl. driver	526,26	5,6
T6128W/FIS/39°	Duolite T - FISH - 39° - incl. driver	526,26	5,6
T6128W/FM/39°	Duolite T - FRESH MEAT - 39° - incl. driver	526,26	5,6
T6128W/FR/39°	Duolite T - FRUIT - 39° - incl. driver	526,26	5,6
T6128W/G/39°	Duolite T - GOLD - 39° - incl. driver	526,26	5,6
T6128W/G+/39°	Duolite T - GOLD+ - 39° - incl. driver	526,26	5,6
T6128W/M+/39°	Duolite T - MEAT+ - 39° - incl. driver	526,26	5,6
T6128W/PW930/39°	Duolite T - PURE WHITE 930 - 39° - incl. driver	526,26	5,6
T6128W/PW940/39°	Duolite T - PURE WHITE 940 - 39° - incl. driver	526,26	5,6
T6135B/927/14,5°	Mini BFD T - 927 - 14,5° - incl. driver	227,51	5,6
T6135B/927/25,5°	Mini BFD T - 927 - 25,5° - incl. driver	227,51	5,6
T6135B/927/39°	Mini BFD T - 927 - 39° - incl. driver	227,51	5,6
T6135B/930/14,5°	Mini BFD T - 930 - 14,5° - incl. driver	227,51	5,6
T6135B/930/25,5°	Mini BFD T - 930 - 25,5° - incl. driver	227,51	5,6
T6135B/930/39°	Mini BFD T - 930 - 39° - incl. driver	227,51	5,6
T6135B/940/14,5°	Mini BFD T - 940 - 14,5° - incl. driver	227,51	5,6
T6135B/940/25,5°	Mini BFD T - 940 - 25,5° - incl. driver	227,51	5,6
T6135B/940/39°	Mini BFD T - 940 - 39° - incl. driver	227,51	5,6
T6135B/9730/14,5°	Mini BFD T - 9730 - 14,5° - incl. driver	227,51	5,6
T6135B/9730/25,5°	Mini BFD T - 9730 - 25,5° - incl. driver	227,51	5,6
T6135B/9730/39°	Mini BFD T - 9730 - 39° - incl. driver	227,51	5,6
T6135B/FA/14,5°	Mini BFD T - FASHION - 14,5° - incl. driver	227,51	5,6
T6135B/FA/25,5°	Mini BFD T - FASHION - 25,5° - incl. driver	227,51	5,6
T6135B/FA/39°	Mini BFD T - FASHION - 39° - incl. driver	227,51	5,6
T6135B/FIS/14,5°	Mini BFD T - FISH - 14,5° - incl. driver	227,51	5,6
T6135B/FIS/25,5°	Mini BFD T - FISH - 25,5° - incl. driver	227,51	5,6
T6135B/FIS/39°	Mini BFD T - FISH - 39° - incl. driver	227,51	5,6
T6135B/FM/14,5°	Mini BFD T - FRESH MEAT - 14,5° - incl. driver	227,51	5,6
T6135B/FM/25,5°	Mini BFD T - FRESH MEAT - 25,5° - incl. driver	227,51	5,6
T6135B/FM/39°	Mini BFD T - FRESH MEAT - 39° - incl. driver	227,51	5,6
T6135B/FR/14,5°	Mini BFD T - FRUIT - 14,5° - incl. driver	227,51	5,6
T6135B/FR/25,5°	Mini BFD T - FRUIT - 25,5° - incl. driver	227,51	5,6
T6135B/FR/39°	Mini BFD T - FRUIT - 39° - incl. driver	227,51	5,6
T6135B/G/14,5°	Mini BFD T - GOLD - 14,5° - incl. driver	227,51	5,6
T6135B/G/25,5°	Mini BFD T - GOLD - 25,5° - incl. driver	227,51	5,6
T6135B/G/39°	Mini BFD T - GOLD - 39° - incl. driver	227,51	5,6
T6135B/G+/14,5°	Mini BFD T - GOLD+ - 14,5° - incl. driver	227,51	5,6
T6135B/G+/25,5°	Mini BFD T - GOLD+ - 25,5° - incl. driver	227,51	5,6
T6135B/G+/39°	Mini BFD T - GOLD+ - 39° - incl. driver	227,51	5,6
T6135B/M+/14,5°	Mini BFD T - MEAT+ - 14,5° - incl. driver	227,51	5,6
T6135B/M+/25,5°	Mini BFD T - MEAT+ - 25,5° - incl. driver	227,51	5,6
T6135B/M+/39°	Mini BFD T - MEAT+ - 39° - incl. driver	227,51	5,6
T6135B/PW930/14,5°	Mini BFD T - PURE WHITE 930 - 14,5° - incl. driver	227,51	5,6
T6135B/PW930/25,5°	Mini BFD T - PURE WHITE 930 - 25,5° - incl. driver	227,51	5,6
T6135B/PW930/39°	Mini BFD T - PURE WHITE 930 - 39° - incl. driver	227,51	5,6
T6135B/PW940/14,5°	Mini BFD T - PURE WHITE 940 - 14,5° - incl. driver	227,51	5,6
T6135B/PW940/25,5°	Mini BFD T - PURE WHITE 940 - 25,5° - incl. driver	227,51	5,6
T6135B/PW940/39°	Mini BFD T - PURE WHITE 940 - 39° - incl. driver	227,51	5,6
T6135W/927/14,5°	Mini BFD T - 927 - 14,5° - incl. driver	227,51	5,6
T6135W/927/25,5°	Mini BFD T - 927 - 25,5° - incl. driver	227,51	5,6
T6135W/927/39°	Mini BFD T - 927 - 39° - incl. driver	227,51	5,6
T6135W/930/14,5°	Mini BFD T - 930 - 14,5° - incl. driver	227,51	5,6
T6135W/930/25,5°	Mini BFD T - 930 - 25,5° - incl. driver	227,51	5,6
T6135W/930/39°	Mini BFD T - 930 - 39° - incl. driver	227,51	5,6
T6135W/940/14,5°	Mini BFD T - 940 - 14,5° - incl. driver	227,51	5,6
T6135W/940/25,5°	Mini BFD T - 940 - 25,5° - incl. driver	227,51	5,6
T6135W/940/39°	Mini BFD T - 940 - 39° - incl. driver	227,51	5,6
T6135W/9730/14,5°	Mini BFD T - 9730 - 14,5° - incl. driver	227,51	5,6
T6135W/9730/25,5°	Mini BFD T - 9730 - 25,5° - incl. driver	227,51	5,6
T6135W/9730/39°	Mini BFD T - 9730 - 39° - incl. driver	227,51	5,6
T6135W/FA/14,5°	Mini BFD T - FASHION - 14,5° - incl. driver	227,51	5,6
T6135W/FA/25,5°	Mini BFD T - FASHION - 25,5° - incl. driver	227,51	5,6
T6135W/FA/39°	Mini BFD T - FASHION - 39° - incl. driver	227,51	5,6
T6135W/FIS/14,5°	Mini BFD T - FISH - 14,5° - incl. driver	227,51	5,6
T6135W/FIS/25,5°	Mini BFD T - FISH - 25,5° - incl. driver	227,51	5,6
T6135W/FIS/39°	Mini BFD T - FISH - 39° - incl. driver	227,51	5,6
T6135W/FM/14,5°	Mini BFD T - FRESH MEAT - 14,5° - incl. driver	227,51	5,6
T6135W/FM/25,5°	Mini BFD T - FRESH MEAT - 25,5° - incl. driver	227,51	5,6
T6135W/FM/39°	Mini BFD T - FRESH MEAT - 39° - incl. driver	227,51	5,6
T6135W/FR/14,5°	Mini BFD T - FRUIT - 14,5° - incl. driver	227,51	5,6
T6135W/FR/25,5°	Mini BFD T - FRUIT - 25,5° - incl. driver	227,51	5,6
T6135W/FR/39°	Mini BFD T - FRUIT - 39° - incl. driver	227,51	5,6
T6135W/G/14,5°	Mini BFD T - GOLD - 14,5° - incl. driver	227,51	5,6
T6135W/G/25,5°	Mini BFD T - GOLD - 25,5° - incl. driver	227,51	5,6
T6135W/G/39°	Mini BFD T - GOLD - 39° - incl. driver	227,51	5,6
T6135W/G+/14,5°	Mini BFD T - GOLD+ - 14,5° - incl. driver	227,51	5,6
T6135W/G+/25,5°	Mini BFD T - GOLD+ - 25,5° - incl. driver	227,51	5,6
T6135W/G+/39°	Mini BFD T - GOLD+ - 39° - incl. driver	227,51	5,6
T6135W/M+/14,5°	Mini BFD T - MEAT+ - 14,5° - incl. driver	227,51	5,6
T6135W/M+/25,5°	Mini BFD T - MEAT+ - 25,5° - incl. driver	227,51	5,6
T6135W/M+/39°	Mini BFD T - MEAT+ - 39° - incl. driver	227,51	5,6
T6135W/PW930/14,5°	Mini BFD T - PURE WHITE 930 - 14,5° - incl. driver	227,51	5,6
T6135W/PW930/25,5°	Mini BFD T - PURE WHITE 930 - 25,5° - incl. driver	227,51	5,6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

T6135W/PW930/39°	Mini BFD T - PURE WHITE 930 - 39° - incl. driver	227,51	5,6
T6135W/PW940/14,5°	Mini BFD T - PURE WHITE 940 - 14,5° - incl. driver	227,51	5,6
T6135W/PW940/25,5°	Mini BFD T - PURE WHITE 940 - 25,5° - incl. driver	227,51	5,6
T6135W/PW940/39°	Mini BFD T - PURE WHITE 940 - 39° - incl. driver	227,51	5,6
T6136B/927/ASSY	Mini BFD ASSY T - 927 - incl. driver	243,04	5,6
T6136B/930/ASSY	Mini BFD ASSY T - 930 - incl. driver	243,05	5,6
T6136B/940/ASSY	Mini BFD ASSY T - 940 - incl. driver	243,06	5,6
T6136B/9730/ASSY	Mini BFD ASSY T - 9730 - incl. driver	243,07	5,6
T6136B/FA/ASSY	Mini BFD ASSY T - FASHION - incl. driver	243,08	5,6
T6136B/FIS/ASSY	Mini BFD ASSY T - FISH - incl. driver	243,09	5,6
T6136B/FM/ASSY	Mini BFD ASSY T - FRESH MEAT - incl. driver	243,10	5,6
T6136B/FR/ASSY	Mini BFD ASSY T - FRUIT - incl. driver	243,11	5,6
T6136B/G/ASSY	Mini BFD ASSY T - GOLD - incl. driver	243,12	5,6
T6136B/G+/ASSY	Mini BFD ASSY T - GOLD+ - incl. driver	243,13	5,6
T6136B/M+/ASSY	Mini BFD ASSY T - MEAT+ - incl. driver	243,14	5,6
T6136B/PW930/ASSY	Mini BFD ASSY T - PURE WHITE 930 - incl. driver	243,15	5,6
T6136B/PW940/ASSY	Mini BFD ASSY T - PURE WHITE 940 - incl. driver	243,16	5,6
T6136W/927/ASSY	Mini BFD ASSY T - 927 - incl. driver	243,17	5,6
T6136W/930/ASSY	Mini BFD ASSY T - 930 - incl. driver	243,18	5,6
T6136W/940/ASSY	Mini BFD ASSY T - 940 - incl. driver	243,19	5,6
T6136W/9730/ASSY	Mini BFD ASSY T - 9730 - incl. driver	243,20	5,6
T6136W/FA/ASSY	Mini BFD ASSY T - FASHION - incl. driver	243,21	5,6
T6136W/FIS/ASSY	Mini BFD ASSY T - FISH - incl. driver	243,22	5,6
T6136W/FM/ASSY	Mini BFD ASSY T - FRESH MEAT - incl. driver	243,23	5,6
T6136W/FR/ASSY	Mini BFD ASSY T - FRUIT - incl. driver	243,24	5,6
T6136W/G/ASSY	Mini BFD ASSY T - GOLD - incl. driver	243,25	5,6
T6136W/G+/ASSY	Mini BFD ASSY T - GOLD+ - incl. driver	243,26	5,6
T6136W/M+/ASSY	Mini BFD ASSY T - MEAT+ - incl. driver	243,27	5,6
T6136W/PW930/ASSY	Mini BFD ASSY T - PURE WHITE 930 - incl. driver	243,28	5,6
T6136W/PW940/ASSY	Mini BFD ASSY T - PURE WHITE 940 - incl. driver	243,29	5,6
T6137B/927/40°	Tube T Susp Black Texture - 927 - 40° - incl. driver	349,24	5,6
T6137B/930/40°	Tube T Susp Black Texture - 930 - 40° - incl. driver	349,24	5,6
T6137B/940/40°	Tube T Susp Black Texture - 940 - 40° - incl. driver	349,24	5,6
T6137B/9730/40°	Tube T Susp Black Texture - 9730 - 40° - incl. driver	349,24	5,6
T6137B/FA/40°	Tube T Susp Black Texture - fashion - 40° - incl. driver	349,24	5,6
T6137B/FIS/40°	Tube T Susp Black Texture - fish - 40° - incl. driver	349,24	5,6
T6137B/FM/40°	Tube T Susp Black Texture - fresh meat - 40° - incl. driver	349,24	5,6
T6137B/FR/40°	Tube T Susp Black Texture - fruit - 40° - incl. driver	349,24	5,6
T6137B/G/40°	Tube T Susp Black Texture - GOLD - 40° - incl. driver	349,24	5,6
T6137B/G+/40°	Tube T Susp black Texture - GOLD+ - 40° - incl. driver	349,24	5,6
T6137B/M+/40°	Tube T Susp Black Texture - MEAT+ - 40° - incl. driver	349,24	5,6
T6137B/PW930/40°	Tube T Susp Black Texture - pure white 930 - 40° - incl. driver	349,24	5,6
T6137B/PW940/40°	Tube T Susp Black Texture - pure white 940 - 40° - incl. driver	349,24	5,6
T6137W/927/40°	Tube T Susp White Texture - 927 - 40° - incl. driver	349,24	5,6
T6137W/930/40°	Tube T Susp White Texture - 930 - 40° - incl. driver	349,24	5,6
T6137W/940/40°	Tube T Susp White Texture - 940 - 40° - incl. driver	349,24	5,6
T6137W/9730/40°	Tube T Susp White Texture - 9730 - 40° - incl. driver	349,24	5,6
T6137W/FA/40°	Tube T Susp White Texture - fashion - 40° - incl. driver	349,24	5,6
T6137W/FIS/40°	Tube T Susp White Texture - fish - 40° - incl. driver	349,24	5,6
T6137W/FM/40°	Tube T Susp White Texture - fresh meat - 40° - incl. driver	349,24	5,6
T6137W/FR/40°	Tube T Susp White Texture - fruit - 40° - incl. driver	349,24	5,6
T6137W/G/40°	Tube T Susp White Texture - GOLD - 40° - incl. driver	349,24	5,6
T6137W/G+/40°	Tube T Susp White Texture - GOLD+ - 40° - incl. driver	349,24	5,6
T6137W/M+/40°	Tube T Susp White Texture - MEAT+ - 40° - incl. driver	349,24	5,6
T6137W/PW930/40°	Tube T Susp White Texture - pure white 930 - 40° - incl. driver	349,24	5,6
T6137W/PW940/40°	Tube T Susp White Texture - pure white 940 - 40° - incl. driver	349,24	5,6
T6143B/927/20°	Mini BFD Flex T - 927 - 20° - incl. driver	205,00	5,6
T6143B/927/39°	Mini BFD Flex T - 927 - 39° - incl. driver	205,00	5,6
T6143B/930/20°	Mini BFD Flex T - 930 - 20° - incl. driver	205,00	5,6
T6143B/930/39°	Mini BFD Flex T - 930 - 39° - incl. driver	205,00	5,6
T6143B/940/20°	Mini BFD Flex T - 940 - 20° - incl. driver	205,00	5,6
T6143B/940/39°	Mini BFD Flex T - 940 - 39° - incl. driver	205,00	5,6
T6143B/9730/20°	Mini BFD Flex T - 9730 - 20° - incl. driver	205,00	5,6
T6143B/9730/39°	Mini BFD Flex T - 9730 - 39° - incl. driver	205,00	5,6
T6143B/FA/20°	Mini BFD Flex T - FASHION - 20° - incl. driver	205,00	5,6
T6143B/FA/39°	Mini BFD Flex T - FASHION - 39° - incl. driver	205,00	5,6
T6143B/FIS/20°	Mini BFD Flex T - FISH - 20° - incl. driver	205,00	5,6
T6143B/FIS/39°	Mini BFD Flex T - FISH - 39° - incl. driver	205,00	5,6
T6143B/FM/20°	Mini BFD Flex T - FRESH MEAT - 20° - incl. driver	205,00	5,6
T6143B/FM/39°	Mini BFD Flex T - FRESH MEAT - 39° - incl. driver	205,00	5,6
T6143B/FR/20°	Mini BFD Flex T - FRUIT - 20° - incl. driver	205,00	5,6
T6143B/FR/39°	Mini BFD Flex T - FRUIT - 39° - incl. driver	205,00	5,6
T6143B/G/20°	Mini BFD Flex T - GOLD - 20° - incl. driver	205,00	5,6
T6143B/G/39°	Mini BFD Flex T - GOLD - 39° - incl. driver	205,00	5,6
T6143B/G+/20°	Mini BFD Flex T - GOLD+ - 20° - incl. driver	205,00	5,6
T6143B/G+/39°	Mini BFD Flex T - GOLD+ - 39° - incl. driver	205,00	5,6
T6143B/M+/20°	Mini BFD Flex T - meat+ - 20° - incl. driver	205,00	5,6
T6143B/M+/39°	Mini BFD Flex T - meat+ - 39° - incl. driver	205,00	5,6
T6143B/PW930/20°	Mini BFD Flex T - Pure White 930 - 20° - incl. driver	205,00	5,6
T6143B/PW930/39°	Mini BFD Flex T - Pure White 930 - 39° - incl. driver	205,00	5,6
T6143B/PW940/20°	Mini BFD Flex T - Pure White 940 - 20° - incl. driver	205,00	5,6
T6143B/PW940/39°	Mini BFD Flex T - Pure White 940 - 39° - incl. driver	205,00	5,6
T6143W/927/20°	Mini BFD Flex T - 927 - 20° - incl. driver	205,00	5,6
T6143W/927/39°	Mini BFD Flex T - 927 - 39° - incl. driver	205,00	5,6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

T6143W/930/20°	Mini BFD Flex T - 930 - 20° - incl. driver	205,00	5,6
T6143W/930/39°	Mini BFD Flex T - 930 - 39° - incl. driver	205,00	5,6
T6143W/940/20°	Mini BFD Flex T - 940 - 20° - incl. driver	205,00	5,6
T6143W/940/39°	Mini BFD Flex T - 940 - 39° - incl. driver	205,00	5,6
T6143W/9730/20°	Mini BFD Flex T - 9730 - 20° - incl. driver	205,00	5,6
T6143W/9730/39°	Mini BFD Flex T - 9730 - 39° - incl. driver	205,00	5,6
T6143W/FA/20°	Mini BFD Flex T - FASHION - 20° - incl. driver	205,00	5,6
T6143W/FA/39°	Mini BFD Flex T - FASHION - 39° - incl. driver	205,00	5,6
T6143W/FIS/20°	Mini BFD Flex T - FISH - 20° - incl. driver	205,00	5,6
T6143W/FIS/39°	Mini BFD Flex T - FISH - 39° - incl. driver	205,00	5,6
T6143W/FM/20°	Mini BFD Flex T - FRESH MEAT - 20° - incl. driver	205,00	5,6
T6143W/FM/39°	Mini BFD Flex T - FRESH MEAT - 39° - incl. driver	205,00	5,6
T6143W/FR/20°	Mini BFD Flex T - FRUIT - 20° - incl. driver	205,00	5,6
T6143W/FR/39°	Mini BFD Flex T - FRUIT - 39° - incl. driver	205,00	5,6
T6143W/G/20°	Mini BFD Flex T - GOLD - 20° - incl. driver	205,00	5,6
T6143W/G/39°	Mini BFD Flex T - GOLD - 39° - incl. driver	205,00	5,6
T6143W/G+/20°	Mini BFD Flex T - GOLD+ - 20° - incl. driver	205,00	5,6
T6143W/G+/39°	Mini BFD Flex T - GOLD+ - 39° - incl. driver	205,00	5,6
T6143W/M+/20°	Mini BFD Flex T - meat+ - 20° - incl. driver	205,00	5,6
T6143W/M+/39°	Mini BFD Flex T - meat - 39° - incl. driver	205,00	5,6
T6143W/PW930/20°	Mini BFD Flex T - Pure White 930 - 20° - incl. driver	205,00	5,6
T6143W/PW930/39°	Mini BFD Flex T - Pure White 930 - 39° - incl. driver	205,00	5,6
T6143W/PW940/20°	Mini BFD Flex T - Pure White 940 - 20° - incl. driver	205,00	5,6
T6143W/PW940/39°	Mini BFD Flex T - Pure White 940 - 39° - incl. driver	205,00	5,6
T6145B/927/40°	Tube T ON Black Texture - 927 - 40° - incl. driver	307,24	5,6
T6145B/930/40°	Tube T ON Black Texture - 930 - 40° - incl. driver	307,24	5,6
T6145B/940/40°	Tube T ON Black Texture - 940 - 40° - incl. driver	307,24	5,6
T6145B/9730/40°	Tube T ON Black Texture - 9730 - 40° - incl. driver	307,24	5,6
T6145B/FA/40°	Tube T ON Black Texture - fashion - 40° - incl. driver	307,24	5,6
T6145B/FIS/40°	Tube T ON Black Texture - fish - 40° - incl. driver	307,24	5,6
T6145B/FM/40°	Tube T ON Black Texture - fresh meat - 40° - incl. driver	307,24	5,6
T6145B/FR/40°	Tube T ON Black Texture - fruit - 40° - incl. driver	307,24	5,6
T6145B/G/40°	Tube T ON Black Texture - GOLD - 40° - incl. driver	307,24	5,6
T6145B/G+/40°	Tube T ON black Texture - GOLD+ - 40° - incl. driver	307,24	5,6
T6145B/M+/40°	Tube T ON Black Texture - MEAT+ - 40° - incl. driver	307,24	5,6
T6145B/PW930/40°	Tube T ON Black Texture - pure white 930 - 40° - incl. driver	307,24	5,6
T6145B/PW940/40°	Tube T ON Black Texture - pure white 940 - 40° - incl. driver	307,24	5,6
T6145W/927/40°	Tube T ON White Texture - 927 - 40° - incl. driver	307,24	5,6
T6145W/930/40°	Tube T ON White Texture - 930 - 40° - incl. driver	307,24	5,6
T6145W/940/40°	Tube T ON White Texture - 940 - 40° - incl. driver	307,24	5,6
T6145W/9730/40°	Tube T ON White Texture - 9730 - 40° - incl. driver	307,24	5,6
T6145W/FA/40°	Tube T ON White Texture - fashion - 40° - incl. driver	307,24	5,6
T6145W/FIS/40°	Tube T ON White Texture - fish - 40° - incl. driver	307,24	5,6
T6145W/FM/40°	Tube T ON White Texture - fresh meat - 40° - incl. driver	307,24	5,6
T6145W/FR/40°	Tube T ON White Texture - fruit - 40° - incl. driver	307,24	5,6
T6145W/G/40°	Tube T ON White Texture - GOLD - 40° - incl. driver	307,24	5,6
T6145W/G+/40°	Tube T ON White Texture - GOLD+ - 40° - incl. driver	307,24	5,6
T6145W/M+/40°	Tube T ON White Texture - MEAT+ - 40° - incl. driver	307,24	5,6
T6145W/PW930/40°	Tube T ON White Texture - pure white 930 - 40° - incl. driver	307,24	5,6
T6145W/PW940/40°	Tube T ON White Texture - pure white 940 - 40° - incl. driver	307,24	5,6
T6149B/927/30°	Flat Hores T - 927 - 30° - incl. driver	242,55	5,6
T6149B/927/45°	Flat Hores T - 927 - 45° - incl. driver	242,55	5,6
T6149B/930/30°	Flat Hores T - 930 - 30° - incl. driver	242,55	5,6
T6149B/930/45°	Flat Hores T - 930 - 45° - incl. driver	242,55	5,6
T6149B/940/30°	Flat Hores T - 940 - 30° - incl. driver	242,55	5,6
T6149B/940/45°	Flat Hores T - 940 - 45° - incl. driver	242,55	5,6
T6149B/9730/30°	Flat Hores T - 9730 - 30° - incl. driver	257,90	5,6
T6149B/9730/45°	Flat Hores T - 9730 - 45° - incl. driver	257,90	5,6
T6149B/FA/30°	Flat Hores T - FASHION - 30° - incl. driver	242,55	5,6
T6149B/FA/45°	Flat Hores T - FASHION - 45° - incl. driver	242,55	5,6
T6149B/FIS/30°	Flat Hores T - FISH - 30° - incl. driver	242,55	5,6
T6149B/FIS/45°	Flat Hores T - FISH - 45° - incl. driver	242,55	5,6
T6149B/FM/30°	Flat Hores T - FRESH MEAT - 30° - incl. driver	242,55	5,6
T6149B/FM/45°	Flat Hores T - FRESH MEAT - 45° - incl. driver	242,55	5,6
T6149B/FR/30°	Flat Hores T - FRUIT - 30° - incl. driver	242,55	5,6
T6149B/FR/45°	Flat Hores T - FRUIT - 45° - incl. driver	242,55	5,6
T6149B/G/30°	Flat Hores T - GOLD - 30° - incl. driver	242,55	5,6
T6149B/G/45°	Flat Hores T - GOLD - 45° - incl. driver	242,55	5,6
T6149B/G+/30°	Flat Hores T - GOLD+ - 30° - incl. driver	242,55	5,6
T6149B/G+/45°	Flat Hores T - GOLD+ - 45° - incl. driver	242,55	5,6
T6149B/M+/30°	Flat Hores T - MEAT+ - 30° - incl. driver	242,55	5,6
T6149B/M+/45°	Flat Hores T - MEAT+ - 45° - incl. driver	242,55	5,6
T6149B/PW930/30°	Flat Hores T - PURE WHITE 930 - 30° - incl. driver	242,55	5,6
T6149B/PW930/45°	Flat Hores T - PURE WHITE 930 - 45° - incl. driver	242,55	5,6
T6149B/PW940/30°	Flat Hores T - PURE WHITE 940 - 30° - incl. driver	242,55	5,6
T6149B/PW940/45°	Flat Hores T - PURE WHITE 940 - 45° - incl. driver	242,55	5,6
T6149W/927/30°	Flat Hores T - 927 - 30° - incl. driver	242,55	5,6
T6149W/927/45°	Flat Hores T - 927 - 45° - incl. driver	242,55	5,6
T6149W/930/30°	Flat Hores T - 930 - 30° - incl. driver	242,55	5,6
T6149W/930/45°	Flat Hores T - 930 - 45° - incl. driver	242,55	5,6
T6149W/940/30°	Flat Hores T - 940 - 30° - incl. driver	242,55	5,6
T6149W/940/45°	Flat Hores T - 940 - 45° - incl. driver	242,55	5,6
T6149W/9730/30°	Flat Hores T - 9730 - 30° - incl. driver	257,90	5,6
T6149W/9730/45°	Flat Hores T - 9730 - 45° - incl. driver	257,90	5,6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

T6149W/FA/30°	Flat Hores T - FASHION - 30° - incl. driver	242,55	5,6
T6149W/FA/45°	Flat Hores T - FASHION - 45° - incl. driver	242,55	5,6
T6149W/FIS/30°	Flat Hores T - FISH - 30° - incl. driver	242,55	5,6
T6149W/FIS/45°	Flat Hores T - FISH - 45° - incl. driver	242,55	5,6
T6149W/FM/30°	Flat Hores T - FRESH MEAT - 30° - incl. driver	242,55	5,6
T6149W/FM/45°	Flat Hores T - FRESH MEAT - 45° - incl. driver	242,55	5,6
T6149W/FR/30°	Flat Hores T - FRUIT - 30° - incl. driver	242,55	5,6
T6149W/FR/45°	Flat Hores T - FRUIT - 45° - incl. driver	242,55	5,6
T6149W/G/30°	Flat Hores T - GOLD - 30° - incl. driver	242,55	5,6
T6149W/G/45°	Flat Hores T - GOLD - 45° - incl. driver	242,55	5,6
T6149W/G+/30°	Flat Hores T - GOLD+ - 30° - incl. driver	242,55	5,6
T6149W/G+/45°	Flat Hores T - GOLD+ - 45° - incl. driver	242,55	5,6
T6149W/M+/30°	Flat Hores T - MEAT+ - 30° - incl. driver	242,55	5,6
T6149W/M+/45°	Flat Hores T - MEAT+ - 45° - incl. driver	242,55	5,6
T6149W/PW930/30°	Flat Hores T - PURE WHITE 930 - 30° - incl. driver	242,55	5,6
T6149W/PW930/45°	Flat Hores T - PURE WHITE 930 - 45° - incl. driver	242,55	5,6
T6149W/PW940/30°	Flat Hores T - PURE WHITE 940 - 30° - incl. driver	242,55	5,6
T6149W/PW940/45°	Flat Hores T - PURE WHITE 940 - 45° - incl. driver	242,55	5,6
T6150B/927/24°	Tube track T - 927 - 24° - incl. driver	242,55	5,6
T6150B/927/36°	Tube track T - 927 - 36° - incl. driver	242,55	5,6
T6150B/930/24°	Tube track T - 930 - 24° - incl. driver	242,55	5,6
T6150B/930/36°	Tube track T - 930 - 36° - incl. driver	242,55	5,6
T6150B/940/24°	Tube track T - 940 - 24° - incl. driver	242,55	5,6
T6150B/940/36°	Tube Track T - 940 - 36° - incl. driver	242,55	5,6
T6150B/9730/24°	Tube track T - 9730 - 24° - incl. driver	257,90	5,6
T6150B/9730/36°	Tube track T - 9730 - 36° - incl. driver	257,90	5,6
T6150B/FA/24°	Tube track T - FASHION - 24° - incl. driver	242,55	5,6
T6150B/FA/36°	Tube track T - FASHION - 36° - incl. driver	242,55	5,6
T6150B/FIS/24°	Tube track T - FISH - 24° - incl. driver	242,55	5,6
T6150B/FIS/36°	Tube track T - FISH - 36° - incl. driver	242,55	5,6
T6150B/FM/24°	Tube track T - FRESH MEAT - 24° - incl. driver	242,55	5,6
T6150B/FM/36°	Tube track T - FRESH MEAT - 36° - incl. driver	242,55	5,6
T6150B/FR/24°	Tube track T - FRUIT - 24° - incl. driver	242,55	5,6
T6150B/FR/36°	Tube track T - FRUIT - 36° - incl. driver	242,55	5,6
T6150B/G/24°	Tube track T - GOLD - 24° - incl. driver	242,55	5,6
T6150B/G/36°	Tube track T - GOLD - 36° - incl. driver	242,55	5,6
T6150B/G+/24°	Tube track T - GOLD+ - 24° - incl. driver	242,55	5,6
T6150B/G+/36°	Tube track T - GOLD+ - 36° - incl. driver	242,55	5,6
T6150B/M+/24°	Tube track T - MEAT+ - 24° - incl. driver	242,55	5,6
T6150B/M+/36°	Tube track T - MEAT+ - 36° - incl. driver	242,55	5,6
T6150B/PW930/24°	Tube track T - PURE WHITE 930 - 24° - incl. driver	242,55	5,6
T6150B/PW930/36°	Tube track T - PURE WHITE 930 - 36° - incl. driver	242,55	5,6
T6150B/PW940/24°	Tube track T - PURE WHITE 940 - 24° - incl. driver	242,55	5,6
T6150B/PW940/36°	Tube track T - PURE WHITE 940 - 36° - incl. driver	242,55	5,6
T6150W/927/24°	Tube track T - 927 - 24° - incl. driver	242,55	5,6
T6150W/927/36°	Tube Track T - 927 - 36° - incl. driver	242,55	5,6
T6150W/930/24°	Tube track T - 930 - 24° - incl. driver	242,55	5,6
T6150W/930/36°	Tube Track T - 930 - 36° - incl. driver	242,55	5,6
T6150W/940/24°	Tube track T - 940 - 24° - incl. driver	242,55	5,6
T6150W/940/36°	Tube track T - 940 - 36° - incl. driver	242,55	5,6
T6150W/9730/24°	Tube track T - 9730 - 24° - incl. driver	257,90	5,6
T6150W/9730/36°	Tube track T - 9730 - 36° - incl. driver	257,90	5,6
T6150W/FA/24°	Tube track T - FASHION - 24° - incl. driver	242,55	5,6
T6150W/FA/36°	Tube track T - FASHION - 36° - incl. driver	242,55	5,6
T6150W/FIS/24°	Tube track T - FISH - 24° - incl. driver	242,55	5,6
T6150W/FIS/36°	Tube track T - FISH - 36° - incl. driver	242,55	5,6
T6150W/FM/24°	Tube track T - FRESH MEAT - 24° - incl. driver	242,55	5,6
T6150W/FM/36°	Tube track T - FRESH MEAT - 36° - incl. driver	242,55	5,6
T6150W/FR/24°	Tube track T - FRUIT - 24° - incl. driver	242,55	5,6
T6150W/FR/36°	Tube track T - FRUIT - 36° - incl. driver	242,55	5,6
T6150W/G/24°	Tube track T - GOLD - 24° - incl. driver	242,55	5,6
T6150W/G/36°	Tube track T - GOLD - 36° - incl. driver	242,55	5,6
T6150W/G+/24°	Tube track T - GOLD+ - 24° - incl. driver	242,55	5,6
T6150W/G+/36°	Tube track T - GOLD+ - 36° - incl. driver	242,55	5,6
T6150W/M+/24°	Tube track T - MEAT+ - 24° - incl. driver	242,55	5,6
T6150W/M+/36°	Tube track T - MEAT+ - 36° - incl. driver	242,55	5,6
T6150W/PW930/24°	Tube track T - PURE WHITE 930 - 24° - incl. driver	242,55	5,6
T6150W/PW930/36°	Tube track T - PURE WHITE 930 - 36° - incl. driver	242,55	5,6
T6150W/PW940/24°	Tube track T - PURE WHITE 940 - 24° - incl. driver	242,55	5,6
T6150W/PW940/36°	Tube track T - PURE WHITE 940 - 36° - incl. driver	242,55	5,6
T6160B/927/60°	Piccolo 120 T - 927 - 60° - incl. driver	251,56	5,6
T6160B/930/60°	Piccolo 120 T - 930 - 60° - incl. driver	251,56	5,6
T6160B/940/60°	Piccolo 120 T - 940 - 60° - incl. driver	251,56	5,6
T6160B/9730/60°	Piccolo 120 T - 9730 - 60° - incl. driver	251,56	5,6
T6160B/FA/60°	Piccolo 120 T - FASHION - 60° - incl. driver	251,56	5,6
T6160B/FIS/60°	Piccolo 120 T - FISH - 60° - incl. driver	251,56	5,6
T6160B/FM/60°	Piccolo 120 T - FRESH MEAT - 60° - incl. driver	251,56	5,6
T6160B/G/60°	Piccolo 120 T - GOLD - 60° - incl. driver	251,56	5,6
T6160B/G+/60°	Piccolo 120 T - GOLD+ - 60° - incl. driver	251,56	5,6
T6160B/M+/60°	Piccolo 120 T - MEAT+ - 60° - incl. driver	251,56	5,6
T6160W/927/60°	Piccolo 120 T - 927 - 60° - incl. driver	251,56	5,6
T6160W/930/60°	Piccolo 120 T - 930 - 60° - incl. driver	251,56	5,6
T6160W/940/60°	Piccolo 120 T - 940 - 60° - incl. driver	251,56	5,6
T6160W/9730/60°	Piccolo 120 T - 9730 - 60° - incl. driver	251,56	5,6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

T6160W/FA/60°	Piccolo 120 T - FASHION - 60° - incl. driver	251,56	5,6
T6160W/FIS/60°	Piccolo 120 T - FISH - 60° - incl. driver	251,56	5,6
T6160W/FM/60°	Piccolo 120 T - FRESH MEAT - 60° - incl. driver	251,56	5,6
T6160W/FR/60°	Piccolo 120 T - FRUIT - 60° - incl. driver	251,56	5,6
T6160W/G/60°	Piccolo 120 T - GOLD - 60° - incl. driver	251,56	5,6
T6160W/G+/60°	Piccolo 120 T - GOLD+ - 60° - incl. driver	251,56	5,6
T6160W/M+/60°	Piccolo 120 T - MEAT+ - 60° - incl. driver	251,56	5,6
T6160W/PW930/60°	Piccolo 120 T - Pure White 930 - 60° - incl. driver	251,56	5,6
T6160W/PW940/60°	Piccolo 120 T - Pure White 940 - 60° - incl. driver	251,56	5,6
T6163B/927/39/ND	TUBE FT AT BLACK 927	289,09	5,6
T6163B/930/39/ND	TUBE FT AT BLACK 930	289,09	5,6
T6163B/940/39/ND	TUBE FT AT BLACK 940	289,09	5,6
T6163B/9730/39/ND	TUBE FT AT BLACK 9730	289,09	5,6
T6163B/FA/39/ND	TUBE FT AT BLACK FASHION	289,09	5,6
T6163B/FIS/39/ND	TUBE FT AT BLACK FISCH 965	289,09	5,6
T6163B/FM/39/ND	TUBE FT AT BLACK FRESH MEAT	289,09	5,6
T6163B/FR/39/ND	TUBE FT AT BLACK FRUIT	289,09	5,6
T6163B/G/39/ND	TUBE FT AT BLACK GOLD	289,09	5,6
T6163B/G+/39/ND	TUBE FT AT BLACK GOLD +	289,09	5,6
T6163B/M+/39/ND	TUBE FT AT BLACK MEAT +	289,09	5,6
T6163B/PW930/39/ND	TUBE FT AT BLACK PURE WHITE 930	289,09	5,6
T6163B/PW940/39/ND	TUBE FT AT BLACK PURE WHITE 940	289,09	5,6
T6163W/927/39/ND	TUBE FT AT WHITE 927	289,09	5,6
T6163W/930/39/ND	TUBE FT AT WHITE 930	289,09	5,6
T6163W/940/39/ND	TUBE FT AT WHITE 940	289,09	5,6
T6163W/9730/39/ND	TUBE FT AT WHITE 9730	289,09	5,6
T6163W/FA/39/ND	TUBE FT AT WHITE FASHION	289,09	5,6
T6163W/FIS/39/ND	TUBE FT AT WHITE FISCH 965	289,09	5,6
T6163W/FM/39/ND	TUBE FT AT WHITE FRESH MEAT	289,09	5,6
T6163W/FR/39/ND	TUBE FT AT WHITE FRUIT	289,09	5,6
T6163W/G/39/ND	TUBE FT AT WHITE GOLD	289,09	5,6
T6163W/G+/39/ND	TUBE FT AT WHITE GOLD +	289,09	5,6
T6163W/M+/39/ND	TUBE FT AT WHITE MEAT +	289,09	5,6
T6163W/PW930/39/ND	TUBE FT AT WHITE PURE WHITE 930	289,09	5,6
T6163W/PW940/39/ND	TUBE FT AT WHITE PURE WHITE 940	289,09	5,6
T6164B/927/40°	Tube FT ON Black Texture - 927 - 40° - incl. driver	268,73	5,6
T6164B/930/40°	Tube FT ON Black Texture - 930 - 40° - incl. driver	268,73	5,6
T6164B/940/40°	Tube FT ON Black Texture - 940 - 40° - incl. driver	268,73	5,6
T6164B/9730/40°	Tube FT ON Black Texture - 9730 - 40° - incl. driver	268,73	5,6
T6164B/FA/40°*	Tube FT ON Black Texture - fashion - 40° - incl. driver	268,73	5,6
T6164B/FIS/40°	Tube FT ON Black Texture - fish - 40° - incl. driver	268,73	5,6
T6164B/FM/40°	Tube FT ON Black Texture - fresh meat - 40° - incl. driver	268,73	5,6
T6164B/FR/40°	Tube FT ON Black Texture - fruit - 40° - incl. driver	268,73	5,6
T6164B/G/40°	Tube FT ON Black Texture - GOLD - 40° - incl. driver	268,73	5,6
T6164B/G+/40°	Tube FT ON black Texture - GOLD+ - 40° - incl. driver	268,73	5,6
T6164B/M+/40°	Tube FT ON Black Texture - MEAT+ - 40° - incl. driver	268,73	5,6
T6164B/PW 930/40°	Tube FT ON Black Texture - pure white 930 - 40° - incl. driver	268,73	5,6
T6164B/PW940/40°	Tube FT ON Black Texture - pure white 940 - 40° - incl. driver	268,73	5,6
T6164W/927/40°	Tube FT ON White Texture - 927 - 40° - incl. driver	268,73	5,6
T6164W/930/40°	Tube FT ON White Texture - 930 - 40° - incl. driver	268,73	5,6
T6164W/940/40°	Tube FT ON White Texture - 940 - 40° - incl. driver	268,73	5,6
T6164W/9730/40°	Tube FT ON White Texture - 9730 - 40° - incl. driver	268,73	5,6
T6164W/FA/40°	Tube FT ON White Texture - fashion - 40° - incl. driver	268,73	5,6
T6164W/FIS/40°	Tube FT ON White Texture - fish - 40° - incl. driver	268,73	5,6
T6164W/FM/40°	Tube FT ON White Texture - fresh meat - 40° - incl. driver	268,73	5,6
T6164W/FR/40°	Tube FT ON White Texture - fruit - 40° - incl. driver	268,73	5,6
T6164W/G/40°	Tube FT ON White Texture - GOLD - 40° - incl. driver	268,73	5,6
T6164W/G+/40°	Tube FT ON White Texture - GOLD+ - 40° - incl. driver	268,73	5,6
T6164W/M+/40°	Tube FT ON White Texture - MEAT+ - 40° - incl. driver	268,73	5,6
T6164W/PW 930/40°	Tube FT ON White Texture - pure white 930 - 40° - incl. driver	268,73	5,6
T6164W/PW940/40°	Tube FT ON White Texture - pure white 940 - 40° - incl. driver	268,73	5,6
T6165B/927/40°	Tube FT IN Black Texture - 927 - 40° - incl. driver	268,73	5,6
T6165B/930/40°	Tube FT IN Black Texture - 930 - 40° - incl. driver	268,73	5,6
T6165B/940/40°	Tube FT IN Black Texture - 940 - 40° - incl. driver	268,73	5,6
T6165B/9730/40°	Tube FT IN Black Texture - 9730 - 40° - incl. driver	268,73	5,6
T6165B/FA/40°*	Tube FT IN Black Texture - fashion - 40° - incl. driver	268,73	5,6
T6165B/FIS/40°	Tube FT IN Black Texture - fish - 40° - incl. driver	268,73	5,6
T6165B/FM/40°	Tube FT IN Black Texture - fresh meat - 40° - incl. driver	268,73	5,6
T6165B/FR/40°	Tube FT IN Black Texture - fruit - 40° - incl. driver	268,73	5,6
T6165B/G/40°	Tube FT IN Black Texture - GOLD - 40° - incl. driver	268,73	5,6
T6165B/G+/40°	Tube FT IN black Texture - GOLD+ - 40° - incl. driver	268,73	5,6
T6165B/M+/40°	Tube FT IN Black Texture - MEAT+ - 40° - incl. driver	268,73	5,6
T6165B/PW930/40°	Tube FT IN Black Texture - pure white 930 - 40° - incl. driver	268,73	5,6
T6165B/PW940/40°	Tube FT IN Black Texture - pure white 940 - 40° - incl. driver	268,73	5,6
T6165W/927/40°	Tube FT IN White Texture - 927 - 40° - incl. driver	268,73	5,6
T6165W/930/40°	Tube FT IN White Texture - 930 - 40° - incl. driver	268,73	5,6
T6165W/940/40°	Tube FT IN White Texture - 940 - 40° - incl. driver	268,73	5,6
T6165W/9730/40°	Tube FT IN White Texture - 9730 - 40° - incl. driver	268,73	5,6
T6165W/FA/40°	Tube FT IN White Texture - fashion - 40° - incl. driver	268,73	5,6
T6165W/FIS/40°	Tube FT IN White Texture - fish - 40° - incl. driver	268,73	5,6
T6165W/FM/40°	Tube FT IN White Texture - fresh meat - 40° - incl. driver	268,73	5,6
T6165W/FR/40°	Tube FT IN White Texture - fruit - 40° - incl. driver	268,73	5,6
T6165W/G/40°	Tube FT IN White Texture - GOLD - 40° - incl. driver	268,73	5,6
T6165W/G+/40°	Tube FT IN White Texture - GOLD+ - 40° - incl. driver	268,73	5,6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

T6165W/M+/40°	Tube FT IN White Texture - MEAT+ - 40° - incl. driver	268,73	5,6
T6165W/PW930/40°	Tube FT IN White Texture - pure white 930 - 40° - incl. driver	268,73	5,6
T6165W/PW940/40°	Tube FT IN White Texture - pure white 940 - 40° - incl. driver	268,73	5,6
T6177B/927/14,5°	Mini BFD T Plus - 927 - 14,5° - incl. driver	235,91	5,6
T6177B/927/25,5°	Mini BFD T Plus - 927 - 25,5° - incl. driver	235,91	5,6
T6177B/927/39°	Mini BFD T Plus - 927 - 39° - incl. driver	235,91	5,6
T6177B/930/14,5°	Mini BFD T Plus - 930 - 14,5° - incl. driver	235,91	5,6
T6177B/930/25,5°	Mini BFD T Plus - 930 - 25,5° - incl. driver	235,91	5,6
T6177B/930/39°	Mini BFD T Plus - 930 - 39° - incl. driver	235,91	5,6
T6177B/940/14,5°	Mini BFD T Plus - 940 - 14,5° - incl. driver	235,91	5,6
T6177B/940/25,5°	Mini BFD T Plus - 940 - 25,5° - incl. driver	235,91	5,6
T6177B/940/39°	Mini BFD T Plus - 940 - 39° - incl. driver	235,91	5,6
T6177B/9730/14,5°	Mini BFD T Plus - 9730 - 14,5° - incl. driver	235,91	5,6
T6177B/9730/25,5°	Mini BFD T Plus - 9730 - 25,5° - incl. driver	235,91	5,6
T6177B/9730/39°	Mini BFD T Plus - 9730 - 39° - incl. driver	235,91	5,6
T6177B/FA/14,5°	Mini BFD T Plus - FASHION - 14,5° - incl. driver	235,91	5,6
T6177B/FA/25,5°	Mini BFD T Plus - FASHION - 25,5° - incl. driver	235,91	5,6
T6177B/FA/39°	Mini BFD T Plus - FASHION - 39° - incl. driver	235,91	5,6
T6177B/FIS/14,5°	Mini BFD T Plus - FISH - 14,5° - incl. driver	235,91	5,6
T6177B/FIS/25,5°	Mini BFD T Plus - FISH - 25,5° - incl. driver	235,91	5,6
T6177B/FIS/39°	Mini BFD T Plus - FISH - 39° - incl. driver	235,91	5,6
T6177B/FM/14,5°	Mini BFD T Plus - FRESH MEAT - 14,5° - incl. driver	235,91	5,6
T6177B/FM/25,5°	Mini BFD T Plus - FRESH MEAT - 25,5° - incl. driver	235,91	5,6
T6177B/FM/39°	Mini BFD T Plus - FRESH MEAT - 39° - incl. driver	235,91	5,6
T6177B/FR/14,5°	Mini BFD T Plus - FRUIT - 14,5° - incl. driver	235,91	5,6
T6177B/FR/25,5°	Mini BFD T Plus - FRUIT - 25,5° - incl. driver	235,91	5,6
T6177B/FR/39°	Mini BFD T Plus - FRUIT - 39° - incl. driver	235,91	5,6
T6177B/G/14,5°	Mini BFD T Plus - GOLD - 14,5° - incl. driver	235,91	5,6
T6177B/G/25,5°	Mini BFD T Plus - GOLD - 25,5° - incl. driver	235,91	5,6
T6177B/G/39°	Mini BFD T Plus - GOLD - 39° - incl. driver	235,91	5,6
T6177B/G+/14,5°	Mini BFD T Plus - GOLD+ - 14,5° - incl. driver	235,91	5,6
T6177B/G+/25,5°	Mini BFD T Plus - GOLD+ - 25,5° - incl. driver	235,91	5,6
T6177B/G+/39°	Mini BFD T Plus - GOLD+ - 39° - incl. driver	235,91	5,6
T6177B/M+/14,5°	Mini BFD T Plus - MEAT+ - 14,5° - incl. driver	235,91	5,6
T6177B/M+/25,5°	Mini BFD T Plus - MEAT+ - 25,5° - incl. driver	235,91	5,6
T6177B/M+/39°	Mini BFD T Plus - MEAT+ - 39° - incl. driver	235,91	5,6
T6177B/PW930/14,5°	Mini BFD T Plus - PURE WHITE 930 - 14,5° - incl. driver	235,91	5,6
T6177B/PW930/25,5°	Mini BFD T Plus - PURE WHITE 930 - 25,5° - incl. driver	235,91	5,6
T6177B/PW930/39°	Mini BFD T Plus - PURE WHITE 930 - 39° - incl. driver	235,91	5,6
T6177B/PW940/14,5°	Mini BFD T Plus - PURE WHITE 940 - 14,5° - incl. driver	235,91	5,6
T6177B/PW940/25,5°	Mini BFD T Plus - PURE WHITE 940 - 25,5° - incl. driver	235,91	5,6
T6177B/PW940/39°	Mini BFD T Plus - PURE WHITE 940 - 39° - incl. driver	235,91	5,6
T6177W/927/14,5°	Mini BFD T Plus - 927 - 14,5° - incl. driver	235,91	5,6
T6177W/927/25,5°	Mini BFD T Plus - 927 - 25,5° - incl. driver	235,91	5,6
T6177W/927/39°	Mini BFD T Plus - 927 - 39° - incl. driver	235,91	5,6
T6177W/930/14,5°	Mini BFD T Plus - 930 - 14,5° - incl. driver	235,91	5,6
T6177W/930/25,5°	Mini BFD T Plus - 930 - 25,5° - incl. driver	235,91	5,6
T6177W/930/39°	Mini BFD T Plus - 930 - 39° - incl. driver	235,91	5,6
T6177W/940/14,5°	Mini BFD T Plus - 940 - 14,5° - incl. driver	235,91	5,6
T6177W/940/25,5°	Mini BFD T Plus - 940 - 25,5° - incl. driver	235,91	5,6
T6177W/940/39°	Mini BFD T Plus - 940 - 39° - incl. driver	235,91	5,6
T6177W/9730/14,5°	Mini BFD T Plus - 9730 - 14,5° - incl. driver	235,91	5,6
T6177W/9730/25,5°	Mini BFD T Plus - 9730 - 25,5° - incl. driver	235,91	5,6
T6177W/9730/39°	Mini BFD T Plus - 9730 - 39° - incl. driver	235,91	5,6
T6177W/FA/14,5°	Mini BFD T Plus - FASHION - 14,5° - incl. driver	235,91	5,6
T6177W/FA/25,5°	Mini BFD T Plus - FASHION - 25,5° - incl. driver	235,91	5,6
T6177W/FA/39°	Mini BFD T Plus - FASHION - 39° - incl. driver	235,91	5,6
T6177W/FIS/14,5°	Mini BFD T Plus - FISH - 14,5° - incl. driver	235,91	5,6
T6177W/FIS/25,5°	Mini BFD T Plus - FISH - 25,5° - incl. driver	235,91	5,6
T6177W/FIS/39°	Mini BFD T Plus - FISH - 39° - incl. driver	235,91	5,6
T6177W/FM/14,5°	Mini BFD T Plus - FRESH MEAT - 14,5° - incl. driver	235,91	5,6
T6177W/FM/25,5°	Mini BFD T Plus - FRESH MEAT - 25,5° - incl. driver	235,91	5,6
T6177W/FM/39°	Mini BFD T Plus - FRESH MEAT - 39° - incl. driver	235,91	5,6
T6177W/FR/14,5°	Mini BFD T Plus - FRUIT - 14,5° - incl. driver	235,91	5,6
T6177W/FR/25,5°	Mini BFD T Plus - FRUIT - 25,5° - incl. driver	235,91	5,6
T6177W/FR/39°	Mini BFD T Plus - FRUIT - 39° - incl. driver	235,91	5,6
T6177W/G/14,5°	Mini BFD T Plus - GOLD - 14,5° - incl. driver	235,91	5,6
T6177W/G/25,5°	Mini BFD T Plus - GOLD - 25,5° - incl. driver	235,91	5,6
T6177W/G/39°	Mini BFD T Plus - GOLD - 39° - incl. driver	235,91	5,6
T6177W/G+/14,5°	Mini BFD T Plus - GOLD+ - 14,5° - incl. driver	235,91	5,6
T6177W/G+/25,5°	Mini BFD T Plus - GOLD+ - 25,5° - incl. driver	235,91	5,6
T6177W/G+/39°	Mini BFD T Plus - GOLD+ - 39° - incl. driver	235,91	5,6
T6177W/M+/14,5°	Mini BFD T Plus - MEAT+ - 14,5° - incl. driver	235,91	5,6
T6177W/M+/25,5°	Mini BFD T Plus - MEAT+ - 25,5° - incl. driver	235,91	5,6
T6177W/M+/39°	Mini BFD T Plus - MEAT+ - 39° - incl. driver	235,91	5,6
T6177W/PW930/14,5°	Mini BFD T Plus - PURE WHITE 930 - 14,5° - incl. driver	235,91	5,6
T6177W/PW930/25,5°	Mini BFD T Plus - PURE WHITE 930 - 25,5° - incl. driver	235,91	5,6
T6177W/PW930/39°	Mini BFD T Plus - PURE WHITE 930 - 39° - incl. driver	235,91	5,6
T6177W/PW940/14,5°	Mini BFD T Plus - PURE WHITE 940 - 14,5° - incl. driver	235,91	5,6
T6177W/PW940/25,5°	Mini BFD T Plus - PURE WHITE 940 - 25,5° - incl. driver	235,91	5,6
T6177W/PW940/39°	Mini BFD T Plus - PURE WHITE 940 - 39° - incl. driver	235,91	5,6
T6179B/927/40°	Tube FT ON 2 Black Texture - 927 - 40° - incl. driver	432,52	5,6
T6179B/930/40°	Tube FT ON 2 Black Texture - 930 - 40° - incl. driver	432,52	5,6
T6179B/940/40°	Tube FT ON 2 Black Texture - 940 - 40° - incl. driver	432,52	5,6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

T6179B/9730/40°	Tube FT ON 2 Black Texture - 9730 - 40° - incl. driver	432,52	5,6
T6179B/FA/40*	Tube FT ON 2 Black Texture - fashion - 40° - incl. driver	432,52	5,6
T6179B/FIS/40°	Tube FT ON 2 Black Texture - fish - 40° - incl. driver	432,52	5,6
T6179B/FM/40°	Tube FT ON 2 Black Texture - fresh meat - 40° - incl. driver	432,52	5,6
T6179B/FR/40°	Tube FT ON 2 Black Texture - fruit - 40° - incl. driver	432,52	5,6
T6179B/G/40°	Tube FT ON 2 Black Texture - GOLD - 40° - incl. driver	432,52	5,6
T6179B/G+/40°	Tube FT ON 2 Black Texture - GOLD+ - 40° - incl. driver	432,52	5,6
T6179B/M+/40°	Tube FT ON 2 Black Texture - MEAT+ - 40° - incl. driver	432,52	5,6
T6179B/PW930/40°	Tube FT ON 2 Black Texture - pure white 930 - 40° - incl. driver	432,52	5,6
T6179B/PW940/40°	Tube FT ON 2 Black Texture - pure white 940 - 40° - incl. driver	432,52	5,6
T6179W/927/40°	Tube FT ON 2 White Texture - 927 - 40° - incl. driver	432,52	5,6
T6179W/930/40°	Tube FT ON 2 White Texture - 930 - 40° - incl. driver	432,52	5,6
T6179W/940/40°	Tube FT ON 2 White Texture - 940 - 40° - incl. driver	432,52	5,6
T6179W/9730/40°	Tube FT ON 2 White Texture - 9730 - 40° - incl. driver	432,52	5,6
T6179W/FA/40°	Tube FT ON 2 White Texture -2x 2260lm - fashion - 40° - incl. driver	432,52	5,6
T6179W/FIS/40°	Tube FT ON 2 White Texture - fish - 40° - incl. driver	432,52	5,6
T6179W/FM/40°	Tube FT ON 2 White Texture - fresh meat - 40° - incl. driver	432,52	5,6
T6179W/FR/40°	Tube FT ON 2 White Texture - fruit - 40° - incl. driver	432,52	5,6
T6179W/G/40°	Tube FT ON 2 White Texture - GOLD - 40° - incl. driver	432,52	5,6
T6179W/G+/40°	Tube FT ON 2 White Texture - GOLD+ - 40° - incl. driver	432,52	5,6
T6179W/M+/40°	Tube FT ON 2 White Texture - MEAT+ - 40° - incl. driver	432,52	5,6
T6179W/PW930/40°	Tube FT ON 2 White Texture - pure white 930 - 40° - incl. driver	432,52	5,6
T6179W/PW940/40°	Tube FT ON 2 White Texture - pure white 940 - 40° - incl. driver	432,52	5,6
T6181B/927/15°	Tube IN FLEX T - 927 - 15° - incl. driver	256,07	5,6
T6181B/927/28°	Tube IN FLEX T - 927 - 28° - incl. driver	256,07	5,6
T6181B/927/40°	Tube IN FLEX T - 927 - 40° - incl. driver	256,07	5,6
T6181B/930/15°	Tube IN FLEX T - 930 - 15° - incl. driver	256,07	5,6
T6181B/930/28°	Tube IN FLEX T - 930 - 28° - incl. driver	256,07	5,6
T6181B/930/40°	Tube IN FLEX T - 930 - 40° - incl. driver	256,07	5,6
T6181B/940/15°	Tube IN FLEX T - 940 - 15° - incl. driver	256,07	5,6
T6181B/940/28°	Tube IN FLEX T - 940 - 28° - incl. driver	256,07	5,6
T6181B/940/40°	Tube IN FLEX T - 940 - 40° - incl. driver	256,07	5,6
T6181B/9730/15°	Tube IN FLEX T - 9730 - 15° - incl. driver	256,07	5,6
T6181B/9730/28°	Tube IN FLEX T - 9730 - 28° - incl. driver	256,07	5,6
T6181B/9730/40°	Tube IN FLEX T - 9730 - 40° - incl. driver	256,07	5,6
T6181B/FA/15°	Tube IN FLEX T - FASHION - 15° - incl. driver	256,07	5,6
T6181B/FA/28°	Tube IN FLEX T - FASHION - 28° - incl. driver	256,07	5,6
T6181B/FA/40*	Tube IN FLEX T - FASHION - 40° - incl. driver	256,07	5,6
T6181B/FIS/15°	Tube IN FLEX T - FISH - 15° - incl. driver	256,07	5,6
T6181B/FIS/28°	Tube IN FLEX T - FISH - 28° - incl. driver	256,07	5,6
T6181B/FIS/40°	Tube IN FLEX T - FISH - 40° - incl. driver	256,07	5,6
T6181B/FM/15°	Tube IN FLEX T - FRESH MEAT - 15° - incl. driver	256,07	5,6
T6181B/FM/28°	Tube IN FLEX T - FRESH MEAT - 28° - incl. driver	256,07	5,6
T6181B/FM/40°	Tube IN FLEX T - FRESH MEAT - 40° - incl. driver	256,07	5,6
T6181B/FR/15°	Tube IN FLEX T - FRUIT - 15° - incl. driver	256,07	5,6
T6181B/FR/28°	Tube IN FLEX T - FRUIT - 28° - incl. driver	256,07	5,6
T6181B/FR/40°	Tube IN FLEX T - FRUIT - 40° - incl. driver	256,07	5,6
T6181B/G/15°	Tube IN FLEX T - GOLD - 15° - incl. driver	256,07	5,6
T6181B/G/28°	Tube IN FLEX T - GOLD - 28° - incl. driver	256,07	5,6
T6181B/G/40°	Tube IN FLEX T - GOLD - 40° - incl. driver	256,07	5,6
T6181B/G+/15°	Tube IN FLEX T - GOLD+ - 15° - incl. driver	256,07	5,6
T6181B/G+/28°	Tube IN FLEX T - GOLD+ - 28° - incl. driver	256,07	5,6
T6181B/G+/40°	Tube IN FLEX T - GOLD+ - 40° - incl. driver	256,07	5,6
T6181B/M+/15°	Tube IN FLEX T - MEAT+ - 15° - incl. driver	256,07	5,6
T6181B/M+/28°	Tube IN FLEX T - MEAT+ - 28° - incl. driver	256,07	5,6
T6181B/M+/40°	Tube IN FLEX T - MEAT+ - 40° - incl. driver	256,07	5,6
T6181B/PW930/15°	Tube IN FLEX T - PURE WHITE 930 - 15° - incl. driver	256,07	5,6
T6181B/PW930/28°	Tube IN FLEX T - PURE WHITE 930 - 28° - incl. driver	256,07	5,6
T6181B/PW930/40°	Tube IN FLEX T - PURE WHITE 930 - 40° - incl. driver	256,07	5,6
T6181B/PW940/15°	Tube IN FLEX T - PURE WHITE 940 - 15° - incl. driver	256,07	5,6
T6181B/PW940/28°	Tube IN FLEX T - PURE WHITE 940 - 28° - incl. driver	256,07	5,6
T6181B/PW940/40°	Tube IN FLEX T - PURE WHITE 940 - 40° - incl. driver	256,07	5,6
T6181W/927/15°	Tube IN FLEX T - 927 - 15° - incl. driver	256,07	5,6
T6181W/927/28°	Tube IN FLEX T - 927 - 28° - incl. driver	256,07	5,6
T6181W/927/40°	Tube IN FLEX T - 927 - 40° - incl. driver	256,07	5,6
T6181W/930/15°	Tube IN FLEX T - 930 - 15° - incl. driver	256,07	5,6
T6181W/930/28°	Tube IN FLEX T - 930 - 28° - incl. driver	256,07	5,6
T6181W/930/40°	Tube IN FLEX T - 930 - 40° - incl. driver	256,07	5,6
T6181W/940/15°	Tube IN FLEX T - 940 - 15° - incl. driver	256,07	5,6
T6181W/940/28°	Tube IN FLEX T - 940 - 28° - incl. driver	256,07	5,6
T6181W/940/40°	Tube IN FLEX T - 940 - 40° - incl. driver	256,07	5,6
T6181W/9730/15°	Tube IN FLEX T - 9730 - 15° - incl. driver	256,07	5,6
T6181W/9730/28°	Tube IN FLEX T - 9730 - 28° - incl. driver	256,07	5,6
T6181W/9730/40°	Tube IN FLEX T - 9730 - 40° - incl. driver	256,07	5,6
T6181W/FA/15°	Tube IN FLEX T - FASHION - 15° - incl. driver	256,07	5,6
T6181W/FA/28°	Tube IN FLEX T - FASHION - 28° - incl. driver	256,07	5,6
T6181W/FA/40°	Tube IN FLEX T - FASHION - 40° - incl. driver	256,07	5,6
T6181W/FIS/15°	Tube IN FLEX T - FISH - 15° - incl. driver	256,07	5,6
T6181W/FIS/28°	Tube IN FLEX T - FISH - 28° - incl. driver	256,07	5,6
T6181W/FIS/40°	Tube IN FLEX T - FISH - 40° - incl. driver	256,07	5,6
T6181W/FM/15°	Tube IN FLEX T - FRESH MEAT - 15° - incl. driver	256,07	5,6
T6181W/FM/28°	Tube IN FLEX T - FRESH MEAT - 28° - incl. driver	256,07	5,6
T6181W/FM/40°	Tube IN FLEX T - FRESH MEAT - 40° - incl. driver	256,07	5,6
T6181W/FR/15°	Tube IN FLEX T - FRUIT - 15° - incl. driver	256,07	5,6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

T6181W/FR/28°	Tube IN FLEX T - FRUIT - 28° - incl. driver	256,07	5,6
T6181W/FR/40°	Tube IN FLEX T - FRUIT - 40° - incl. driver	256,07	5,6
T6181W/G/15°	Tube IN FLEX T - GOLD - 15° - incl. driver	256,07	5,6
T6181W/G/28°	Tube IN FLEX T - GOLD - 28° - incl. driver	256,07	5,6
T6181W/G/40°	Tube IN FLEX T - GOLD - 40° - incl. driver	256,07	5,6
T6181W/G+/15°	Tube IN FLEX T - GOLD+ - 15° - incl. driver	256,07	5,6
T6181W/G+/28°	Tube IN FLEX T - GOLD+ - 28° - incl. driver	256,07	5,6
T6181W/G+/40°	Tube IN FLEX T - GOLD+ - 40° - incl. driver	256,07	5,6
T6181W/M+/15°	Tube IN FLEX T - MEAT+ - 15° - incl. driver	256,07	5,6
T6181W/M+/28°	Tube IN FLEX T - MEAT+ - 28° - incl. driver	256,07	5,6
T6181W/M+/40°	Tube IN FLEX T - MEAT+ - 40° - incl. driver	256,07	5,6
T6181W/PW930/15°	Tube IN FLEX T - PURE WHITE 930 - 15° - incl. driver	256,07	5,6
T6181W/PW930/28°	Tube IN FLEX T - PURE WHITE 930 - 28° - incl. driver	256,07	5,6
T6181W/PW930/40°	Tube IN FLEX T - PURE WHITE 930 - 40° - incl. driver	256,07	5,6
T6181W/PW940/15°	Tube IN FLEX T - PURE WHITE 940 - 15° - incl. driver	256,07	5,6
T6181W/PW940/28°	Tube IN FLEX T - PURE WHITE 940 - 28° - incl. driver	256,07	5,6
T6181W/PW940/40°	Tube IN FLEX T - PURE WHITE 940 - 40° - incl. driver	256,07	5,6
T6182B/927	Drop-it-Track T - 927 - incl. driver	244,31	5,6
T6182B/930	Drop-it-Track T - 930 - incl. driver	244,31	5,6
T6182B/940	Drop-it-Track T - 940 - incl. driver	244,31	5,6
T6182B/9730	Drop-it-Track T - 9730 - incl. driver	244,31	5,6
T6182B/FA	Drop-it-Track T - FASHION - incl. driver	244,31	5,6
T6182B/FIS	Drop-it-Track T - FISH - incl. driver	244,31	5,6
T6182B/FM	Drop-it-Track T - FRESH MEAT - incl. driver	244,31	5,6
T6182B/G	Drop-it-Track T - GOLD - incl. driver	244,31	5,6
T6182B/G+	Drop-it-Track T - GOLD+ - incl. driver	244,31	5,6
T6182B/M+	Drop-it-Track T - MEAT+ - incl. driver	244,31	5,6
T6182W/927	Drop-it-Track T - 927 - incl. driver	244,31	5,6
T6182W/930	Drop-it-Track T - 930 - incl. driver	244,31	5,6
T6182W/940	Drop-it-Track T - 940 - incl. driver	244,31	5,6
T6182W/9730	Drop-it-Track T - 9730 - incl. driver	244,31	5,6
T6182W/FA	Drop-it-Track T - FASHION - incl. driver	244,31	5,6
T6182W/FIS	Drop-it-Track T - FISH - incl. driver	244,31	5,6
T6182W/FM	Drop-it-Track T - FRESH MEAT - incl. driver	244,31	5,6
T6182W/FR	Drop-it-Track T - FRUIT - incl. driver	244,31	5,6
T6182W/G	Drop-it-Track T - GOLD - incl. driver	244,31	5,6
T6182W/G+	Drop-it-Track T - GOLD+ - incl. driver	244,31	5,6
T6182W/M+	Drop-it-Track T - MEAT+ - incl. driver	244,31	5,6
T6182W/PW930	Drop-it-Track T - PURE WHITE 930 - incl. driver	244,31	5,6
T6182W/PW940	Drop-it-Track T - PURE WHITE 940 - incl. driver	244,31	5,6
T6202B/927/40°/ND	Tube FT INVITRACK Black Texture - 927 - 40° - Non Dim	383,08	5,6
T6202B/930/40°/ND	Tube FT INVITRACK Black Texture - 930 - 40° - Non Dim	383,08	5,6
T6202B/940/40°/ND	Tube FT INVITRACK Black Texture - 940 - 40° - Non Dim	383,08	5,6
T6202B/9730/40°/ND	Tube FT INVITRACK Black Texture - 9730 - 40° - Non Dim	383,08	5,6
T6202B/FA/40°/ND	Tube FT INVITRACK Black Texture - fashion - 40° - Non Dim	383,08	5,6
T6202B/FIS/40°/ND	Tube FT INVITRACK Black Texture - fish - 40° - Non Dim	383,08	5,6
T6202B/FM/40°/ND	Tube FT INVITRACK Black Texture - fresh meat - 40° - Non Dim	383,08	5,6
T6202B/FR/40°/ND	Tube FT INVITRACK Black Texture - fruit - 40° - Non Dim	383,08	5,6
T6202B/G/40°/ND	Tube FT INVITRACK Black Texture - GOLD - 40° - Non Dim	383,08	5,6
T6202B/G+/40°/ND	Tube FT INVITRACK black Texture - GOLD+ - 40° - Non Dim	383,08	5,6
T6202B/M+/40°/ND	Tube FT INVITRACK Black Texture - MEAT+ - 40° - Non Dim	383,08	5,6
T6202B/PW930/40°/ND	Tube FT INVITRACK Black Texture - pure white 930 - 40° - Non Dim	383,08	5,6
T6202B/PW940/40°/ND	Tube FT INVITRACK Black Texture - pure white 940 - 40° - Non Dim	383,08	5,6
T6202W/927/40°/ND	Tube FT INVITRACK White Texture - 927 - 40° - Non Dim	383,08	5,6
T6202W/930/40°/ND	Tube FT INVITRACK White Texture - 930 - 40° - Non Dim	383,08	5,6
T6202W/940/40°/ND	Tube FT INVITRACK White Texture - 940 - 40° - Non Dim	383,08	5,6
T6202W/9730/40°/ND	Tube FT INVITRACK White Texture - 9730 - 40° - Non Dim	383,08	5,6
T6202W/FA/40°/ND	Tube FT INVITRACK White Texture - fashion - 40° - Non Dim	383,08	5,6
T6202W/FIS/40°/ND	Tube FT INVITRACK White Texture - fish - 40° - Non Dim	383,08	5,6
T6202W/FM/40°/ND	Tube FT INVITRACK White Texture - fresh meat - 40° - Non Dim	383,08	5,6
T6202W/FR/40°/ND	Tube FT INVITRACK White Texture - fruit - 40° - Non Dim	383,08	5,6
T6202W/G/40°/ND	Tube FT INVITRACK White Texture - GOLD - 40° - Non Dim	383,08	5,6
T6202W/G+/40°/ND	Tube FT INVITRACK White Texture - GOLD+ - 40° - Non Dim	383,08	5,6
T6202W/M+/40°/ND	Tube FT INVITRACK White Texture - MEAT+ - 40° - Non Dim	383,08	5,6
T6202W/PW930/40°/ND	Tube FT INVITRACK White Texture - pure white 930 - 40° - Non Dim	383,08	5,6
T6202W/PW940/40°/ND	Tube FT INVITRACK White Texture - pure white 940 - 40° - Non Dim	383,08	5,6
T6208B/I/927/20°/ND	Midi Tube IN T Black Texture - 927 - 20° - Non Dim	243,60	5,6
T6208B/I/927/40°/ND	Midi Tube IN T Black Texture - 927 - 40° - Non Dim	243,60	5,6
T6208B/I/927/60°/ND	Midi Tube IN T Black Texture - 927 - 60° - Non Dim	243,60	5,6
T6208B/I/930/20°/ND	Midi Tube IN T Black Texture - 930 - 20° - Non Dim	243,60	5,6
T6208B/I/930/40°/ND	Midi Tube IN T Black Texture - 930 - 40° - Non Dim	243,60	5,6
T6208B/I/930/60°/ND	Midi Tube IN T Black Texture - 930 - 60° - Non Dim	243,60	5,6
T6208B/I/940/20°/ND	Midi Tube IN T Black Texture - 940 - 20° - Non Dim	243,60	5,6
T6208B/I/940/40°/ND	Midi Tube IN T Black Texture - 940 - 40° - Non Dim	243,60	5,6
T6208B/I/940/60°/ND	Midi Tube IN T Black Texture - 940 - 60° - Non Dim	243,60	5,6
T6208B/I/9730/20°/ND	Midi Tube IN T Black Texture - 9730 - 20° - Non Dim	243,60	5,6
T6208B/I/9730/40°/ND	Midi Tube IN T Black Texture - 9730 - 40° - Non Dim	243,60	5,6
T6208B/I/9730/60°/ND	Midi Tube IN T Black Texture - 9730 - 60° - Non Dim	243,60	5,6
T6208B/I/FA/20°/ND	Midi Tube IN T Black Texture - FASHION - 20° - Non Dim	243,60	5,6
T6208B/I/FA/40°/ND	Midi Tube IN T Black Texture - FASHION - 40° - Non Dim	243,60	5,6
T6208B/I/FA/60°/ND	Midi Tube IN T Black Texture - FASHION - 60° - Non Dim	243,60	5,6
T6208B/I/FIS/20°/ND	Midi Tube IN T Black Texture - FISH - 20° - Non Dim	243,60	5,6
T6208B/I/FIS/40°/ND	Midi Tube IN T Black Texture - FISH - 40° - Non Dim	243,60	5,6
T6208B/I/FIS/60°/ND	Midi Tube IN T Black Texture - FISH - 60° - Non Dim	243,60	5,6

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

T6208W/I/G/20°/ND	Midi Tube IN T White Texture - GOLD - 20° - Non Dim	243,60	5,6
T6208W/I/G/40°/ND	Midi Tube IN T White Texture - GOLD - 40° - Non Dim	243,60	5,6
T6208W/I/G/60°/ND	Midi Tube IN T White Texture - GOLD - 60° - Non Dim	243,60	5,6
T6208W/I/G+/20°/ND	Midi Tube IN T White Texture - GOLD+ - 20° - Non Dim	243,60	5,6
T6208W/I/G+/40°/ND	Midi Tube IN T White Texture - GOLD+ - 40° - Non Dim	243,60	5,6
T6208W/I/G+/60°/ND	Midi Tube IN T White Texture - GOLD+ - 60° - Non Dim	243,60	5,6
T6208W/I/M+/20°/ND	Midi Tube IN T White Texture - MEAT+ - 20° - Non Dim	243,60	5,6
T6208W/I/M+/40°/ND	Midi Tube IN T White Texture - MEAT+ - 40° - Non Dim	243,60	5,6
T6208W/I/M+/60°/ND	Midi Tube IN T White Texture - MEAT+ - 60° - Non Dim	243,60	5,6
T6208W/I/PW930/20°/ND	Midi Tube IN T White Texture - PURE WHITE 930 - 20° - Non Dim	243,60	5,6
T6208W/I/PW930/40°/ND	Midi Tube IN T White Texture - PURE WHITE 930 - 40° - Non Dim	243,60	5,6
T6208W/I/PW930/60°/ND	Midi Tube IN T White Texture - PURE WHITE 930 - 60° - Non Dim	243,60	5,6
T6208W/I/PW940/20°/ND	Midi Tube IN T White Texture - PURE WHITE 940 - 20° - Non Dim	243,60	5,6
T6208W/I/PW940/40°/ND	Midi Tube IN T White Texture - PURE WHITE 940 - 40° - Non Dim	243,60	5,6
T6208W/I/PW940/60°/ND	Midi Tube IN T White Texture - PURE WHITE 940 - 60° - Non Dim	243,60	5,6
T6208W/O/927/20°/ND	Midi Tube ON T White Texture - 927 - 20° - Non Dim	243,60	5,6
T6208W/O/927/40°/ND	Midi Tube ON T White Texture - 927 - 40° - Non Dim	243,60	5,6
T6208W/O/927/60°/ND	Midi Tube ON T White Texture - 927 - 60° - Non Dim	243,60	5,6
T6208W/O/930/20°/ND	Midi Tube ON T White Texture - 930 - 20° - Non Dim	243,60	5,6
T6208W/O/930/40°/ND	Midi Tube ON T White Texture - 930 - 40° - Non Dim	243,60	5,6
T6208W/O/930/60°/ND	Midi Tube ON T White Texture - 930 - 60° - Non Dim	243,60	5,6
T6208W/O/940/20°/ND	Midi Tube ON T White Texture - 940 - 20° - Non Dim	243,60	5,6
T6208W/O/940/40°/ND	Midi Tube ON T White Texture - 940 - 40° - Non Dim	243,60	5,6
T6208W/O/940/60°/ND	Midi Tube ON T White Texture - 940 - 60° - Non Dim	243,60	5,6
T6208W/O/9730/20°/ND	Midi Tube ON T White Texture - 9730 - 20° - Non Dim	243,60	5,6
T6208W/O/9730/40°/ND	Midi Tube ON T White Texture - 9730 - 40° - Non Dim	243,60	5,6
T6208W/O/9730/60°/ND	Midi Tube ON T White Texture - 9730 - 60° - Non Dim	243,60	5,6
T6208W/O/FA/20°/ND	Midi Tube ON T White Texture - FASHION - 20° - Non Dim	243,60	5,6
T6208W/O/FA/40°/ND	Midi Tube ON T White Texture - FASHION - 40° - Non Dim	243,60	5,6
T6208W/O/FA/60°/ND	Midi Tube ON T White Texture - FASHION - 60° - Non Dim	243,60	5,6
T6208W/O/FIS/20°/ND	Midi Tube ON T White Texture - FISH - 20° - Non Dim	243,60	5,6
T6208W/O/FIS/40°/ND	Midi Tube ON T White Texture - FISH - 40° - Non Dim	243,60	5,6
T6208W/O/FIS/60°/ND	Midi Tube ON T White Texture - FISH - 60° - Non Dim	243,60	5,6
T6208W/O/FM/20°/ND	Midi Tube ON T White Texture - FRESH MEAT - 20° - Non Dim	243,60	5,6
T6208W/O/FM/40°/ND	Midi Tube ON T White Texture - FRESH MEAT - 40° - Non Dim	243,60	5,6
T6208W/O/FM/60°/ND	Midi Tube ON T White Texture - FRESH MEAT - 60° - Non Dim	243,60	5,6
T6208W/O/FR/20°/ND	Midi Tube ON T White Texture - FRUIT - 20° - Non Dim	243,60	5,6
T6208W/O/FR/40°/ND	Midi Tube ON T White Texture - FRUIT - 40° - Non Dim	243,60	5,6
T6208W/O/FR/60°/ND	Midi Tube ON T White Texture - FRUIT - 60° - Non Dim	243,60	5,6
T6208W/O/G/20°/ND	Midi Tube ON T White Texture - GOLD - 20° - Non Dim	243,60	5,6
T6208W/O/G/40°/ND	Midi Tube ON T White Texture - GOLD - 40° - Non Dim	243,60	5,6
T6208W/O/G/60°/ND	Midi Tube ON T White Texture - GOLD - 60° - Non Dim	243,60	5,6
T6208W/O/G+/20°/ND	Midi Tube ON T White Texture - GOLD+ - 20° - Non Dim	243,60	5,6
T6208W/O/G+/40°/ND	Midi Tube ON T White Texture - GOLD+ - 40° - Non Dim	243,60	5,6
T6208W/O/G+/60°/ND	Midi Tube ON T White Texture - GOLD+ - 60° - Non Dim	243,60	5,6
T6208W/O/M+/20°/ND	Midi Tube ON T White Texture - MEAT+ - 20° - Non Dim	243,60	5,6
T6208W/O/M+/40°/ND	Midi Tube ON T White Texture - MEAT+ - 40° - Non Dim	243,60	5,6
T6208W/O/M+/60°/ND	Midi Tube ON T White Texture - MEAT+ - 60° - Non Dim	243,60	5,6
T6208W/O/PW930/20°/ND	Midi Tube ON T White Texture - PURE WHITE 930 - 20° - Non Dim	243,60	5,6
T6208W/O/PW930/40°/ND	Midi Tube ON T White Texture - PURE WHITE 930 - 40° - Non Dim	243,60	5,6
T6208W/O/PW930/60°/ND	Midi Tube ON T White Texture - PURE WHITE 930 - 60° - Non Dim	243,60	5,6
T6208W/O/PW940/20°/ND	Midi Tube ON T White Texture - PURE WHITE 940 - 20° - Non Dim	243,60	5,6
T6208W/O/PW940/40°/ND	Midi Tube ON T White Texture - PURE WHITE 940 - 40° - Non Dim	243,60	5,6
T6208W/O/PW940/60°/ND	Midi Tube ON T White Texture - PURE WHITE 940 - 60° - Non Dim	243,60	5,6
T6209B/927/20°	Midi Tube T Invitrac - 927 - 20°	248,72	5,6
T6209B/927/40°	Midi Tube T Invitrac - 927 - 40°	248,72	5,6
T6209B/927/60°	Midi Tube T Invitrac - 927 - 60°	248,72	5,6
T6209B/930/20°	Midi Tube T InviTrac - 930 - 20°	248,72	5,6
T6209B/930/40°	Midi Tube T InviTrac - 930 - 40°	248,72	5,6
T6209B/930/60°	Midi Tube T InviTrac - 930 - 60°	248,72	5,6
T6209B/940/20°	Midi Tube T Invitrac - 940 - 20°	248,72	5,6
T6209B/940/40°	Midi Tube T Invitrac - 940 - 40°	248,72	5,6
T6209B/940/60°	Midi Tube T Invitrac - 940 - 60°	248,72	5,6
T6209B/9730/20°	Midi Tube T InviTrac - 9730 - 20°	263,15	5,6
T6209B/9730/40°	Midi Tube T InviTrac - 9730 - 40°	263,15	5,6
T6209B/9730/60°	Midi Tube T InviTrac - 9730 - 60°	263,15	5,6
T6209B/FA/20°	Midi Tube T InviTrac - FASHION - 20°	248,72	5,6
T6209B/FA/40°	Midi Tube T InviTrac - FASHION - 40°	248,72	5,6
T6209B/FA/60°	Midi Tube T InviTrac - FASHION - 60°	248,72	5,6
T6209B/FIS/20°	Midi Tube T InviTrac - FISH - 20°	248,72	5,6
T6209B/FIS/40°	Midi Tube T InviTrac - FISH - 40°	248,72	5,6
T6209B/FIS/60°	Midi Tube T InviTrac - FISH - 60°	248,72	5,6
T6209B/FM/20°	Midi Tube T InviTrac - FRESH MEAT - 20°	248,72	5,6
T6209B/FM/40°	Midi Tube T InviTrac - FRESH MEAT - 40°	248,72	5,6
T6209B/FM/60°	Midi Tube T InviTrac - FRESH MEAT - 60°	248,72	5,6
T6209B/FR/20°	Midi Tube T InviTrac - FRUIT - 20°	248,72	5,6
T6209B/FR/40°	Midi Tube T InviTrac - FRUIT - 40°	248,72	5,6
T6209B/FR/60°	Midi Tube T InviTrac - FRUIT - 60°	248,72	5,6
T6209B/G/20°	Midi Tube T InviTrac - GOLD - 20°	248,72	5,6
T6209B/G/40°	Midi Tube T InviTrac - GOLD - 40°	248,72	5,6
T6209B/G/60°	Midi Tube T InviTrac - GOLD - 60°	248,72	5,6
T6209B/G+/20°	Midi Tube T InviTrac - GOLD+ - 20°	248,72	5,6
T6209B/G+/40°	Midi Tube T InviTrac - GOLD+ - 40°	248,72	5,6
T6209B/G+/60°	Midi Tube T InviTrac - GOLD+ - 60°	248,72	5,6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

T6209B/M+/20°	Midi Tube T InviTrac - MEAT+ - 20°	248,72	5,6
T6209B/M+/40°	Midi Tube T InviTrac - MEAT+ - 40°	248,72	5,6
T6209B/M+/60°	Midi Tube T InviTrac - MEAT+ - 60°	248,72	5,6
T6209B/PW930/20°	Midi Tube T InviTrac - Pure White 930 - 20°	248,72	5,6
T6209B/PW930/40°	Midi Tube T InviTrac - Pure White 930 - 40°	248,72	5,6
T6209B/PW930/60°	Midi Tube T InviTrac - Pure White 930 - 60°	248,72	5,6
T6209B/PW940/20°	Midi Tube T InviTrac - Pure White 940 - 20°	248,72	5,6
T6209B/PW940/40°	Midi Tube T InviTrac - Pure White 940 - 40°	248,72	5,6
T6209B/PW940/60°	Midi Tube T InviTrac - Pure White 940 - 60°	248,72	5,6
T6209W/927/20°	Midi Tube T InviTrac - 927 - 20°	248,72	5,6
T6209W/927/40°	Midi Tube T InviTrac - 927 - 40°	248,72	5,6
T6209W/927/60°	Midi Tube T InviTrac - 927 - 60°	248,72	5,6
T6209W/930/20°	Midi Tube T InviTrac - 930 - 20°	248,72	5,6
T6209W/930/40°	Midi Tube T InviTrac - 930 - 40°	248,72	5,6
T6209W/930/60°	Midi Tube T InviTrac - 930 - 60°	248,72	5,6
T6209W/940/20°	Midi Tube T InviTrac - 940 - 20° incl. driver	248,72	5,6
T6209W/940/40°	Midi Tube T InviTrac - 940 - 40° incl. driver	248,72	5,6
T6209W/940/60°	Midi Tube T InviTrac - 940 - 60° incl. driver	248,72	5,6
T6209W/9730/20°	Midi Tube T InviTrac - 9730 - 20°	263,15	5,6
T6209W/9730/40°	Midi Tube T InviTrac - 9730 - 40°	263,15	5,6
T6209W/9730/60°	Midi Tube T InviTrac - 9730 - 60°	263,15	5,6
T6209W/FA/20°	Midi Tube T InviTrac - FASHION - 20°	248,72	5,6
T6209W/FA/40°	Midi Tube T InviTrac - FASHION - 40°	248,72	5,6
T6209W/FA/60°	Midi Tube T InviTrac - FASHION - 60°	248,72	5,6
T6209W/FIS/20°	Midi Tube T InviTrac - FISH - 20°	248,72	5,6
T6209W/FIS/40°	Midi Tube T InviTrac - FISH - 40°	248,72	5,6
T6209W/FIS/60°	Midi Tube T InviTrac - FISH - 60°	248,72	5,6
T6209W/FM/20°	Midi Tube T InviTrac - FRESH MEAT - 20°	248,72	5,6
T6209W/FM/40°	Midi Tube T InviTrac - FRESH MEAT - 40°	248,72	5,6
T6209W/FM/60°	Midi Tube T InviTrac - FRESH MEAT - 60°	248,72	5,6
T6209W/FR/20°	Midi Tube T InviTrac - FRUIT - 20°	248,72	5,6
T6209W/FR/40°	Midi Tube T InviTrac - FRUIT - 40°	248,72	5,6
T6209W/FR/60°	Midi Tube T InviTrac - FRUIT - 60°	248,72	5,6
T6209W/G/20°	Midi Tube T InviTrac - GOLD - 20°	248,72	5,6
T6209W/G/40°	Midi Tube T InviTrac - GOLD - 40°	248,72	5,6
T6209W/G/60°	Midi Tube T InviTrac - GOLD - 60°	248,72	5,6
T6209W/G+/20°	Midi Tube T InviTrac - GOLD+ - 20°	248,72	5,6
T6209W/G+/40°	Midi Tube T InviTrac - GOLD+ - 40°	248,72	5,6
T6209W/G+/60°	Midi Tube T InviTrac - GOLD+ - 60°	248,72	5,6
T6209W/M+/20°	Midi Tube T InviTrac - MEAT+ - 20°	248,72	5,6
T6209W/M+/40°	Midi Tube T InviTrac - MEAT+ - 40°	248,72	5,6
T6209W/M+/60°	Midi Tube T InviTrac - MEAT+ - 60°	248,72	5,6
T6209W/PW930/20°	Midi Tube T InviTrac - Pure White 930 - 20°	248,72	5,6
T6209W/PW930/40°	Midi Tube T InviTrac - Pure White 930 - 40°	248,72	5,6
T6209W/PW930/60°	Midi Tube T InviTrac - Pure White 930 - 60°	248,72	5,6
T6209W/PW940/20°	Midi Tube T InviTrac - Pure White 940 - 20°	248,72	5,6
T6209W/PW940/40°	Midi Tube T InviTrac - Pure White 940 - 40°	248,72	5,6
T6209W/PW940/60°	Midi Tube T InviTrac - Pure White 940 - 60°	248,72	5,6
OT6209B/927/20°	Midi Tube T TRAC - 927 - 20°	232,00	5,6
OT6209B/927/40°	Midi Tube T TRAC - 927 - 40°	232,00	5,6
OT6209B/927/60°	Midi Tube T TRAC - 927 - 60°	232,00	5,6
OT6209B/930/20°	Midi Tube T TRAC - 930 - 20°	232,00	5,6
OT6209B/930/40°	Midi Tube T TRAC - 930 - 40°	232,00	5,6
OT6209B/930/60°	Midi Tube T TRAC - 930 - 60°	232,00	5,6
OT6209B/940/20°	Midi Tube T TRAC - 940 - 20°	232,00	5,6
OT6209B/940/40°	Midi Tube T TRAC - 940 - 40°	232,00	5,6
OT6209B/940/60°	Midi Tube T TRAC - 940 - 60°	232,00	5,6
OT6209B/9730/20°	Midi Tube T TRAC - 9730 - 20°	244,00	5,6
OT6209B/9730/40°	Midi Tube T TRAC - 9730 - 40°	244,00	5,6
OT6209B/9730/60°	Midi Tube T TRAC - 9730 - 60°	244,00	5,6
OT6209B/FA/20°	Midi Tube T TRAC - FASHION - 20°	232,00	5,6
OT6209B/FA/40°	Midi Tube T TRAC - FASHION - 40°	232,00	5,6
OT6209B/FA/60°	Midi Tube T TRAC - FASHION - 60°	232,00	5,6
OT6209B/FIS/20°	Midi Tube T TRAC - FISH - 20°	232,00	5,6
OT6209B/FIS/40°	Midi Tube T TRAC - FISH - 40°	232,00	5,6
OT6209B/FIS/60°	Midi Tube T TRAC - FISH - 60°	232,00	5,6
OT6209B/FM/20°	Midi Tube T TRAC - FRESH MEAT - 20°	232,00	5,6
OT6209B/FM/40°	Midi Tube T TRAC - FRESH MEAT - 40°	232,00	5,6
OT6209B/FM/60°	Midi Tube T TRAC - FRESH MEAT - 60°	232,00	5,6
OT6209B/FR/20°	Midi Tube T TRAC - FRUIT - 20°	232,00	5,6
OT6209B/FR/40°	Midi Tube T TRAC - FRUIT - 40°	232,00	5,6
OT6209B/FR/60°	Midi Tube T TRAC - FRUIT - 60°	232,00	5,6
OT6209B/G/20°	Midi Tube T TRAC - GOLD - 20°	232,00	5,6
OT6209B/G/40°	Midi Tube T TRAC - GOLD - 40°	232,00	5,6
OT6209B/G/60°	Midi Tube T TRAC - GOLD - 60°	232,00	5,6
OT6209B/G+/20°	Midi Tube T TRAC - GOLD+ - 20°	232,00	5,6
OT6209B/G+/40°	Midi Tube T TRAC - GOLD+ - 40°	232,00	5,6
OT6209B/G+/60°	Midi Tube T TRAC - GOLD+ - 60°	232,00	5,6
OT6209B/M+/20°	Midi Tube T TRAC - MEAT+ - 20°	232,00	5,6
OT6209B/M+/40°	Midi Tube T TRAC - MEAT+ - 40°	232,00	5,6
OT6209B/M+/60°	Midi Tube T TRAC - MEAT+ - 60°	232,00	5,6
OT6209B/PW930/20°	Midi Tube T TRAC - Pure White 930 - 20°	232,00	5,6
OT6209B/PW930/40°	Midi Tube T TRAC - Pure White 930 - 40°	232,00	5,6
OT6209B/PW930/60°	Midi Tube T TRAC - Pure White 930 - 60°	232,00	5,6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

OT6209B/PW940/20°	Midi Tube T TRAC - Pure White 940 - 20°	232,00	5,6
OT6209B/PW940/40°	Midi Tube T TRAC - Pure White 940 - 40°	232,00	5,6
OT6209B/PW940/60°	Midi Tube T TRAC - Pure White 940 - 60°	232,00	5,6
OT6209W/927/20°	Midi Tube T TRAC - 927 - 20°	232,00	5,6
OT6209W/927/40°	Midi Tube T TRAC - 927 - 40°	232,00	5,6
OT6209W/927/60°	Midi Tube T TRAC - 927 - 60°	232,00	5,6
OT6209W/930/20°	Midi Tube T TRAC - 930 - 20°	232,00	5,6
OT6209W/930/40°	Midi Tube T TRAC - 930 - 40°	232,00	5,6
OT6209W/930/60°	Midi Tube T TRAC - 930 - 60°	232,00	5,6
OT6209W/940/20°	Midi Tube T TRAC - 940 - 20° incl. driver	232,00	5,6
OT6209W/940/40°	Midi Tube T TRAC - 940 - 40° incl. driver	232,00	5,6
OT6209W/940/60°	Midi Tube T TRAC - 940 - 60° incl. driver	232,00	5,6
OT6209W/9730/20°	Midi Tube T TRAC - 9730 - 20°	244,00	5,6
OT6209W/9730/40°	Midi Tube T TRAC - 9730 - 40°	244,00	5,6
OT6209W/9730/60°	Midi Tube T TRAC - 9730 - 60°	244,00	5,6
OT6209W/FA/20°	Midi Tube T TRAC - FASHION - 20°	232,00	5,6
OT6209W/FA/40°	Midi Tube T TRAC - FASHION - 40°	232,00	5,6
OT6209W/FA/60°	Midi Tube T TRAC - FASHION - 60°	232,00	5,6
OT6209W/FIS/20°	Midi Tube T TRAC - FISH - 20°	232,00	5,6
OT6209W/FIS/40°	Midi Tube T TRAC - FISH - 40°	232,00	5,6
OT6209W/FIS/60°	Midi Tube T TRAC - FISH - 60°	232,00	5,6
OT6209W/FM/20°	Midi Tube T TRAC - FRESH MEAT - 20°	232,00	5,6
OT6209W/FM/40°	Midi Tube T TRAC - FRESH MEAT - 40°	232,00	5,6
OT6209W/FM/60°	Midi Tube T TRAC - FRESH MEAT - 60°	232,00	5,6
OT6209W/FR/20°	Midi Tube T TRAC - FRUIT - 20°	232,00	5,6
OT6209W/FR/40°	Midi Tube T TRAC - FRUIT - 40°	232,00	5,6
OT6209W/FR/60°	Midi Tube T TRAC - FRUIT - 60°	232,00	5,6
OT6209W/G/20°	Midi Tube T TRAC - GOLD - 20°	232,00	5,6
OT6209W/G/40°	Midi Tube T TRAC - GOLD - 40°	232,00	5,6
OT6209W/G/60°	Midi Tube T TRAC - GOLD - 60°	232,00	5,6
OT6209W/G+/20°	Midi Tube T TRAC - GOLD+ - 20°	232,00	5,6
OT6209W/G+/40°	Midi Tube T TRAC - GOLD+ - 40°	232,00	5,6
OT6209W/G+/60°	Midi Tube T TRAC - GOLD+ - 60°	232,00	5,6
OT6209W/M+/20°	Midi Tube T TRAC - MEAT+ - 20°	232,00	5,6
OT6209W/M+/40°	Midi Tube T TRAC - MEAT+ - 40°	232,00	5,6
OT6209W/M+/60°	Midi Tube T TRAC - MEAT+ - 60°	232,00	5,6
OT6209W/PW930/20°	Midi Tube T TRAC - Pure White 930 - 20°	232,00	5,6
OT6209W/PW930/40°	Midi Tube T TRAC - Pure White 930 - 40°	232,00	5,6
OT6209W/PW930/60°	Midi Tube T TRAC - Pure White 930 - 60°	232,00	5,6
OT6209W/PW940/20°	Midi Tube T TRAC - Pure White 940 - 20°	232,00	5,6
OT6209W/PW940/40°	Midi Tube T TRAC - Pure White 940 - 40°	232,00	5,6
OT6209W/PW940/60°	Midi Tube T TRAC - Pure White 940 - 60°	232,00	5,6
OT6209B/927/20°/D	Midi Tube T oneTRAC - 927 - 20° - DALI	272,00	5,6
OT6209B/927/40°/D	Midi Tube T oneTRAC - 927 - 40° - DALI	272,00	5,6
OT6209B/927/60°/D	Midi Tube T oneTRAC - 927 - 60° - DALI	272,00	5,6
OT6209B/930/20°/D	Midi Tube T oneTRAC - 930 - 20° - DALI	272,00	5,6
OT6209B/930/40°/D	Midi Tube T oneTRAC - 930 - 40° - DALI	272,00	5,6
OT6209B/930/60°/D	Midi Tube T oneTRAC - 930 - 60° - DALI	272,00	5,6
OT6209B/940/20°/D	Midi Tube T oneTRAC - 940 - 20° - DALI	272,00	5,6
OT6209B/940/40°/D	Midi Tube T oneTRAC - 940 - 40° - DALI	272,00	5,6
OT6209B/940/60°/D	Midi Tube T oneTRAC - 940 - 60° - DALI	272,00	5,6
OT6209B/9730/20°/D	Midi Tube T oneTRAC - 9730 - 20° - DALI	287,55	5,6
OT6209B/9730/40°/D	Midi Tube T oneTRAC - 9730 - 40° - DALI	287,55	5,6
OT6209B/9730/60°/D	Midi Tube T oneTRAC - 9730 - 60° - DALI	287,55	5,6
OT6209B/FA/20°/D	Midi Tube T oneTRAC - FASHION - 20° - DALI	272,00	5,6
OT6209B/FA/40°/D	Midi Tube T oneTRAC - FASHION - 40° - DALI	272,00	5,6
OT6209B/FA/60°/D	Midi Tube T oneTRAC - FASHION - 60° - DALI	272,00	5,6
OT6209B/FIS/20°/D	Midi Tube T oneTRAC - FISH - 20° - DALI	272,00	5,6
OT6209B/FIS/40°/D	Midi Tube T oneTRAC - FISH - 40° - DALI	272,00	5,6
OT6209B/FIS/60°/D	Midi Tube T oneTRAC - FISH - 60° - DALI	272,00	5,6
OT6209B/FM/20°/D	Midi Tube T oneTRAC - FRESH MEAT - 20° - DALI	272,00	5,6
OT6209B/FM/40°/D	Midi Tube T oneTRAC - FRESH MEAT - 40° - DALI	272,00	5,6
OT6209B/FM/60°/D	Midi Tube T oneTRAC - FRESH MEAT - 60° - DALI	272,00	5,6
OT6209B/FR/20°/D	Midi Tube T oneTRAC - FRUIT - 20° - DALI	272,00	5,6
OT6209B/FR/40°/D	Midi Tube T oneTRAC - FRUIT - 40° - DALI	272,00	5,6
OT6209B/FR/60°/D	Midi Tube T oneTRAC - FRUIT - 60° - DALI	272,00	5,6
OT6209B/G/20°/D	Midi Tube T oneTRAC - GOLD - 20° - DALI	272,00	5,6
OT6209B/G/40°/D	Midi Tube T oneTRAC - GOLD - 40° - DALI	272,00	5,6
OT6209B/G/60°/D	Midi Tube T oneTRAC - GOLD - 60° - DALI	272,00	5,6
OT6209B/G+/20°/D	Midi Tube T oneTRAC - GOLD+ - 20° - DALI	272,00	5,6
OT6209B/G+/40°/D	Midi Tube T oneTRAC - GOLD+ - 40° - DALI	272,00	5,6
OT6209B/G+/60°/D	Midi Tube T oneTRAC - GOLD+ - 60° - DALI	272,00	5,6
OT6209B/M+/20°/D	Midi Tube T oneTRAC - MEAT+ - 20° - DALI	272,00	5,6
OT6209B/M+/40°/D	Midi Tube T oneTRAC - MEAT+ - 40° - DALI	272,00	5,6
OT6209B/M+/60°/D	Midi Tube T oneTRAC - MEAT+ - 60° - DALI	272,00	5,6
OT6209B/PW930/20°/D	Midi Tube T oneTRAC - Pure White 930 - 20° - DALI	272,00	5,6
OT6209B/PW930/40°/D	Midi Tube T oneTRAC - Pure White 930 - 40° - DALI	272,00	5,6
OT6209B/PW930/60°/D	Midi Tube T oneTRAC - Pure White 930 - 60° - DALI	272,00	5,6
OT6209B/PW940/20°/D	Midi Tube T oneTRAC - Pure White 940 - 20° - DALI	272,00	5,6
OT6209B/PW940/40°/D	Midi Tube T oneTRAC - Pure White 940 - 40° - DALI	272,00	5,6
OT6209B/PW940/60°/D	Midi Tube T oneTRAC - Pure White 940 - 60° - DALI	272,00	5,6
OT6209W/927/20°/D	Midi Tube T oneTRAC - 927 - 20° - DALI	272,00	5,6
OT6209W/927/40°/D	Midi Tube T oneTRAC - 927 - 40° - DALI	272,00	5,6
OT6209W/927/60°/D	Midi Tube T oneTRAC - 927 - 60° - DALI	272,00	5,6

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

OT6209W/930/20°/D	Midi Tube T oneTRAC - 930 - 20° - DALI	272,00	5.6
OT6209W/930/40°/D	Midi Tube T oneTRAC - 930 - 40° - DALI	272,00	5.6
OT6209W/930/60°/D	Midi Tube T oneTRAC - 930 - 60° - DALI	272,00	5.6
OT6209W/940/20°/D	Midi Tube T oneTRAC - 940 - 20° - DALI	272,00	5.6
OT6209W/940/40°/D	Midi Tube T oneTRAC - 940 - 40° - DALI	272,00	5.6
OT6209W/940/60°/D	Midi Tube T oneTRAC - 940 - 60° - DALI	272,00	5.6
OT6209W/9730/20°/D	Midi Tube T oneTRAC - 9730 - 20° - DALI	287,55	5.6
OT6209W/9730/40°/D	Midi Tube T oneTRAC - 9730 - 40° - DALI	287,55	5.6
OT6209W/9730/60°/D	Midi Tube T oneTRAC - 9730 - 60° - DALI	287,55	5.6
OT6209W/FA/20°/D	Midi Tube T oneTRAC - FASHION - 20° - DALI	272,00	5.6
OT6209W/FA/40°/D	Midi Tube T oneTRAC - FASHION - 40° - DALI	272,00	5.6
OT6209W/FA/60°/D	Midi Tube T oneTRAC - FASHION - 60° - DALI	272,00	5.6
OT6209W/FIS/20°/D	Midi Tube T oneTRAC - FISH - 20° - DALI	272,00	5.6
OT6209W/FIS/40°/D	Midi Tube T oneTRAC - FISH - 40° - DALI	272,00	5.6
OT6209W/FIS/60°/D	Midi Tube T oneTRAC - FISH - 60° - DALI	272,00	5.6
OT6209W/FM/20°/D	Midi Tube T oneTRAC - FRESH MEAT - 20° - DALI	272,00	5.6
OT6209W/FM/40°/D	Midi Tube T oneTRAC - FRESH MEAT - 40° - DALI	272,00	5.6
OT6209W/FM/60°/D	Midi Tube T oneTRAC - FRESH MEAT - 60° - DALI	272,00	5.6
OT6209W/FR/20°/D	Midi Tube T oneTRAC - FRUIT - 20° - DALI	272,00	5.6
OT6209W/FR/40°/D	Midi Tube T oneTRAC - FRUIT - 40° - DALI	272,00	5.6
OT6209W/FR/60°/D	Midi Tube T oneTRAC - FRUIT - 60° - DALI	272,00	5.6
OT6209W/G/20°/D	Midi Tube T oneTRAC - GOLD - 20° - DALI	272,00	5.6
OT6209W/G/40°/D	Midi Tube T oneTRAC - GOLD - 40° - DALI	272,00	5.6
OT6209W/G/60°/D	Midi Tube T oneTRAC - GOLD - 60° - DALI	272,00	5.6
OT6209W/G+/20°/D	Midi Tube T oneTRAC - GOLD+ - 20° - DALI	272,00	5.6
OT6209W/G+/40°/D	Midi Tube T oneTRAC - GOLD+ - 40° - DALI	272,00	5.6
OT6209W/G+/60°/D	Midi Tube T oneTRAC - GOLD+ - 60° - DALI	272,00	5.6
OT6209W/M+/20°/D	Midi Tube T oneTRAC - MEAT+ - 20° - DALI	272,00	5.6
OT6209W/M+/40°/D	Midi Tube T oneTRAC - MEAT+ - 40° - DALI	272,00	5.6
OT6209W/M+/60°/D	Midi Tube T oneTRAC - MEAT+ - 60° - DALI	272,00	5.6
OT6209W/PW930/20°/D	Midi Tube T oneTRAC - Pure White 930 - 20° - DALI	272,00	5.6
OT6209W/PW930/40°/D	Midi Tube T oneTRAC - Pure White 930 - 40° - DALI	272,00	5.6
OT6209W/PW930/60°/D	Midi Tube T oneTRAC - Pure White 930 - 60° - DALI	272,00	5.6
OT6209W/PW940/20°/D	Midi Tube T oneTRAC - Pure White 940 - 20° - DALI	272,00	5.6
OT6209W/PW940/40°/D	Midi Tube T oneTRAC - Pure White 940 - 40° - DALI	272,00	5.6
OT6209W/PW940/60°/D	Midi Tube T oneTRAC - Pure White 940 - 60° - DALI	272,00	5.6
D-Line			
DLA/580/827/ND/S	D-Line Ano 580mm 2700K Non Dim Suspension	466,77	4.6
DLA/580/830/ND/S	D-Line Ano 580mm 3000K Non Dim Suspension	466,77	4.6
DLA/580/840/ND/S	D-Line Ano 580mm 4000K Non Dim Suspension	466,77	4.6
DLA/580/827/A/S	D-Line Ano 580mm 2700K 1-10V Dim Suspension	632,64	4.6
DLA/580/830/A/S	D-Line Ano 580mm 3000K 1-10V Dim Suspension	632,64	4.6
DLA/580/840/A/S	D-Line Ano 580mm 4000K 1-10V Dim Suspension	632,64	4.6
DLA/580/827/DA/S	D-Line Ano 580mm 2700K DALI Dim Suspension	573,96	4.6
DLA/580/830/DA/S	D-Line Ano 580mm 3000K DALI Dim Suspension	573,96	4.6
DLA/580/840/DA/S	D-Line Ano 580mm 4000K DALI Dim Suspension	573,96	4.6
DLW/580/827/ND/S	D-Line White 580mm 2700K Non Dim Suspension	466,77	4.6
DLW/580/830/ND/S	D-Line White 580mm 3000K Non Dim Suspension	466,77	4.6
DLW/580/840/ND/S	D-Line White 580mm 4000K Non Dim Suspension	466,77	4.6
DLW/580/827/A/S	D-Line White 580mm 2700K 1-10V Dim Suspension	632,64	4.6
DLW/580/830/A/S	D-Line White 580mm 3000K 1-10V Dim Suspension	632,64	4.6
DLW/580/840/A/S	D-Line White 580mm 4000K 1-10V Dim Suspension	632,64	4.6
DLW/580/827/DA/S	D-Line White 580mm 2700K DALI Dim Suspension	573,96	4.6
DLW/580/830/DA/S	D-Line White 580mm 3000K DALI Dim Suspension	573,96	4.6
DLW/580/840/DA/S	D-Line White 580mm 4000K DALI Dim Suspension	573,96	4.6
DLB/580/827/ND/S	D-Line Black 580mm 2700K Non Dim Suspension	466,77	4.6
DLB/580/830/ND/S	D-Line Black 580mm 3000K Non Dim Suspension	466,77	4.6
DLB/580/840/ND/S	D-Line Black 580mm 4000K Non Dim Suspension	466,77	4.6
DLB/580/827/A/S	D-Line Black 580mm 2700K 1-10V Dim Suspension	632,64	4.6
DLB/580/830/A/S	D-Line Black 580mm 3000K 1-10V Dim Suspension	632,64	4.6
DLB/580/840/A/S	D-Line Black 580mm 4000K 1-10V Dim Suspension	632,64	4.6
DLB/580/827/DA/S	D-Line Black 580mm 2700K DALI Dim Suspension	573,96	4.6
DLB/580/830/DA/S	D-Line Black 580mm 3000K DALI Dim Suspension	573,96	4.6
DLB/580/840/DA/S	D-Line Black 580mm 4000K DALI Dim Suspension	573,96	4.6
DLA/860/827/ND/S	D-Line Ano 860mm 2700K Non Dim Suspension	547,86	4.6
DLA/860/830/ND/S	D-Line Ano 860mm 3000K Non Dim Suspension	547,86	4.6
DLA/860/840/ND/S	D-Line Ano 860mm 4000K Non Dim Suspension	547,86	4.6
DLA/860/827/A/S	D-Line Ano 860mm 2700K 1-10V Dim Suspension	699,42	4.6
DLA/860/830/A/S	D-Line Ano 860mm 3000K 1-10V Dim Suspension	699,42	4.6
DLA/860/840/A/S	D-Line Ano 860mm 4000K 1-10V Dim Suspension	699,42	4.6
DLA/860/827/DA/S	D-Line Ano 860mm 2700K DALI Dim Suspension	655,05	4.6
DLA/860/830/DA/S	D-Line Ano 860mm 3000K DALI Dim Suspension	655,05	4.6
DLA/860/840/DA/S	D-Line Ano 860mm 4000K DALI Dim Suspension	655,05	4.6
DLW/860/827/ND/S	D-Line White 860mm 2700K Non Dim Suspension	547,86	4.6
DLW/860/830/ND/S	D-Line White 860mm 3000K Non Dim Suspension	547,86	4.6
DLW/860/840/ND/S	D-Line White 860mm 4000K Non Dim Suspension	547,86	4.6
DLW/860/827/A/S	D-Line White 860mm 2700K 1-10V Dim Suspension	699,42	4.6
DLW/860/830/A/S	D-Line White 860mm 3000K 1-10V Dim Suspension	699,42	4.6
DLW/860/840/A/S	D-Line White 860mm 4000K 1-10V Dim Suspension	699,42	4.6
DLW/860/827/DA/S	D-Line White 860mm 2700K DALI Dim Suspension	655,05	4.6
DLW/860/830/DA/S	D-Line White 860mm 3000K DALI Dim Suspension	655,05	4.6
DLW/860/840/DA/S	D-Line White 860mm 4000K DALI Dim Suspension	655,05	4.6
DLB/860/827/ND/S	D-Line Black 860mm 2700K Non Dim Suspension	547,86	4.6
DLB/860/830/ND/S	D-Line Black 860mm 3000K Non Dim Suspension	547,86	4.6

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

DLB/860/840/ND/S	D-Line Black 860mm 4000K Non Dim Suspension	547,86	4.6
DLB/860/827/A/S	D-Line Black 860mm 2700K 1-10V Dim Suspension	699,42	4.6
DLB/860/830/A/S	D-Line Black 860mm 3000K 1-10V Dim Suspension	699,42	4.6
DLB/860/840/A/S	D-Line Black 860mm 4000K 1-10V Dim Suspension	699,42	4.6
DLB/860/827/DA/S	D-Line Black 860mm 2700K DALI Dim Suspension	655,05	4.6
DLB/860/830/DA/S	D-Line Black 860mm 3000K DALI Dim Suspension	655,05	4.6
DLB/860/840/DA/S	D-Line Black 860mm 4000K DALI Dim Suspension	655,05	4.6
DLA/1140/827/ND/S	D-Line Ano 1140mm 2700K Non Dim Suspension	586,14	4.6
DLA/1140/830/ND/S	D-Line Ano 1140mm 3000K Non Dim Suspension	586,14	4.6
DLA/1140/840/ND/S	D-Line Ano 1140mm 4000K Non Dim Suspension	586,14	4.6
DLA/1140/827/A/S	D-Line Ano 1140 2700K 1-10V Dim Suspension	763,89	4.6
DLA/1140/830/A/S	D-Line Ano 1140mm 3000K 1-10V Dim Suspension	763,89	4.6
DLA/1140/840/A/S	D-Line Ano 1140mm 4000K 1-10V Dim Suspension	763,89	4.6
DLA/1140/827/DA/S	D-Line Ano 1140mm 2700K DALI Dim Suspension	693,33	4.6
DLA/1140/830/DA/S	D-Line Ano 1140mm 3000K DALI Dim Suspension	693,33	4.6
DLA/1140/840/DA/S	D-Line Ano 1140mm 4000K DALI Dim Suspension	693,33	4.6
DLW/1140/827/ND/S	D-Line White 1140mm 2700K Non Dim Suspension	586,14	4.6
DLW/1140/830/ND/S	D-Line White 1140mm 3000K Non Dim Suspension	586,14	4.6
DLW/1140/840/ND/S	D-Line White 1140mm 4000K Non Dim Suspension	586,14	4.6
DLW/1140/827/A/S	D-Line White 1140mm 2700K 1-10V Dim Suspension	763,89	4.6
DLW/1140/830/A/S	D-Line White 1140mm 3000K 1-10V Dim Suspension	763,89	4.6
DLW/1140/840/A/S	D-Line White 1140mm 4000K 1-10V Dim Suspension	763,89	4.6
DLW/1140/827/DA/S	D-Line White 1140mm 2700K DALI Dim Suspension	693,33	4.6
DLW/1140/830/DA/S	D-Line White 1140mm 3000K DALI Dim Suspension	693,33	4.6
DLW/1140/840/DA/S	D-Line White 1140mm 4000K DALI Dim Suspension	693,33	4.6
DLB/1140/827/ND/S	D-Line Black 1140mm 2700K Non Dim Suspension	586,14	4.6
DLB/1140/830/ND/S	D-Line Black 1140mm 3000K Non Dim Suspension	586,14	4.6
DLB/1140/840/ND/S	D-Line Black 1140mm 4000K Non Dim Suspension	586,14	4.6
DLB/1140/827/A/S	D-Line Black 1140mm 2700K 1-10V Dim Suspension	763,89	4.6
DLB/1140/830/A/S	D-Line Black 1140mm 3000K 1-10V Dim Suspension	763,89	4.6
DLB/1140/840/A/S	D-Line Black 1140mm 4000K 1-10V Dim Suspension	763,89	4.6
DLB/1140/827/DA/S	D-Line Black 1140mm 2700K DALI Dim Suspension	693,33	4.6
DLB/1140/830/DA/S	D-Line Black 1140mm 3000K DALI Dim Suspension	693,33	4.6
DLB/1140/840/DA/S	D-Line Black 1140mm 4000K DALI Dim Suspension	693,33	4.6
DLA/1420/827/ND/S	D-Line Ano 1420mm 2700K Non Dim Suspension	675,82	4.6
DLA/1420/830/ND/S	D-Line Ano 1420mm 3000K Non Dim Suspension	675,82	4.6
DLA/1420/840/ND/S	D-Line Ano 1420mm 4000K Non Dim Suspension	675,82	4.6
DLA/1420/827/A/S	D-Line Ano 1420mm 2700K 1-10V Dim Suspension	848,62	4.6
DLA/1420/830/A/S	D-Line Ano 1420mm 3000K 1-10V Dim Suspension	848,62	4.6
DLA/1420/840/A/S	D-Line Ano 1420mm 4000K 1-10V Dim Suspension	848,62	4.6
DLA/1420/827/DA/S	D-Line Ano 1420mm 2700K DALI Dim Suspension	792,46	4.6
DLA/1420/830/DA/S	D-Line Ano 1420mm 3000K DALI Dim Suspension	792,46	4.6
DLA/1420/840/DA/S	D-Line Ano 1420mm 4000K DALI Dim Suspension	792,46	4.6
DLW/1420/827/ND/S	D-Line White 1420mm 2700K Non Dim Suspension	675,82	4.6
DLW/1420/830/ND/S	D-Line White 1420mm 3000K Non Dim Suspension	675,82	4.6
DLW/1420/840/ND/S	D-Line White 1420mm 4000K Non Dim Suspension	675,82	4.6
DLW/1420/827/A/S	D-Line White 1420mm 2700K 1-10V Dim Suspension	848,62	4.6
DLW/1420/830/A/S	D-Line White 1420mm 3000K 1-10V Dim Suspension	848,62	4.6
DLW/1420/840/A/S	D-Line White 1420mm 4000K 1-10V Dim Suspension	848,62	4.6
DLW/1420/827/DA/S	D-Line White 1420mm 2700K DALI Dim Suspension	792,46	4.6
DLW/1420/830/DA/S	D-Line White 1420mm 3000K DALI Dim Suspension	792,46	4.6
DLW/1420/840/DA/S	D-Line White 1420mm 4000K DALI Dim Suspension	792,46	4.6
DLB/1420/827/ND/S	D-Line Black 1420mm 2700K Non Dim Suspension	675,82	4.6
DLB/1420/830/ND/S	D-Line Black 1420mm 3000K Non Dim Suspension	675,82	4.6
DLB/1420/840/ND/S	D-Line Black 1420mm 4000K Non Dim Suspension	675,82	4.6
DLB/1420/827/A/S	D-Line Black 1420mm 2700K 1-10V Dim Suspension	848,62	4.6
DLB/1420/830/A/S	D-Line Black 1420mm 3000K 1-10V Dim Suspension	848,62	4.6
DLB/1420/840/A/S	D-Line Black 1420mm 4000K 1-10V Dim Suspension	848,62	4.6
DLB/1420/827/DA/S	D-Line Black 1420mm 2700K DALI Dim Suspension	792,46	4.6
DLB/1420/830/DA/S	D-Line Black 1420mm 3000K DALI Dim Suspension	792,46	4.6
DLB/1420/840/DA/S	D-Line Black 1420mm 4000K DALI Dim Suspension	792,46	4.6
DLA/1700/827/ND/S	D-Line Ano 1700mm 2700K Non Dim Suspension	727,61	4.6
DLA/1700/830/ND/S	D-Line Ano 1700mm 3000K Non Dim Suspension	727,61	4.6
DLA/1700/840/ND/S	D-Line Ano 1700mm 4000K Non Dim Suspension	727,61	4.6
DLA/1700/827/A/S	D-Line Ano 1700mm 2700K 1-10V Dim Suspension	913,10	4.6
DLA/1700/830/A/S	D-Line Ano 1700mm 3000K 1-10V Dim Suspension	913,10	4.6
DLA/1700/840/A/S	D-Line Ano 1700mm 4000K 1-10V Dim Suspension	913,10	4.6
DLA/1700/827/DA/S	D-Line Ano 1700mm 2700K DALI Dim Suspension	844,25	4.6
DLA/1700/830/DA/S	D-Line Ano 1700mm 3000K DALI Dim Suspension	844,25	4.6
DLA/1700/840/DA/S	D-Line Ano 1700mm 4000K DALI Dim Suspension	844,25	4.6
DLW/1700/827/ND/S	D-Line White 1700mm 2700K Non Dim Suspension	727,61	4.6
DLW/1700/830/ND/S	D-Line White 1700mm 3000K Non Dim Suspension	727,61	4.6
DLW/1700/840/ND/S	D-Line White 1700mm 4000K Non Dim Suspension	727,61	4.6
DLW/1700/827/A/S	D-Line White 1700mm 2700K 1-10V Dim Suspension	913,10	4.6
DLW/1700/830/A/S	D-Line White 1700mm 3000K 1-10V Dim Suspension	913,10	4.6
DLW/1700/840/A/S	D-Line White 1700mm 4000K 1-10V Dim Suspension	913,10	4.6
DLW/1700/827/DA/S	D-Line White 1700mm 2700K DALI Dim Suspension	844,25	4.6
DLW/1700/830/DA/S	D-Line White 1700mm 3000K DALI Dim Suspension	844,25	4.6
DLW/1700/840/DA/S	D-Line White 1700mm 4000K DALI Dim Suspension	844,25	4.6
DLB/1700/827/ND/S	D-Line Black 1700mm 2700K Non Dim Suspension	727,61	4.6
DLB/1700/830/ND/S	D-Line Black 1700mm 3000K Non Dim Suspension	727,61	4.6
DLB/1700/840/ND/S	D-Line Black 1700mm 4000K Non Dim Suspension	727,61	4.6
DLB/1700/827/A/S	D-Line Black 1700mm 2700K 1-10V Dim Suspension	913,10	4.6
DLB/1700/830/A/S	D-Line Black 1700mm 3000K 1-10V Dim Suspension	913,10	4.6
DLB/1700/840/A/S	D-Line Black 1700mm 4000K 1-10V Dim Suspension	913,10	4.6

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

DLB/1700/840/A/S	D-Line Black 1700mm 4000K 1-10V Dim Suspension	913,10	4.6
DLB/1700/827/DA/S	D-Line Black 1700mm 2700K DALI Dim Suspension	844,25	4.6
DLB/1700/830/DA/S	D-Line Black 1700mm 3000K DALI Dim Suspension	844,25	4.6
DLB/1700/840/DA/S	D-Line Black 1700mm 4000K DALI Dim Suspension	844,25	4.6
DLA/1980/827/ND/S	D-Line Ano 1980mm 2700K Non Dim Suspension	824,49	4.6
DLA/1980/830/ND/S	D-Line Ano 1980mm 3000K Non Dim Suspension	824,49	4.6
DLA/1980/840/ND/S	D-Line Ano 1980mm 4000K Non Dim Suspension	824,49	4.6
DLA/1980/827/A/S	D-Line Ano 1980mm 2700K 1-10V Dim Suspension	1191,33	4.6
DLA/1980/830/A/S	D-Line Ano 1980mm 3000K 1-10V Dim Suspension	1191,33	4.6
DLA/1980/840/A/S	D-Line Ano 1980mm 4000K 1-10V Dim Suspension	1191,33	4.6
DLA/1980/827/DA/S	D-Line Ano 1980mm 2700K DALI Dim Suspension	940,86	4.6
DLA/1980/830/DA/S	D-Line Ano 1980mm 3000K DALI Dim Suspension	940,86	4.6
DLA/1980/840/DA/S	D-Line Ano 1980mm 4000K DALI Dim Suspension	940,86	4.6
DLW/1980/827/ND/S	D-Line White 1980mm 2700K Non Dim Suspension	824,49	4.6
DLW/1980/830/ND/S	D-Line White 1980mm 3000K Non Dim Suspension	824,49	4.6
DLW/1980/840/ND/S	D-Line White 1980mm 4000K Non Dim Suspension	824,49	4.6
DLW/1980/827/A/S	D-Line White 1980mm 2700K 1-10V Dim Suspension	1191,33	4.6
DLW/1980/830/A/S	D-Line White 1980mm 3000K 1-10V Dim Suspension	1191,33	4.6
DLW/1980/840/A/S	D-Line White 1980mm 4000K 1-10V Dim Suspension	1191,33	4.6
DLW/1980/827/DA/S	D-Line White 1980mm 2700K DALI Dim Suspension	940,86	4.6
DLW/1980/830/DA/S	D-Line White 1980mm 3000K DALI Dim Suspension	940,86	4.6
DLW/1980/840/DA/S	D-Line White 1980mm 4000K DALI Dim Suspension	940,86	4.6
DLB/1980/827/ND/S	D-Line Black 1980mm 2700K Non Dim Suspension	824,49	4.6
DLB/1980/830/ND/S	D-Line Black 1980mm 3000K Non Dim Suspension	824,49	4.6
DLB/1980/840/ND/S	D-Line Black 1980mm 4000K Non Dim Suspension	824,49	4.6
DLB/1980/827/A/S	D-Line Black 1980mm 2700K 1-10V Dim Suspension	1191,33	4.6
DLB/1980/830/A/S	D-Line Black 1980mm 3000K 1-10V Dim Suspension	1191,33	4.6
DLB/1980/840/A/S	D-Line Black 1980mm 4000K 1-10V Dim Suspension	1191,33	4.6
DLB/1980/827/DA/S	D-Line Black 1980mm 2700K DALI Dim Suspension	940,86	4.6
DLB/1980/830/DA/S	D-Line Black 1980mm 3000K DALI Dim Suspension	940,86	4.6
DLB/1980/840/DA/S	D-Line Black 1980mm 4000K DALI Dim Suspension	940,86	4.6
DLA/2260/827/ND/S	D-Line Ano 2260mm 2700K Non Dim Suspension	883,55	4.6
DLA/2260/830/ND/S	D-Line Ano 2260mm 3000K Non Dim Suspension	883,55	4.6
DLA/2260/840/ND/S	D-Line Ano 2260mm 4000K Non Dim Suspension	883,55	4.6
DLA/2260/827/A/S	D-Line Ano 2260mm 2700K 1-10V Dim Suspension	1069,58	4.6
DLA/2260/830/A/S	D-Line Ano 2260mm 3000K 1-10V Dim Suspension	1069,58	4.6
DLA/2260/840/A/S	D-Line Ano 2260mm 4000K 1-10V Dim Suspension	1069,58	4.6
DLA/2260/827/DA/S	D-Line Ano 2260mm 2700K DALI Dim Suspension	999,92	4.6
DLA/2260/830/DA/S	D-Line Ano 2260mm 3000K DALI Dim Suspension	999,92	4.6
DLA/2260/840/DA/S	D-Line Ano 2260mm 4000K DALI Dim Suspension	999,92	4.6
DLW/2260/827/ND/S	D-Line White 2260mm 2700K Non Dim Suspension	883,55	4.6
DLW/2260/830/ND/S	D-Line White 2260mm 3000K Non Dim Suspension	883,55	4.6
DLW/2260/840/ND/S	D-Line White 2260mm 4000K Non Dim Suspension	883,55	4.6
DLW/2260/827/A/S	D-Line White 2260mm 2700K 1-10V Dim Suspension	1069,58	4.6
DLW/2260/830/A/S	D-Line White 2260mm 3000K 1-10V Dim Suspension	1069,58	4.6
DLW/2260/840/A/S	D-Line White 2260mm 4000K 1-10V Dim Suspension	1069,58	4.6
DLW/2260/827/DA/S	D-Line White 2260mm 2700K DALI Dim Suspension	999,92	4.6
DLW/2260/830/DA/S	D-Line White 2260mm 3000K DALI Dim Suspension	999,92	4.6
DLW/2260/840/DA/S	D-Line White 2260mm 4000K DALI Dim Suspension	999,92	4.6
DLB/2260/827/ND/S	D-Line Black 2260mm 2700K Non Dim Suspension	883,55	4.6
DLB/2260/830/ND/S	D-Line Black 2260mm 3000K Non Dim Suspension	883,55	4.6
DLB/2260/840/ND/S	D-Line Black 2260mm 4000K Non Dim Suspension	883,55	4.6
DLB/2260/827/A/S	D-Line Black 2260mm 2700K 1-10V Dim Suspension	1069,58	4.6
DLB/2260/830/A/S	D-Line Black 2260mm 3000K 1-10V Dim Suspension	1069,58	4.6
DLB/2260/840/A/S	D-Line Black 2260mm 4000K 1-10V Dim Suspension	1069,58	4.6
DLB/2260/827/DA/S	D-Line Black 2260mm 2700K DALI Dim Suspension	999,92	4.6
DLB/2260/830/DA/S	D-Line Black 2260mm 3000K DALI Dim Suspension	999,92	4.6
DLB/2260/840/DA/S	D-Line Black 2260mm 4000K DALI Dim Suspension	999,92	4.6
DLA/2540/827/ND/S	D-Line Ano 2540mm 2700K Non Dim Suspension	1006,96	4.6
DLA/2540/830/ND/S	D-Line Ano 2540mm 3000K Non Dim Suspension	1006,96	4.6
DLA/2540/840/ND/S	D-Line Ano 2540mm 4000K Non Dim Suspension	1006,96	4.6
DLA/2540/827/A/S	D-Line Ano 2540mm 2700K 1-10V Dim Suspension	1159,78	4.6
DLA/2540/830/A/S	D-Line Ano 2540mm 3000K 1-10V Dim Suspension	1159,78	4.6
DLA/2540/840/A/S	D-Line Ano 2540mm 4000K 1-10V Dim Suspension	1159,78	4.6
DLA/2540/827/DA/S	D-Line Ano 2540mm 2700K DALI Dim Suspension	1123,33	4.6
DLA/2540/830/DA/S	D-Line Ano 2540mm 3000K DALI Dim Suspension	1123,33	4.6
DLA/2540/840/DA/S	D-Line Ano 2540mm 4000K DALI Dim Suspension	1123,33	4.6
DLW/2540/827/ND/S	D-Line White 2540mm 2700K Non Dim Suspension	1006,96	4.6
DLW/2540/830/ND/S	D-Line White 2540mm 3000K Non Dim Suspension	1006,96	4.6
DLW/2540/840/ND/S	D-Line White 2540mm 4000K Non Dim Suspension	1006,96	4.6
DLW/2540/827/A/S	D-Line White 2540mm 2700K 1-10V Dim Suspension	1159,78	4.6
DLW/2540/830/A/S	D-Line White 2540mm 3000K 1-10V Dim Suspension	1159,78	4.6
DLW/2540/840/A/S	D-Line White 2540mm 4000K 1-10V Dim Suspension	1159,78	4.6
DLW/2540/827/DA/S	D-Line White 2540mm 2700K DALI Dim Suspension	1123,33	4.6
DLW/2540/830/DA/S	D-Line White 2540mm 3000K DALI Dim Suspension	1123,33	4.6
DLW/2540/840/DA/S	D-Line White 2540mm 4000K DALI Dim Suspension	1123,33	4.6
DLB/2540/827/ND/S	D-Line Black 2540mm 2700K Non Dim Suspension	1006,96	4.6
DLB/2540/830/ND/S	D-Line Black 2540mm 3000K Non Dim Suspension	1006,96	4.6
DLB/2540/840/ND/S	D-Line Black 2540mm 4000K Non Dim Suspension	1006,96	4.6
DLB/2540/827/A/S	D-Line Black 2540mm 2700K 1-10V Dim Suspension	1159,78	4.6
DLB/2540/830/A/S	D-Line Black 2540mm 3000K 1-10V Dim Suspension	1159,78	4.6
DLB/2540/840/A/S	D-Line Black 2540mm 4000K 1-10V Dim Suspension	1159,78	4.6
DLB/2540/827/DA/S	D-Line Black 2540mm 2700K DALI Dim Suspension	1123,33	4.6
DLB/2540/830/DA/S	D-Line Black 2540mm 3000K DALI Dim Suspension	1123,33	4.6
DLB/2540/840/DA/S	D-Line Black 2540mm 4000K DALI Dim Suspension	1123,33	4.6

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

DLB/2540/840/DA/S	D-Line Black 2540mm 4000K DALI Dim Suspension	1123,33	4.6
DLA/2820/827/ND/S	D-Line Ano 2820mm 2700K Non Dim Suspension	1092,16	4.6
DLA/2820/830/ND/S	D-Line Ano 2820mm 3000K Non Dim Suspension	1092,16	4.6
DLA/2820/840/ND/S	D-Line Ano 2820mm 4000K Non Dim Suspension	1092,16	4.6
DLA/2820/827/A/S	D-Line Ano 2820mm 2700K 1-10V Dim Suspension	1290,07	4.6
DLA/2820/830/A/S	D-Line Ano 2820mm 3000K 1-10V Dim Suspension	1290,07	4.6
DLA/2820/840/A/S	D-Line Ano 2820mm 4000K 1-10V Dim Suspension	1290,07	4.6
DLA/2820/827/DA/S	D-Line Ano 2820mm 2700K DALI Dim Suspension	1208,53	4.6
DLA/2820/830/DA/S	D-Line Ano 2820mm 3000K DALI Dim Suspension	1208,53	4.6
DLA/2820/840/DA/S	D-Line Ano 2820mm 4000K DALI Dim Suspension	1208,53	4.6
DLW/2820/827/ND/S	D-Line White 2820mm 2700K Non Dim Suspension	1092,16	4.6
DLW/2820/830/ND/S	D-Line White 2820mm 3000K Non Dim Suspension	1092,16	4.6
DLW/2820/840/ND/S	D-Line White 2820mm 4000K Non Dim Suspension	1092,16	4.6
DLW/2820/827/A/S	D-Line White 2820mm 2700K 1-10V Dim Suspension	1290,07	4.6
DLW/2820/830/A/S	D-Line White 2820mm 3000K 1-10V Dim Suspension	1290,07	4.6
DLW/2820/840/A/S	D-Line White 2820mm 4000K 1-10V Dim Suspension	1290,07	4.6
DLW/2820/827/DA/S	D-Line White 2820mm 2700K DALI Dim Suspension	1208,53	4.6
DLW/2820/830/DA/S	D-Line White 2820mm 3000K DALI Dim Suspension	1208,53	4.6
DLW/2820/840/DA/S	D-Line White 2820mm 4000K DALI Dim Suspension	1208,53	4.6
DLB/2820/827/ND/S	D-Line Black 2820mm 2700K Non Dim Suspension	1092,16	4.6
DLB/2820/830/ND/S	D-Line Black 2820mm 3000K Non Dim Suspension	1092,16	4.6
DLB/2820/840/ND/S	D-Line Black 2820mm 4000K Non Dim Suspension	1092,16	4.6
DLB/2820/827/A/S	D-Line Black 2820mm 2700K 1-10V Dim Suspension	1290,07	4.6
DLB/2820/830/A/S	D-Line Black 2820mm 3000K 1-10V Dim Suspension	1290,07	4.6
DLB/2820/840/A/S	D-Line Black 2820mm 4000K 1-10V Dim Suspension	1290,07	4.6
DLB/2820/827/DA/S	D-Line Black 2820mm 2700K DALI Dim Suspension	1208,53	4.6
DLB/2820/830/DA/S	D-Line Black 2820mm 3000K DALI Dim Suspension	1208,53	4.6
DLB/2820/840/DA/S	D-Line Black 2820mm 4000K DALI Dim Suspension	1208,53	4.6
DLA/3100/827/ND/S	D-Line Ano 3100mm 2700K Non Dim Suspension	1294,63	4.6
DLA/3100/830/ND/S	D-Line Ano 3100mm 3000K Non Dim Suspension	1294,63	4.6
DLA/3100/840/ND/S	D-Line Ano 3100mm 4000K Non Dim Suspension	1294,63	4.6
DLA/3100/827/A/S	D-Line Ano 3100mm 2700K 1-10V Dim Suspension	1803,04	4.6
DLA/3100/830/A/S	D-Line Ano 3100mm 3000K 1-10V Dim Suspension	1803,04	4.6
DLA/3100/840/A/S	D-Line Ano 3100mm 4000K 1-10V Dim Suspension	1803,04	4.6
DLA/3100/827/DA/S	D-Line Ano 3100mm 2700K DALI Dim Suspension	1509,10	4.6
DLA/3100/830/DA/S	D-Line Ano 3100mm 3000K DALI Dim Suspension	1509,10	4.6
DLA/3100/840/DA/S	D-Line Ano 3100mm 4000K DALI Dim Suspension	1509,10	4.6
DLW/3100/827/ND/S	D-Line White 3100mm 2700K Non Dim Suspension	1294,63	4.6
DLW/3100/830/ND/S	D-Line White 3100mm 3000K Non Dim Suspension	1294,63	4.6
DLW/3100/840/ND/S	D-Line White 3100mm 4000K Non Dim Suspension	1294,63	4.6
DLW/3100/827/A/S	D-Line White 3100mm 2700K 1-10V Dim Suspension	1803,04	4.6
DLW/3100/830/A/S	D-Line White 3100mm 3000K 1-10V Dim Suspension	1803,04	4.6
DLW/3100/840/A/S	D-Line White 3100mm 4000K 1-10V Dim Suspension	1803,04	4.6
DLW/3100/827/DA/S	D-Line White 3100mm 2700K DALI Dim Suspension	1509,10	4.6
DLW/3100/830/DA/S	D-Line White 3100mm 3000K DALI Dim Suspension	1509,10	4.6
DLW/3100/840/DA/S	D-Line White 3100mm 4000K DALI Dim Suspension	1509,10	4.6
DLB/3100/827/ND/S	D-Line Black 3100mm 2700K Non Dim Suspension	1294,63	4.6
DLB/3100/830/ND/S	D-Line Black 3100mm 3000K Non Dim Suspension	1294,63	4.6
DLB/3100/840/ND/S	D-Line Black 3100mm 4000K Non Dim Suspension	1294,63	4.6
DLB/3100/827/A/S	D-Line Black 3100mm 2700K 1-10V Dim Suspension	1803,04	4.6
DLB/3100/830/A/S	D-Line Black 3100mm 3000K 1-10V Dim Suspension	1803,04	4.6
DLB/3100/840/A/S	D-Line Black 3100mm 4000K 1-10V Dim Suspension	1803,04	4.6
DLB/3100/827/DA/S	D-Line Black 3100mm 2700K DALI Dim Suspension	1509,10	4.6
DLB/3100/830/DA/S	D-Line Black 3100mm 3000K DALI Dim Suspension	1509,10	4.6
DLB/3100/840/DA/S	D-Line Black 3100mm 4000K DALI Dim Suspension	1509,10	4.6
DLA/3380/827/ND/S	D-Line Ano 3380mm 2700K Non Dim Suspension	1372,21	4.6
DLA/3380/830/ND/S	D-Line Ano 3380mm 3000K Non Dim Suspension	1372,21	4.6
DLA/3380/840/ND/S	D-Line Ano 3380mm 4000K Non Dim Suspension	1372,21	4.6
DLA/3380/827/A/S	D-Line Ano 3380mm 2700K 1-10V Dim Suspension	1914,55	4.6
DLA/3380/830/A/S	D-Line Ano 3380mm 3000K 1-10V Dim Suspension	1914,55	4.6
DLA/3380/840/A/S	D-Line Ano 3380mm 4000K 1-10V Dim Suspension	1914,55	4.6
DLA/3380/827/DA/S	D-Line Ano 3380mm 2700K DALI Dim Suspension	1594,42	4.6
DLA/3380/830/DA/S	D-Line Ano 3380mm 3000K DALI Dim Suspension	1594,42	4.6
DLA/3380/840/DA/S	D-Line Ano 3380mm 4000K DALI Dim Suspension	1594,42	4.6
DLW/3380/827/ND/S	D-Line White 3380mm 2700K Non Dim Suspension	1372,21	4.6
DLW/3380/830/ND/S	D-Line White 3380mm 3000K Non Dim Suspension	1372,21	4.6
DLW/3380/840/ND/S	D-Line White 3380mm 4000K Non Dim Suspension	1372,21	4.6
DLW/3380/827/A/S	D-Line White 3380mm 2700K 1-10V Dim Suspension	1914,55	4.6
DLW/3380/830/A/S	D-Line White 3380mm 3000K 1-10V Dim Suspension	1914,55	4.6
DLW/3380/840/A/S	D-Line White 3380mm 4000K 1-10V Dim Suspension	1914,55	4.6
DLW/3380/827/DA/S	D-Line White 3380mm 2700K DALI Dim Suspension	1594,42	4.6
DLW/3380/830/DA/S	D-Line White 3380mm 3000K DALI Dim Suspension	1594,42	4.6
DLW/3380/840/DA/S	D-Line White 3380mm 4000K DALI Dim Suspension	1594,42	4.6
DLB/3380/827/ND/S	D-Line Black 3380mm 2700K Non Dim Suspension	1372,21	4.6
DLB/3380/830/ND/S	D-Line Black 3380mm 3000K Non Dim Suspension	1372,21	4.6
DLB/3380/840/ND/S	D-Line Black 3380mm 4000K Non Dim Suspension	1372,21	4.6
DLB/3380/827/A/S	D-Line Black 3380mm 2700K 1-10V Dim Suspension	1914,55	4.6
DLB/3380/830/A/S	D-Line Black 3380mm 3000K 1-10V Dim Suspension	1914,55	4.6
DLB/3380/840/A/S	D-Line Black 3380mm 4000K 1-10V Dim Suspension	1914,55	4.6
DLB/3380/827/DA/S	D-Line Black 3380mm 2700K DALI Dim Suspension	1594,42	4.6
DLB/3380/830/DA/S	D-Line Black 3380mm 3000K DALI Dim Suspension	1594,42	4.6
DLB/3380/840/DA/S	D-Line Black 3380mm 4000K DALI Dim Suspension	1594,42	4.6
DLA/3660/827/ND/S	D-Line Ano 3660mm 2700K Non Dim Suspension	1488,30	4.6
DLA/3660/830/ND/S	D-Line Ano 3660mm 3000K Non Dim Suspension	1488,30	4.6

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

DLA/3660/840/ND/S	D-Line Ano 3660mm 4000K Non Dim Suspension	1488,30	4.6
DLA/3660/827/A/S	D-Line Ano 3660mm 2700K 1-10V Dim Suspension	2017,95	4.6
DLA/3660/830/A/S	D-Line Ano 3660mm 3000K 1-10V Dim Suspension	2017,95	4.6
DLA/3660/840/A/S	D-Line Ano 3660mm 4000K 1-10V Dim Suspension	2017,95	4.6
DLA/3660/827/DA/S	D-Line Ano 3660mm 2700K DALI Dim Suspension	1698,63	4.6
DLA/3660/830/DA/S	D-Line Ano 3660mm 3000K DALI Dim Suspension	1698,63	4.6
DLA/3660/840/DA/S	D-Line Ano 3660mm 4000K DALI Dim Suspension	1698,63	4.6
DLW/3660/827/ND/S	D-Line White 3660mm 2700K Non Dim Suspension	1488,30	4.6
DLW/3660/830/ND/S	D-Line White 3660mm 3000K Non Dim Suspension	1488,30	4.6
DLW/3660/840/ND/S	D-Line White 3660mm 4000K Non Dim Suspension	1488,30	4.6
DLW/3660/827/A/S	D-Line White 3660mm 2700K 1-10V Dim Suspension	2017,95	4.6
DLW/3660/830/A/S	D-Line White 3660mm 3000K 1-10V Dim Suspension	2017,95	4.6
DLW/3660/840/A/S	D-Line White 3660mm 4000K 1-10V Dim Suspension	2017,95	4.6
DLW/3660/827/DA/S	D-Line White 3660mm 2700K DALI Dim Suspension	1698,63	4.6
DLW/3660/830/DA/S	D-Line White 3660mm 3000K DALI Dim Suspension	1698,63	4.6
DLW/3660/840/DA/S	D-Line White 3660mm 4000K DALI Dim Suspension	1698,63	4.6
DLB/3660/827/ND/S	D-Line Black 3660mm 2700K Non Dim Suspension	1488,30	4.6
DLB/3660/830/ND/S	D-Line Black 3660mm 3000K Non Dim Suspension	1488,30	4.6
DLB/3660/840/ND/S	D-Line Black 3660mm 4000K Non Dim Suspension	1488,30	4.6
DLB/3660/827/A/S	D-Line Black 3660mm 2700K 1-10V Dim Suspension	2017,95	4.6
DLB/3660/830/A/S	D-Line Black 3660mm 3000K 1-10V Dim Suspension	2017,95	4.6
DLB/3660/840/A/S	D-Line Black 3660mm 4000K 1-10V Dim Suspension	2017,95	4.6
DLB/3660/827/DA/S	D-Line Black 3660mm 2700K DALI Dim Suspension	1698,63	4.6
DLB/3660/830/DA/S	D-Line Black 3660mm 3000K DALI Dim Suspension	1698,63	4.6
DLB/3660/840/DA/S	D-Line Black 3660mm 4000K DALI Dim Suspension	1698,63	4.6
DLA/3940/827/ND/S	D-Line Ano 3940mm 2700K Non Dim Suspension	1542,30	4.6
DLA/3940/830/ND/S	D-Line Ano 3940mm 3000K Non Dim Suspension	1542,30	4.6
DLA/3940/840/ND/S	D-Line Ano 3940mm 4000K Non Dim Suspension	1542,30	4.6
DLA/3940/827/A/S	D-Line Ano 3940mm 2700K 1-10V Dim Suspension	2084,64	4.6
DLA/3940/830/A/S	D-Line Ano 3940mm 3000K 1-10V Dim Suspension	2084,64	4.6
DLA/3940/840/A/S	D-Line Ano 3940mm 4000K 1-10V Dim Suspension	2084,64	4.6
DLA/3940/827/DA/S	D-Line Ano 3940mm 2700K DALI Dim Suspension	1763,70	4.6
DLA/3940/830/DA/S	D-Line Ano 3940mm 3000K DALI Dim Suspension	1763,70	4.6
DLA/3940/840/DA/S	D-Line Ano 3940mm 4000K DALI Dim Suspension	1763,70	4.6
DLW/3940/827/ND/S	D-Line White 3940mm 2700K Non Dim Suspension	1542,30	4.6
DLW/3940/830/ND/S	D-Line White 3940mm 3000K Non Dim Suspension	1542,30	4.6
DLW/3940/840/ND/S	D-Line White 3940mm 4000K Non Dim Suspension	1542,30	4.6
DLW/3940/827/A/S	D-Line White 3940mm 2700K 1-10V Dim Suspension	2084,64	4.6
DLW/3940/830/A/S	D-Line White 3940mm 3000K 1-10V Dim Suspension	2084,64	4.6
DLW/3940/840/A/S	D-Line White 3940mm 4000K 1-10V Dim Suspension	2084,64	4.6
DLW/3940/827/DA/S	D-Line White 3940mm 2700K DALI Dim Suspension	1763,70	4.6
DLW/3940/830/DA/S	D-Line White 3940mm 3000K DALI Dim Suspension	1763,70	4.6
DLW/3940/840/DA/S	D-Line White 3940mm 4000K DALI Dim Suspension	1763,70	4.6
DLB/3940/827/ND/S	D-Line Black 3940mm 2700K Non Dim Suspension	1542,30	4.6
DLB/3940/830/ND/S	D-Line Black 3940mm 3000K Non Dim Suspension	1542,30	4.6
DLB/3940/840/ND/S	D-Line Black 3940mm 4000K Non Dim Suspension	1542,30	4.6
DLB/3940/827/A/S	D-Line Black 3940mm 2700K 1-10V Dim Suspension	2084,64	4.6
DLB/3940/830/A/S	D-Line Black 3940mm 3000K 1-10V Dim Suspension	2084,64	4.6
DLB/3940/840/A/S	D-Line Black 3940mm 4000K 1-10V Dim Suspension	2084,64	4.6
DLB/3940/827/DA/S	D-Line Black 3940mm 2700K DALI Dim Suspension	1763,70	4.6
DLB/3940/830/DA/S	D-Line Black 3940mm 3000K DALI Dim Suspension	1763,70	4.6
DLB/3940/840/DA/S	D-Line Black 3940mm 4000K DALI Dim Suspension	1763,70	4.6
DLA/4420/827/ND/S	D-Line Ano 4420mm 2700K Non Dim Suspension	1636,86	4.6
DLA/4420/830/ND/S	D-Line Ano 4420mm 3000K Non Dim Suspension	1636,86	4.6
DLA/4420/840/ND/S	D-Line Ano 4420mm 4000K Non Dim Suspension	1636,86	4.6
DLA/4420/827/A/S	D-Line Ano 4420mm 2700K 1-10V Dim Suspension	2167,05	4.6
DLA/4420/830/A/S	D-Line Ano 4420mm 3000K 1-10V Dim Suspension	2167,05	4.6
DLA/4420/840/A/S	D-Line Ano 4420mm 4000K 1-10V Dim Suspension	2167,05	4.6
DLA/4420/827/DA/S	D-Line Ano 4420mm 2700K DALI Dim Suspension	1846,92	4.6
DLA/4420/830/DA/S	D-Line Ano 4420mm 3000K DALI Dim Suspension	1846,92	4.6
DLA/4420/840/DA/S	D-Line Ano 4420mm 4000K DALI Dim Suspension	1846,92	4.6
DLW/4420/827/ND/S	D-Line White 4420mm 2700K Non Dim Suspension	1636,86	4.6
DLW/4420/830/ND/S	D-Line White 4420mm 3000K Non Dim Suspension	1636,86	4.6
DLW/4420/840/ND/S	D-Line White 4420mm 4000K Non Dim Suspension	1636,86	4.6
DLW/4420/827/A/S	D-Line White 4420mm 2700K 1-10V Dim Suspension	2167,05	4.6
DLW/4420/830/A/S	D-Line White 4420mm 3000K 1-10V Dim Suspension	2167,05	4.6
DLW/4420/840/A/S	D-Line White 4420mm 4000K 1-10V Dim Suspension	2167,05	4.6
DLW/4420/827/DA/S	D-Line White 4420mm 2700K DALI Dim Suspension	1846,92	4.6
DLW/4420/830/DA/S	D-Line White 4420mm 3000K DALI Dim Suspension	1846,92	4.6
DLW/4420/840/DA/S	D-Line White 4420mm 4000K DALI Dim Suspension	1846,92	4.6
DLB/4420/827/ND/S	D-Line Black 4420mm 2700K Non Dim Suspension	1636,86	4.6
DLB/4420/830/ND/S	D-Line Black 4420mm 3000K Non Dim Suspension	1636,86	4.6
DLB/4420/840/ND/S	D-Line Black 4420mm 4000K Non Dim Suspension	1636,86	4.6
DLB/4420/827/A/S	D-Line Black 4420mm 2700K 1-10V Dim Suspension	2167,05	4.6
DLB/4420/830/A/S	D-Line Black 4420mm 3000K 1-10V Dim Suspension	2167,05	4.6
DLB/4420/840/A/S	D-Line Black 4420mm 4000K 1-10V Dim Suspension	2167,05	4.6
DLB/4420/827/DA/S	D-Line Black 4420mm 2700K DALI Dim Suspension	1846,92	4.6
DLB/4420/830/DA/S	D-Line Black 4420mm 3000K DALI Dim Suspension	1846,92	4.6
DLB/4420/840/DA/S	D-Line Black 4420mm 4000K DALI Dim Suspension	1846,92	4.6
DLA/4500/827/ND/S	D-Line Ano 4500mm 2700K Non Dim Suspension	1704,29	4.6
DLA/4500/830/ND/S	D-Line Ano 4500mm 3000K Non Dim Suspension	1704,29	4.6
DLA/4500/840/ND/S	D-Line Ano 4500mm 4000K Non Dim Suspension	1704,29	4.6
DLA/4500/827/A/S	D-Line Ano 4500mm 2700K 1-10V Dim Suspension	2247,17	4.6
DLA/4500/830/A/S	D-Line Ano 4500mm 3000K 1-10V Dim Suspension	2247,17	4.6

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

DLA/4500/840/A/S	D-Line Ano 4500mm 4000K 1-10V Dim Suspension	2247,17	4.6
DLA/4500/827/DA/S	D-Line Ano 4500mm 2700K DALI Dim Suspension	1914,35	4.6
DLA/4500/830/DA/S	D-Line Ano 4500mm 3000K DALI Dim Suspension	1914,35	4.6
DLA/4500/840/DA/S	D-Line Ano 4500mm 4000K DALI Dim Suspension	1914,35	4.6
DLW/4500/827/ND/S	D-Line White 4500mm 2700K Non Dim Suspension	1704,29	4.6
DLW/4500/830/ND/S	D-Line White 4500mm 3000K Non Dim Suspension	1704,29	4.6
DLW/4500/840/ND/S	D-Line White 4500mm 4000K Non Dim Suspension	1704,29	4.6
DLW/4500/827/A/S	D-Line White 4500mm 2700K 1-10V Dim Suspension	2247,17	4.6
DLW/4500/830/A/S	D-Line White 4500mm 3000K 1-10V Dim Suspension	2247,17	4.6
DLW/4500/840/A/S	D-Line White 4500mm 4000K 1-10V Dim Suspension	2247,17	4.6
DLW/4500/827/DA/S	D-Line White 4500mm 2700K DALI Dim Suspension	1914,35	4.6
DLW/4500/830/DA/S	D-Line White 4500mm 3000K DALI Dim Suspension	1914,35	4.6
DLW/4500/840/DA/S	D-Line White 4500mm 4000K DALI Dim Suspension	1914,35	4.6
DLB/4500/827/ND/S	D-Line Black 4500mm 2700K Non Dim Suspension	1704,29	4.6
DLB/4500/830/ND/S	D-Line Black 4500mm 3000K Non Dim Suspension	1704,29	4.6
DLB/4500/840/ND/S	D-Line Black 4500mm 4000K Non Dim Suspension	1704,29	4.6
DLB/4500/827/A/S	D-Line Black 4500mm 2700K 1-10V Dim Suspension	2247,17	4.6
DLB/4500/830/A/S	D-Line Black 4500mm 3000K 1-10V Dim Suspension	2247,17	4.6
DLB/4500/840/A/S	D-Line Black 4500mm 4000K 1-10V Dim Suspension	2247,17	4.6
DLB/4500/827/DA/S	D-Line Black 4500mm 2700K DALI Dim Suspension	1914,35	4.6
DLB/4500/830/DA/S	D-Line Black 4500mm 3000K DALI Dim Suspension	1914,35	4.6
DLB/4500/840/DA/S	D-Line Black 4500mm 4000K DALI Dim Suspension	1914,35	4.6
Powerline options & parts			
AT/MC60/B	Mounting connecting box Ø 60mm matt black texture	19,80	
AT/MC60/W	Mounting connecting box Ø 60mm matt white texture	19,80	
AT/MC80/B	Mounting connecting box Ø 80mm matt black texture	21,90	
AT/MC80/W	Mounting connecting box Ø 80mm matt white texture	21,90	
AT/PS/2000	Magn. High Track Suspension set 2000mm (incl. ceiling fix)	12,60	
AT/PS/5000	Magn. High Track Suspension set 5000mm (incl. ceiling fix)	18,38	
AT/RC60/B	Recessed connecting box Ø 60mm matt black texture	19,80	
AT/RC60/W	Recessed connecting box Ø 60mm matt white texture	19,80	
AT/RC90/B	Recessed connecting box Ø 90mm matt black texture	21,90	
AT/RC90/W	Recessed connecting box Ø 90mm matt white texture	21,90	
AT/SB/B	Black mounting connecting box (rect)	35,94	
AT/SB/W	White mounting connecting box (rect)	35,94	
PL/180	Profile connector 180°	12,60	
PL/90	Profile connector 90°	18,90	
PL/ALS	Ambient light/motion sensor/DALI incl. remote	265,02	
PL/BTC	Black transparant PMMA diffusor/m	22,05	
PL/CAS	PL Casambi DALI build-in	141,10	
PL/MAT	PL Matter Dali Build-in	141,10	
PL/CS/2000/B	3x0,75mm ² - 2000mm - black	22,05	
PL/CS/2000/T	3x0,75mm ² - 2000mm - transparant	8,40	
PL/CS/5000/B	3x0,75mm ² - 5000mm - black	30,45	
PL/CS/5000/T	3x0,75mm ² - 5000mm - transparant	18,90	
PL/D3F/B	Double 3F adapter option black	81,90	
PL/D3F/W	Double 3F adapter option white	81,90	
PL/EC	Extra circuit per meter	29,40	
PL/EC/A	End cap Alu Ano	21,11	
PL/EC/B	End cap matt black tex.	21,11	
PL/EC/W	End cap matt white tex.	21,11	
PL/EM	Emergency module 3hrs.	223,02	
PL/MT	Motion detector incl. profile 100mm	203,70	
PL/PBA	Push button dimming/DALI	63,00	
PL/PC	Profile cut 180°/45°	12,00	
PL/S3F/B	Single rotor 3F adapter black	54,60	
PL/S3F/W	Single rotor 3F adapter white	54,60	
PL/SAD	Stand alone DALI/detection sensor	254,52	
PL/SC	Silicone compound modules IP65	21,00	
PL/WBS	Wall bracket set (2pcs mounted)	63,00	
PLA/001	Powerline Profile empty + PMMA cover Aluminium Anodised /m	100,74	
PLA/002	Powerline Profile empty + BLIND cover Aluminium Anodised /m	131,25	
PLB/001	Powerline Profile empty + PMMA cover Matt black texture /m	100,74	
PLB/002	Powerline Profile empty + BLIND cove Matt black texture /m	131,25	
PLW/001	Powerline Profile empty + PMMA cover Matt white texture /m	100,74	
PLW/002	Powerline Profile empty + BLIND cover Matt white texture /m	131,25	
PLB/DL4/930/D	Dot Line R4 930 - matt black texture dali dim	292,95	
PLB/DL4/930/PD	Dot Line R4 930 - matt black texture phase dim	253,05	
PLW/DL4/930/D	Dot Line R4 930 - matt White texture dali dim	292,95	
PLW/DL4/930/PD	Dot Line R4 930 - matt White texture phase dim	253,05	
PLB/DL7/930/D	Dot Line R7 930 - matt black texture dali dim	351,20	
PLB/DL7/930/PD	Dot Line R7 930 - matt black texture phase dim	311,30	
PLW/DL7/930/D	Dot Line R7 930 - matt White texture dali dim	351,20	
PLW/DL7/930/PD	Dot Line R7 930 - matt White texture phase dim	311,30	
PLB/MT/927/D	Micro Tube single 927 - matt black texture dali dim	295,05	
PLB/MT/927/PD	Micro Tube single 927 - matt black texture phase dim	232,05	
PLB/MT/930/D	Micro Tube single 930 - matt black texture dali dim	295,05	
PLB/MT/930/PD	Micro Tube single 930 - matt black texture phase dim	232,05	
PLB/MT2/927/D	Micro Tube double 927 - matt black texture dali dim	383,25	
PLB/MT2/927/PD	Micro Tube double 927 - matt black texture phase dim	323,40	
PLB/MT2/930/D	Micro Tube double 930 - matt black texture dali dim	383,25	
PLB/MT2/930/PD	Micro Tube double 930 - matt black texture phase dim	323,40	
PLB/NT/927/D	Nano Tube Suspension 927 - matt black texture DALI dim	341,25	
PLB/NT/927/PD	Nano Tube Suspension 927 - matt black texture phase dim	299,25	

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

PLB/NT/930/D	Nano Tube Suspension 930 - matt black texture DALI dim	341,25	
PLB/NT/930/PD	Nano Tube Suspension 930 - matt black texture phase dim	299,25	
PLR/EC/A	End cap powerline recessed ALU ano	30,90	
PLR/EC/B	End cap powerline recessed black tex.	30,90	
PLR/EC/W	End cap powerline recessed white tex.	30,90	
PLR/MBR	Mounting bracket powerline recessed	16,80	
PLRA/001	Profile Recessed with PC diffusor ALU ano	103,35	
PLRA/002	Profile Recessed with alu cover ALU ano	134,40	
PLRB/001	Profile Recessed with PC diffusor black tex.	103,35	
PLRB/002	Profile Recessed with alu cover black tex.	134,40	
PLRW/001	Profile Recessed with PC diffusor white tex.	103,35	
PLRW/002	Profile Recessed with alu cover white tex.	134,40	
PLBR/001	Powerline Profile empty + PMMA Cover Bronze /m	154,61	
PLGN/001	Powerline Profile empty + PMMA Cover Gun Metal Bronze /m	154,61	
PLCH/001	Powerline Profile empty + PMMA Cover Champagne /m	154,61	
PLBR/002	Powerline Profile empty + BLIND cover Bronze /m	200,99	
PLGN/002	Powerline Profile empty + BLIND cover Gun Metal Bronze /m	200,99	
PLCH/002	Powerline Profile empty + BLIND cover Champagne /m	200,99	
PLBR/EC	Powerline End cap Bronze	32,72	
PLGM/EC	Powerline End cap Gun Metal Bronze	32,72	
PLCH/EC	Powerline End cap Champagne	32,72	
PLBR/NA/927/16/PD	PL Nala Single 927-16°-Bronze Phase Dim	352,02	
PLGN/NA/927/16/PD	PL Nala Single 927-16°-Gun Metal Bronze Phase Dim	352,02	
PLCH/NA/927/16/PD	PL Nala Single 927-16°-Champagne Phase Dim	352,02	
PLBR/NA/927/36/PD	PL Nala Single 927-36°-Bronze Phase Dim	352,02	
PLGN/NA/927/36/PD	PL Nala Single 927-36°-Gun Metal Bronze Phase Dim	352,02	
PLCH/NA/927/36/PD	PL Nala Single 927-36°-Champagne Phase Dim	352,02	
PLBR/NA/927/50/PD	PL Nala Single 927-50°-Bronze Phase Dim	352,02	
PLGN/NA/927/50/PD	PL Nala Single 927-50°-Gun Metal Bronze Phase Dim	352,02	
PLCH/NA/927/50/PD	PL Nala Single 927-50°-Champagne Phase Dim	352,02	
PLBR/NA/930/16/PD	PL Nala Single 930-16°-Bronze Phase Dim	352,02	
PLGN/NA/930/16/PD	PL Nala Single 930-16°-Gun Metal Bronze Phase Dim	352,02	
PLCH/NA/930/16/PD	PL Nala Single 930-16°-Champagne Phase Dim	352,02	
PLBR/NA/930/36/PD	PL Nala Single 930-36°-Bronze Phase Dim	352,02	
PLGN/NA/930/36/PD	PL Nala Single 930-36°-Gun Metal Bronze Phase Dim	352,02	
PLCH/NA/930/36/PD	PL Nala Single 930-36°-Champagne Phase Dim	352,02	
PLBR/NA/930/50/PD	PL Nala Single 930-50°-Bronze Phase Dim	352,02	
PLGN/NA/930/50/PD	PL Nala Single 930-50°-Gun Metal Bronze Phase Dim	352,02	
PLCH/NA/930/50/PD	PL Nala Single 930-50°-Champagne Phase Dim	352,02	
PLBR/NA/927/16/D	PL Nala Single 927-16°-Bronze Dali	411,47	
PLGN/NA/927/16/D	PL Nala Single 927-16°-Gun Metal Bronze Dali	411,47	
PLCH/NA/927/16/D	PL Nala Single 927-16°-Champagne Dali	411,47	
PLBR/NA/927/36/D	PL Nala Single 927-36°-Bronze Dali	411,47	
PLGN/NA/927/36/D	PL Nala Single 927-36°-Gun Metal Bronze Dali	411,47	
PLCH/NA/927/36/D	PL Nala Single 927-36°-Champagne Dali	411,47	
PLBR/NA/927/50/D	PL Nala Single 927-50°-Bronze Dali	411,47	
PLGN/NA/927/50/D	PL Nala Single 927-50°-Gun Metal Bronze Dali	411,47	
PLCH/NA/927/50/D	PL Nala Single 927-50°-Champagne Dali	411,47	
PLBR/NA/930/16/D	PL Nala Single 930-16°-Bronze Dali	411,47	
PLGN/NA/930/16/D	PL Nala Single 930-16°-Gun Metal Bronze Dali	411,47	
PLCH/NA/930/16/D	PL Nala Single 930-16°-Champagne Dali	411,47	
PLBR/NA/930/36/D	PL Nala Single 930-36°-Bronze Dali	411,47	
PLGN/NA/930/36/D	PL Nala Single 930-36°-Gun Metal Bronze Dali	411,47	
PLCH/NA/930/36/D	PL Nala Single 930-36°-Champagne Dali	411,47	
PLBR/NA/930/50/D	PL Nala Single 930-50°-Bronze Dali	411,47	
PLGN/NA/930/50/D	PL Nala Single 930-50°-Gun Metal Bronze Dali	411,47	
PLCH/NA/930/50/D	PL Nala Single 930-50°-Champagne Dali	411,47	
PLBR/NA2/927/16/PD	PL Nala Double 927-16°-Bronze Phase Dim	577,37	
PLGN/NA2/927/16/PD	PL Nala Double 927-16°-Gun Metal Bronze Phase Dim	577,37	
PLCH/NA2/927/16/PD	PL Nala Double 927-16°-Champagne Phase Dim	577,37	
PLBR/NA2/927/36/PD	PL Nala Double 927-36°-Bronze Phase Dim	577,37	
PLGN/NA2/927/36/PD	PL Nala Double 927-36°-Gun Metal Bronze Phase Dim	577,37	
PLCH/NA2/927/36/PD	PL Nala Double 927-36°-Champagne Phase Dim	577,37	
PLBR/NA2/927/50/PD	PL Nala Double 927-50°-Bronze Phase Dim	577,37	
PLGN/NA2/927/50/PD	PL Nala Double 927-50°-Gun Metal Bronze Phase Dim	577,37	
PLCH/NA2/927/50/PD	PL Nala Double 927-50°-Champagne Phase Dim	577,37	
PLBR/NA2/930/16/PD	PL Nala Double 930-16°-Bronze Phase Dim	577,37	
PLGN/NA2/930/16/PD	PL Nala Double 930-16°-Gun Metal Bronze Phase Dim	577,37	
PLCH/NA2/930/16/PD	PL Nala Double 930-16°-Champagne Phase Dim	577,37	
PLBR/NA2/930/36/PD	PL Nala Double 930-36°-Bronze Phase Dim	577,37	
PLGN/NA2/930/36/PD	PL Nala Double 930-36°-Gun Metal Bronze Phase Dim	577,37	
PLCH/NA2/930/36/PD	PL Nala Double 930-36°-Champagne Phase Dim	577,37	
PLBR/NA2/930/50/PD	PL Nala Double 930-50°-Bronze Phase Dim	577,37	
PLGN/NA2/930/50/PD	PL Nala Double 930-50°-Gun Metal Bronze Phase Dim	577,37	
PLCH/NA2/930/50/PD	PL Nala Double 930-50°-Champagne Phase Dim	577,37	
PLBR/NA2/927/16/D	PL Nala Double 927-16°-Bronze Dali	632,72	
PLGN/NA2/927/16/D	PL Nala Double 927-16°-Gun Metal Bronze Dali	632,72	
PLCH/NA2/927/16/D	PL Nala Double 927-16°-Champagne Dali	632,72	
PLBR/NA2/927/36/D	PL Nala Double 927-36°-Bronze Dali	632,72	
PLGN/NA2/927/36/D	PL Nala Double 927-36°-Gun Metal Bronze Dali	632,72	
PLCH/NA2/927/36/D	PL Nala Double 927-36°-Champagne Dali	632,72	
PLBR/NA2/927/50/D	PL Nala Double 927-50°-Bronze Dali	632,72	
PLGN/NA2/927/50/D	PL Nala Double 927-50°-Gun Metal Bronze Dali	632,72	
PLCH/NA2/927/50/D	PL Nala Double 927-50°-Champagne Dali	632,72	

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

PLBR/NA2/930/16/D	PL Nala Double 930-16°-Bronze Dali	632,72	
PLGN/NA2/930/16/D	PL Nala Double 930-16°-Gun Metal Bronze Dali	632,72	
PLCH/NA2/930/16/D	PL Nala Double 930-16°-Champagne Dali	632,72	
PLBR/NA2/930/36/D	PL Nala Double 930-36°-Bronze Dali	632,72	
PLGN/NA2/930/36/D	PL Nala Double 930-36°-Gun Metal Bronze Dali	632,72	
PLCH/NA2/930/36/D	PL Nala Double 930-36°-Champagne Dali	632,72	
PLBR/NA2/930/50/D	PL Nala Double 930-50°-Bronze Dali	632,72	
PLGN/NA2/930/50/D	PL Nala Double 930-50°-Gun Metal Bronze Dali	632,72	
PLCH/NA2/930/50/D	PL Nala Double 930-50°-Champagne Dali	632,72	
PLBR/DL4/930/PD	PL Dot Line R4 930 - Bronze Phase DIM	265,89	
PLGM/DL4/930/PD	PL Dot Line R4 930 - Gun Metal Bronze Phase DIM	265,89	
PLCH/DL4/930/PD	PL Dot Line R4 930 - Champagne Phase DIM	265,89	
PLBR/DL4/930/D	PL Dot Line R4 930 - Bronze Dali	304,84	
PLGM/DL4/930/D	PL Dot Line R4 930 - Gun Metal Bronze Dali	304,84	
PLCH/DL4/930/D	PL Dot Line R4 930 - Champagne Dali	304,84	
PLBR/DL7/930/PD	PL Dot Line R7 930 - Bronze Phase DIM	332,59	
PLGM/DL7/930/PD	PL Dot Line R7 930 - Gun Metal Bronze Phase DIM	332,59	
PLCH/DL7/930/PD	PL Dot Line R7 930 - Champagne Phase DIM	332,59	
PLBR/DL7/930/D	PL Dot Line R7 930 - Bronze Dali	371,54	
PLGM/DL7/930/D	PL Dot Line R7 930 - Gun Metal Bronze Dali	371,54	
PLCH/DL7/930/D	PL Dot Line R7 930 - Champagne Dali	371,54	
PLBR/NS1/927/16/PD	PL Nala Susp S 927-16° - Bronze Phase Dim	403,27	
PLGM/NS1/927/16/PD	PL Nala Susp S 927-16° - Gun Metal Bronze Phase Dim	403,27	
PLCH/NS1/927/16/PD	PL Nala Susp S 927-16° - Champagne Phase Dim	403,27	
PLBR/NS1/927/36/PD	PL Nala Susp S 927-36° - Bronze Phase Dim	403,27	
PLGM/NS1/927/36/PD	PL Nala Susp S 927-36° - Gun Metal Bronze Phase Dim	403,27	
PLCH/NS1/927/36/PD	PL Nala Susp S 927-36° - Champagne Phase Dim	403,27	
PLBR/NS1/927/50/PD	PL Nala Susp S 927-50° - Bronze Phase Dim	403,27	
PLGM/NS1/927/50/PD	PL Nala Susp S 927-50° - Gun Metal Bronze Phase Dim	403,27	
PLCH/NS1/927/50/PD	PL Nala Susp S 927-50° - Champagne Phase Dim	403,27	
PLBR/NS1/930/16/PD	PL Nala Susp S 930-16° - Bronze Phase Dim	403,27	
PLGM/NS1/930/16/PD	PL Nala Susp S 930-16° - Gun Metal Bronze Phase Dim	403,27	
PLCH/NS1/930/16/PD	PL Nala Susp S 930-16° - Champagne Phase Dim	403,27	
PLBR/NS1/930/36/PD	PL Nala Susp S 930-36° - Bronze Phase Dim	403,27	
PLGM/NS1/930/36/PD	PL Nala Susp S 930-36° - Gun Metal Bronze Phase Dim	403,27	
PLCH/NS1/930/36/PD	PL Nala Susp S 930-36° - Champagne Phase Dim	403,27	
PLBR/NS1/930/50/PD	PL Nala Susp S 930-50° - Bronze Phase Dim	403,27	
PLGM/NS1/930/50/PD	PL Nala Susp S 930-50° - Gun Metal Bronze Phase Dim	403,27	
PLCH/NS1/930/50/PD	PL Nala Susp S 930-50° - Champagne Phase Dim	403,27	
PLBR/NS1/927/16/D	PL Nala Susp S 927-16° - Bronze Dali	462,72	
PLGM/NS1/927/16/D	PL Nala Susp S 927-16° - Gun Metal Bronze Dali	462,72	
PLCH/NS1/927/16/D	PL Nala Susp S 927-16° - Champagne Dali	462,72	
PLBR/NS1/927/36/D	PL Nala Susp S 927-36° - Bronze Dali	462,72	
PLGM/NS1/927/36/D	PL Nala Susp S 927-36° - Gun Metal Bronze Dali	462,72	
PLCH/NS1/927/36/D	PL Nala Susp S 927-36° - Champagne Dali	462,72	
PLBR/NS1/927/50/D	PL Nala Susp S 927-50° - Bronze Dali	462,72	
PLGM/NS1/927/50/D	PL Nala Susp S 927-50° - Gun Metal Bronze Dali	462,72	
PLCH/NS1/927/50/D	PL Nala Susp S 927-50° - Champagne Dali	462,72	
PLBR/NS1/930/16/D	PL Nala Susp S 930-16° - Bronze Dali	462,72	
PLGM/NS1/930/16/D	PL Nala Susp S 930-16° - Gun Metal Bronze Dali	462,72	
PLCH/NS1/930/16/D	PL Nala Susp S 930-16° - Champagne Dali	462,72	
PLBR/NS1/930/36/D	PL Nala Susp S 930-36° - Bronze Dali	462,72	
PLGM/NS1/930/36/D	PL Nala Susp S 930-36° - Gun Metal Bronze Dali	462,72	
PLCH/NS1/930/36/D	PL Nala Susp S 930-36° - Champagne Dali	462,72	
PLBR/NS1/930/50/D	PL Nala Susp S 930-50° - Bronze Dali	462,72	
PLGM/NS1/930/50/D	PL Nala Susp S 930-50° - Gun Metal Bronze Dali	462,72	
PLCH/NS1/930/50/D	PL Nala Susp S 930-50° - Champagne Dali	462,72	
PLBR/NS2/927/16/PD	PL Nala Susp M 927-16° - Bronze Phase Dim	428,84	
PLGM/NS2/927/16/PD	PL Nala Susp M 927-16° - Gun Metal Bronze Phase Dim	428,84	
PLCH/NS2/927/16/PD	PL Nala Susp M 927-16° - Champagne Phase Dim	428,84	
PLBR/NS2/927/36/PD	PL Nala Susp M 927-36° - Bronze Phase Dim	428,84	
PLGM/NS2/927/36/PD	PL Nala Susp M 927-36° - Gun Metal Bronze Phase Dim	428,84	
PLCH/NS2/927/36/PD	PL Nala Susp M 927-36° - Champagne Phase Dim	428,84	
PLBR/NS2/927/50/PD	PL Nala Susp M 927-50° - Bronze Phase Dim	428,84	
PLGM/NS2/927/50/PD	PL Nala Susp M 927-50° - Gun Metal Bronze Phase Dim	428,84	
PLCH/NS2/927/50/PD	PL Nala Susp M 927-50° - Champagne Phase Dim	428,84	
PLBR/NS2/930/16/PD	PL Nala Susp M 930-16° - Bronze Phase Dim	428,84	
PLGM/NS2/930/16/PD	PL Nala Susp M 930-16° - Gun Metal Bronze Phase Dim	428,84	
PLCH/NS2/930/16/PD	PL Nala Susp M 930-16° - Champagne Phase Dim	428,84	
PLBR/NS2/930/36/PD	PL Nala Susp M 930-36° - Bronze Phase Dim	428,84	
PLGM/NS2/930/36/PD	PL Nala Susp M 930-36° - Gun Metal Bronze Phase Dim	428,84	
PLCH/NS2/930/36/PD	PL Nala Susp M 930-36° - Champagne Phase Dim	428,84	
PLBR/NS2/930/50/PD	PL Nala Susp M 930-50° - Bronze Phase Dim	428,84	
PLGM/NS2/930/50/PD	PL Nala Susp M 930-50° - Gun Metal Bronze Phase Dim	428,84	
PLCH/NS2/930/50/PD	PL Nala Susp M 930-50° - Champagne Phase Dim	428,84	
PLBR/NS2/927/16/D	PL Nala Susp M 927-16° - Bronze Dali	488,29	
PLGM/NS2/927/16/D	PL Nala Susp M 927-16° - Gun Metal Bronze Dali	488,29	
PLCH/NS2/927/16/D	PL Nala Susp M 927-16° - Champagne Dali	488,29	
PLBR/NS2/927/36/D	PL Nala Susp M 927-36° - Bronze Dali	488,29	
PLGM/NS2/927/36/D	PL Nala Susp M 927-36° - Gun Metal Bronze Dali	488,29	
PLCH/NS2/927/36/D	PL Nala Susp M 927-36° - Champagne Dali	488,29	
PLBR/NS2/927/50/D	PL Nala Susp M 927-50° - Bronze Dali	488,29	
PLGM/NS2/927/50/D	PL Nala Susp M 927-50° - Gun Metal Bronze Dali	488,29	
PLCH/NS2/927/50/D	PL Nala Susp M 927-50° - Champagne Dali	488,29	

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

PLBR/NS2/930/16/D	PL Nala Susp M 930-16°- Bronze Dali	488,29	
PLGM/NS2/930/16/D	PL Nala Susp M 930-16°- Gun Metal Bronze Dali	488,29	
PLCH/NS2/930/16/D	PL Nala Susp M 930-16°- Champagne Dali	488,29	
PLBR/NS2/930/36/D	PL Nala Susp M 930-36°- Bronze Dali	488,29	
PLGM/NS2/930/36/D	PL Nala Susp M 930-36°- Gun Metal Bronze Dali	488,29	
PLCH/NS2/930/36/D	PL Nala Susp M 930-36°- Champagne Dali	488,29	
PLBR/NS2/930/50/D	PL Nala Susp M 930-50°- Bronze Dali	488,29	
PLGM/NS2/930/50/D	PL Nala Susp M 930-50°- Gun Metal Bronze Dali	488,29	
PLCH/NS2/930/50/D	PL Nala Susp M 930-50°- Champagne Dali	488,29	
PLBR/NS3/927/16/PD	PL Nala Susp L 927-16°- Bronze Phase Dim	442,83	
PLGM/NS3/927/16/PD	PL Nala Susp L 927-16°- Gun Metal Bronze Phase Dim	442,83	
PLCH/NS3/927/16/PD	PL Nala Susp L 927-16°- Champagne Phase Dim	442,83	
PLBR/NS3/927/36/PD	PL Nala Susp L 927-36°- Bronze Phase Dim	442,83	
PLGM/NS3/927/36/PD	PL Nala Susp L 927-36°- Gun Metal Bronze Phase Dim	442,83	
PLCH/NS3/927/36/PD	PL Nala Susp L 927-36°- Champagne Phase Dim	442,83	
PLBR/NS3/927/50/PD	PL Nala Susp L 927-50°- Bronze Phase Dim	442,83	
PLGM/NS3/927/50/PD	PL Nala Susp L 927-50°- Gun Metal Bronze Phase Dim	442,83	
PLCH/NS3/927/50/PD	PL Nala Susp L 927-50°- Champagne Phase Dim	442,83	
PLBR/NS3/930/16/PD	PL Nala Susp L 930-16°- Bronze Phase Dim	442,83	
PLGM/NS3/930/16/PD	PL Nala Susp L 930-16°- Gun Metal Bronze Phase Dim	442,83	
PLCH/NS3/930/16/PD	PL Nala Susp L 930-16°- Champagne Phase Dim	442,83	
PLBR/NS3/930/36/PD	PL Nala Susp L 930-36°- Bronze Phase Dim	442,83	
PLGM/NS3/930/36/PD	PL Nala Susp L 930-36°- Gun Metal Bronze Phase Dim	442,83	
PLCH/NS3/930/36/PD	PL Nala Susp L 930-36°- Champagne Phase Dim	442,83	
PLBR/NS3/930/50/PD	PL Nala Susp L 930-50°- Bronze Phase Dim	442,83	
PLGM/NS3/930/50/PD	PL Nala Susp L 930-50°- Gun Metal Bronze Phase Dim	442,83	
PLCH/NS3/930/50/PD	PL Nala Susp L 930-50°- Champagne Phase Dim	442,83	
PLBR/NS3/927/16/D	PL Nala Susp L 927-16°- Bronze Dali	502,28	
PLGM/NS3/927/16/D	PL Nala Susp L 927-16°- Gun Metal Bronze Dali	502,28	
PLCH/NS3/927/16/D	PL Nala Susp L 927-16°- Champagne Dali	502,28	
PLBR/NS3/927/36/D	PL Nala Susp L 927-36°- Bronze Dali	502,28	
PLGM/NS3/927/36/D	PL Nala Susp L 927-36°- Gun Metal Bronze Dali	502,28	
PLCH/NS3/927/36/D	PL Nala Susp L 927-36°- Champagne Dali	502,28	
PLBR/NS3/927/50/D	PL Nala Susp L 927-50°- Bronze Dali	502,28	
PLGM/NS3/927/50/D	PL Nala Susp L 927-50°- Gun Metal Bronze Dali	502,28	
PLCH/NS3/927/50/D	PL Nala Susp L 927-50°- Champagne Dali	502,28	
PLBR/NS3/930/16/D	PL Nala Susp L 930-16°- Bronze Dali	502,28	
PLGM/NS3/930/16/D	PL Nala Susp L 930-16°- Gun Metal Bronze Dali	502,28	
PLCH/NS3/930/16/D	PL Nala Susp L 930-16°- Champagne Dali	502,28	
PLBR/NS3/930/36/D	PL Nala Susp L 930-36°- Bronze Dali	502,28	
PLGM/NS3/930/36/D	PL Nala Susp L 930-36°- Gun Metal Bronze Dali	502,28	
PLCH/NS3/930/36/D	PL Nala Susp L 930-36°- Champagne Dali	502,28	
PLBR/NS3/930/50/D	PL Nala Susp L 930-50°- Bronze Dali	502,28	
PLGM/NS3/930/50/D	PL Nala Susp L 930-50°- Gun Metal Bronze Dali	502,28	
PLCH/NS3/930/50/D	PL Nala Susp L 930-50°- Champagne Dali	502,28	
Powerline Recessed			
PLRA/580/827/ND/O	Powerline Recessed Ano 580mm 2700K Non Dim	306,86	4.6
PLRA/580/830/ND/O	Powerline Recessed Ano 580mm 3000K Non Dim	306,86	4.6
PLRA/580/840/ND/O	Powerline Recessed Ano 580mm 4000K Non Dim	306,86	4.6
PLRA/580/827/A/O	Powerline Recessed Ano 580mm 2700K 1-10V Dim	378,43	4.6
PLRA/580/830/A/O	Powerline Recessed Ano 580mm 3000K 1-10V Dim	378,43	4.6
PLRA/580/840/A/O	Powerline Recessed Ano 580mm 4000K 1-10V Dim	378,43	4.6
PLRA/580/827/DA/O	Powerline Recessed Ano 580mm 2700K DALI Dim	349,09	4.6
PLRA/580/830/DA/O	Powerline Recessed Ano 580mm 3000K DALI Dim	349,09	4.6
PLRA/580/840/DA/O	Powerline Recessed Ano 580mm 4000K DALI Dim	349,09	4.6
PLRW/580/827/ND/O	Powerline Recessed White 580mm 2700K Non Dim	306,86	4.6
PLRW/580/830/ND/O	Powerline Recessed White 580mm 3000K Non Dim	306,86	4.6
PLRW/580/840/ND/O	Powerline Recessed White 580mm 4000K Non Dim	306,86	4.6
PLRW/580/827/A/O	Powerline Recessed White 580mm 2700K 1-10V Dim	378,43	4.6
PLRW/580/830/A/O	Powerline Recessed White 580mm 3000K 1-10V Dim	378,43	4.6
PLRW/580/840/A/O	Powerline Recessed White 580mm 4000K 1-10V Dim	378,43	4.6
PLRW/580/827/DA/O	Powerline Recessed White 580mm 2700K DALI Dim	349,09	4.6
PLRW/580/830/DA/O	Powerline Recessed White 580mm 3000K DALI Dim	349,09	4.6
PLRW/580/840/DA/O	Powerline Recessed White 580mm 4000K DALI Dim	349,09	4.6
PLRB/580/827/ND/O	Powerline Recessed Black 580mm 2700K Non Dim	306,86	4.6
PLRB/580/830/ND/O	Powerline Recessed Black 580mm 3000K Non Dim	306,86	4.6
PLRB/580/840/ND/O	Powerline Recessed Black 580mm 4000K Non Dim	306,86	4.6
PLRB/580/827/A/O	Powerline Recessed Black 580mm 2700K 1-10V Dim	378,43	4.6
PLRB/580/830/A/O	Powerline Recessed Black 580mm 3000K 1-10V Dim	378,43	4.6
PLRB/580/840/A/O	Powerline Recessed Black 580mm 4000K 1-10V Dim	378,43	4.6
PLRB/580/827/DA/O	Powerline Recessed Black 580mm 2700K DALI Dim	349,09	4.6
PLRB/580/830/DA/O	Powerline Recessed Black 580mm 3000K DALI Dim	349,09	4.6
PLRB/580/840/DA/O	Powerline Recessed Black 580mm 4000K DALI Dim	349,09	4.6
PLRA/860/827/ND/O	Powerline Recessed Ano 860mm 2700K Non Dim	358,64	4.6
PLRA/860/830/ND/O	Powerline Recessed Ano 860mm 3000K Non Dim	358,64	4.6
PLRA/860/840/ND/O	Powerline Recessed Ano 860mm 4000K Non Dim	358,64	4.6
PLRA/860/827/A/O	Powerline Recessed Ano 860mm 2700K 1-10V Dim	423,08	4.6
PLRA/860/830/A/O	Powerline Recessed Ano 860mm 3000K 1-10V Dim	423,08	4.6
PLRA/860/840/A/O	Powerline Recessed Ano 860mm 4000K 1-10V Dim	423,08	4.6
PLRA/860/827/DA/O	Powerline Recessed Ano 860mm 2700K DALI Dim	400,90	4.6
PLRA/860/830/DA/O	Powerline Recessed Ano 860mm 3000K DALI Dim	400,90	4.6
PLRA/860/840/DA/O	Powerline Recessed Ano 860mm 4000K DALI Dim	400,90	4.6
PLRW/860/827/ND/O	Powerline Recessed White 860mm 2700K Non Dim	358,64	4.6
PLRW/860/830/ND/O	Powerline Recessed White 860mm 3000K Non Dim	358,64	4.6

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

PLRW/860/840/ND/O	Powerline Recessed White 860mm 4000K Non Dim	358,64	4.6
PLRW/860/827/A/O	Powerline Recessed White 860mm 2700K 1-10V Dim	423,08	4.6
PLRW/860/830/A/O	Powerline Recessed White 860mm 3000K 1-10V Dim	423,08	4.6
PLRW/860/840/A/O	Powerline Recessed White 860mm 4000K 1-10V Dim	423,08	4.6
PLRW/860/827/DA/O	Powerline Recessed White 860mm 2700K DALI Dim	400,90	4.6
PLRW/860/830/DA/O	Powerline Recessed White 860mm 3000K DALI Dim	400,90	4.6
PLRW/860/840/DA/O	Powerline Recessed White 860mm 4000K DALI Dim	400,90	4.6
PLRB/860/827/ND/O	Powerline Recessed Black 860mm 2700K Non Dim	358,64	4.6
PLRB/860/830/ND/O	Powerline Recessed Black 860mm 3000K Non Dim	358,64	4.6
PLRB/860/840/ND/O	Powerline Recessed Black 860mm 4000K Non Dim	358,64	4.6
PLRB/860/827/A/O	Powerline Recessed Black 860mm 2700K 1-10V Dim	423,08	4.6
PLRB/860/830/A/O	Powerline Recessed Black 860mm 3000K 1-10V Dim	423,08	4.6
PLRB/860/840/A/O	Powerline Recessed Black 860mm 4000K 1-10V Dim	423,08	4.6
PLRB/860/827/DA/O	Powerline Recessed Black 860mm 2700K DALI Dim	400,90	4.6
PLRB/860/830/DA/O	Powerline Recessed Black 860mm 3000K DALI Dim	400,90	4.6
PLRB/860/840/DA/O	Powerline Recessed Black 860mm 4000K DALI Dim	400,90	4.6
PLRA/1140/827/ND/O	Powerline Recessed Ano 1140mm 2700K Non Dim	388,31	4.6
PLRA/1140/830/ND/O	Powerline Recessed Ano 1140mm 3000K Non Dim	388,31	4.6
PLRA/1140/840/ND/O	Powerline Recessed Ano 1140mm 4000K Non Dim	388,31	4.6
PLRA/1140/827/A/O	Powerline Recessed Ano 1140 2700K 1-10V Dim	465,85	4.6
PLRA/1140/830/A/O	Powerline Recessed Ano 1140mm 3000K 1-10V Dim	465,85	4.6
PLRA/1140/840/A/O	Powerline Recessed Ano 1140mm 4000K 1-10V Dim	465,85	4.6
PLRA/1140/827/DA/O	Powerline Recessed Ano 1140mm 2700K DALI Dim	430,57	4.6
PLRA/1140/830/DA/O	Powerline Recessed Ano 1140mm 3000K DALI Dim	430,57	4.6
PLRA/1140/840/DA/O	Powerline Recessed Ano 1140mm 4000K DALI Dim	430,57	4.6
PLRW/1140/827/ND/O	Powerline Recessed White 1140mm 2700K Non Dim	388,31	4.6
PLRW/1140/830/ND/O	Powerline Recessed White 1140mm 3000K Non Dim	388,31	4.6
PLRW/1140/840/ND/O	Powerline Recessed White 1140mm 4000K Non Dim	388,31	4.6
PLRW/1140/827/A/O	Powerline Recessed White 1140mm 2700K 1-10V Dim	465,85	4.6
PLRW/1140/830/A/O	Powerline Recessed White 1140mm 3000K 1-10V Dim	465,85	4.6
PLRW/1140/840/A/O	Powerline Recessed White 1140mm 4000K 1-10V Dim	465,85	4.6
PLRW/1140/827/DA/O	Powerline Recessed White 1140mm 2700K DALI Dim	430,57	4.6
PLRW/1140/830/DA/O	Powerline Recessed White 1140mm 3000K DALI Dim	430,57	4.6
PLRW/1140/840/DA/O	Powerline Recessed White 1140mm 4000K DALI Dim	430,57	4.6
PLRB/1140/827/ND/O	Powerline Recessed Black 1140mm 2700K Non Dim	388,31	4.6
PLRB/1140/830/ND/O	Powerline Recessed Black 1140mm 3000K Non Dim	388,31	4.6
PLRB/1140/840/ND/O	Powerline Recessed Black 1140mm 4000K Non Dim	388,31	4.6
PLRB/1140/827/A/O	Powerline Recessed Black 1140mm 2700K 1-10V Dim	465,85	4.6
PLRB/1140/830/A/O	Powerline Recessed Black 1140mm 3000K 1-10V Dim	465,85	4.6
PLRB/1140/840/A/O	Powerline Recessed Black 1140mm 4000K 1-10V Dim	465,85	4.6
PLRB/1140/827/DA/O	Powerline Recessed Black 1140mm 2700K DALI Dim	430,57	4.6
PLRB/1140/830/DA/O	Powerline Recessed Black 1140mm 3000K DALI Dim	430,57	4.6
PLRB/1140/840/DA/O	Powerline Recessed Black 1140mm 4000K DALI Dim	430,57	4.6
PLRA/1420/827/ND/O	Powerline Recessed Ano 1420mm 2700K Non Dim	447,05	4.6
PLRA/1420/830/ND/O	Powerline Recessed Ano 1420mm 3000K Non Dim	447,05	4.6
PLRA/1420/840/ND/O	Powerline Recessed Ano 1420mm 4000K Non Dim	447,05	4.6
PLRA/1420/827/A/O	Powerline Recessed Ano 1420mm 2700K 1-10V Dim	522,11	4.6
PLRA/1420/830/A/O	Powerline Recessed Ano 1420mm 3000K 1-10V Dim	522,11	4.6
PLRA/1420/840/A/O	Powerline Recessed Ano 1420mm 4000K 1-10V Dim	522,11	4.6
PLRA/1420/827/DA/O	Powerline Recessed Ano 1420mm 2700K DALI Dim	494,03	4.6
PLRA/1420/830/DA/O	Powerline Recessed Ano 1420mm 830mm DALI DIM	494,03	4.6
PLRA/1420/840/DA/O	Powerline Recessed Ano 1420mm 4000K DALI Dim	494,03	4.6
PLRW/1420/827/ND/O	Powerline Recessed White 1420mm 2700K Non Dim	447,05	4.6
PLRW/1420/830/ND/O	Powerline Recessed White 1420mm 3000K Non Dim	447,05	4.6
PLRW/1420/840/ND/O	Powerline Recessed White 1420mm 4000K Non Dim	447,05	4.6
PLRW/1420/827/A/O	Powerline Recessed White 1420mm 2700K 1-10V Dim	522,11	4.6
PLRW/1420/830/A/O	Powerline Recessed White 1420mm 3000K 1-10V Dim	522,11	4.6
PLRW/1420/840/A/O	Powerline Recessed White 1420mm 4000K 1-10V Dim	522,11	4.6
PLRW/1420/827/DA/O	Powerline Recessed White 1420mm 2700K DALI Dim	494,03	4.6
PLRW/1420/830/DA/O	Powerline Recessed White 1420mm 3000K DALI Dim	494,03	4.6
PLRW/1420/840/DA/O	Powerline Recessed White 1420mm 4000K DALI Dim	494,03	4.6
PLRB/1420/827/ND/O	Powerline Recessed Black 1420mm 2700K Non Dim	447,05	4.6
PLRB/1420/830/ND/O	Powerline Recessed Black 1420mm 3000K Non Dim	447,05	4.6
PLRB/1420/840/ND/O	Powerline Recessed Black 1420mm 4000K Non Dim	447,05	4.6
PLRB/1420/827/A/O	Powerline Recessed Black 1420mm 2700K 1-10V Dim	522,11	4.6
PLRB/1420/830/A/O	Powerline Recessed Black 1420mm 3000K 1-10V Dim	522,11	4.6
PLRB/1420/840/A/O	Powerline Recessed Black 1420mm 4000K 1-10V Dim	522,11	4.6
PLRB/1420/827/DA/O	Powerline Recessed Black 1420mm 2700K DALI Dim	494,03	4.6
PLRB/1420/830/DA/O	Powerline Recessed Black 1420mm 3000K DALI Dim	494,03	4.6
PLRB/1420/840/DA/O	Powerline Recessed Black 1420mm 4000K DALI Dim	494,03	4.6
PLRA/1700/827/ND/O	Powerline Recessed Ano 1700mm 2700K Non Dim	483,91	4.6
PLRA/1700/830/ND/O	Powerline Recessed Ano 1700mm 3000K Non Dim	483,91	4.6
PLRA/1700/840/ND/O	Powerline Recessed Ano 1700mm 4000K Non Dim	483,91	4.6
PLRA/1700/827/A/O	Powerline Recessed Ano 1700mm 2700K 1-10V Dim	537,15	4.6
PLRA/1700/830/A/O	Powerline Recessed Ano 1700mm 3000K 1-10V Dim	537,15	4.6
PLRA/1700/840/A/O	Powerline Recessed Ano 1700mm 4000K 1-10V Dim	537,15	4.6
PLRA/1700/827/DA/O	Powerline Recessed Ano 1700mm 2700K DALI Dim	502,72	4.6
PLRA/1700/830/DA/O	Powerline Recessed Ano 1700mm 3000K DALI Dim	502,72	4.6
PLRA/1700/840/DA/O	Powerline Recessed Ano 1700mm 4000K DALI Dim	502,72	4.6
PLRW/1700/827/ND/O	Powerline Recessed White 1700mm 2700K Non Dim	483,91	4.6
PLRW/1700/830/ND/O	Powerline Recessed White 1700mm 3000K Non Dim	483,91	4.6
PLRW/1700/840/ND/O	Powerline Recessed White 1700mm 4000K Non Dim	483,91	4.6
PLRW/1700/827/A/O	Powerline Recessed White 1700mm 2700K 1-10V Dim	537,15	4.6
PLRW/1700/830/A/O	Powerline Recessed White 1700mm 3000K 1-10V Dim	537,15	4.6
PLRW/1700/840/A/O	Powerline Recessed White 1700mm 4000K 1-10V Dim	537,15	4.6

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

PLRW/1700/840/A/O	Powerline Recessed White 1700mm 4000K 1-10V Dim	537,15	4.6
PLRW/1700/827/DA/O	Powerline Recessed White 1700mm 2700K DALI Dim	502,72	4.6
PLRW/1700/830/DA/O	Powerline Recessed White 1700mm 3000K DALI Dim	502,72	4.6
PLRW/1700/840/DA/O	Powerline Recessed White 1700mm 4000K DALI Dim	502,72	4.6
PLRB/1700/827/ND/O	Powerline Recessed Black 1700mm 2700K Non Dim	483,91	4.6
PLRB/1700/830/ND/O	Powerline Recessed Black 1700mm 3000K Non Dim	483,91	4.6
PLRB/1700/840/ND/O	Powerline Recessed Black 1700mm 4000K Non Dim	483,91	4.6
PLRB/1700/827/A/O	Powerline Recessed Black 1700mm 2700K 1-10V Dim	537,15	4.6
PLRB/1700/830/A/O	Powerline Recessed Black 1700mm 3000K 1-10V Dim	537,15	4.6
PLRB/1700/840/A/O	Powerline Recessed Black 1700mm 4000K 1-10V Dim	537,15	4.6
PLRB/1700/827/DA/O	Powerline Recessed Black 1700mm 2700K DALI Dim	502,72	4.6
PLRB/1700/830/DA/O	Powerline Recessed Black 1700mm 3000K DALI Dim	502,72	4.6
PLRB/1700/840/DA/O	Powerline Recessed Black 1700mm 4000K DALI Dim	502,72	4.6
PLRA/1980/827/ND/O	Powerline Recessed Ano 1980mm 2700K Non Dim	545,80	4.6
PLRA/1980/830/ND/O	Powerline Recessed Ano 1980mm 3000K Non Dim	545,80	4.6
PLRA/1980/840/ND/O	Powerline Recessed Ano 1980mm 4000K Non Dim	545,80	4.6
PLRA/1980/827/A/O	Powerline Recessed Ano 1980mm 2700K 1-10V Dim	621,13	4.6
PLRA/1980/830/A/O	Powerline Recessed Ano 1980mm 3000K 1-10V Dim	621,13	4.6
PLRA/1980/840/A/O	Powerline Recessed Ano 1980mm 4000K 1-10V Dim	621,13	4.6
PLRA/1980/827/DA/O	Powerline Recessed Ano 1980mm 2700K DALI Dim	592,64	4.6
PLRA/1980/830/DA/O	Powerline Recessed Ano 1980mm 3000K DALI Dim	592,64	4.6
PLRA/1980/840/DA/O	Powerline Recessed Ano 1980mm 4000K DALI Dim	592,64	4.6
PLRW/1980/827/ND/O	Powerline Recessed White 1980mm 2700K Non Dim	545,80	4.6
PLRW/1980/830/ND/O	Powerline Recessed White 1980mm 3000K Non Dim	545,80	4.6
PLRW/1980/840/ND/O	Powerline Recessed White 1980mm 4000K Non Dim	545,80	4.6
PLRW/1980/827/A/O	Powerline Recessed White 1980mm 2700K 1-10V Dim	621,13	4.6
PLRW/1980/830/A/O	Powerline Recessed White 1980mm 3000K 1-10V Dim	621,13	4.6
PLRW/1980/840/A/O	Powerline Recessed White 1980mm 4000K 1-10V Dim	621,13	4.6
PLRW/1980/827/DA/O	Powerline Recessed White 1980mm 2700K DALI Dim	592,64	4.6
PLRW/1980/830/DA/O	Powerline Recessed White 1980mm 3000K DALI Dim	592,64	4.6
PLRW/1980/840/DA/O	Powerline Recessed White 1980mm 4000K DALI Dim	592,64	4.6
PLRB/1980/827/ND/O	Powerline Recessed Black 1980mm 2700K Non Dim	545,80	4.6
PLRB/1980/830/ND/O	Powerline Recessed Black 1980mm 3000K Non Dim	545,80	4.6
PLRB/1980/840/ND/O	Powerline Recessed Black 1980mm 4000K Non Dim	545,80	4.6
PLRB/1980/827/A/O	Powerline Recessed Black 1980mm 2700K 1-10V Dim	621,13	4.6
PLRB/1980/830/A/O	Powerline Recessed Black 1980mm 3000K 1-10V Dim	621,13	4.6
PLRB/1980/840/A/O	Powerline Recessed Black 1980mm 4000K 1-10V Dim	621,13	4.6
PLRB/1980/827/DA/O	Powerline Recessed Black 1980mm 2700K DALI Dim	592,64	4.6
PLRB/1980/830/DA/O	Powerline Recessed Black 1980mm 3000K DALI Dim	592,64	4.6
PLRB/1980/840/DA/O	Powerline Recessed Black 1980mm 4000K DALI Dim	592,64	4.6
PLRA/2260/827/ND/O	Powerline Recessed Ano 2260mm 2700K Non Dim	586,51	4.6
PLRA/2260/830/ND/O	Powerline Recessed Ano 2260mm 3000K Non Dim	586,51	4.6
PLRA/2260/840/ND/O	Powerline Recessed Ano 2260mm 4000K Non Dim	586,51	4.6
PLRA/2260/827/A/O	Powerline Recessed Ano 2260mm 2700K 1-10V Dim	668,19	4.6
PLRA/2260/830/A/O	Powerline Recessed Ano 2260mm 3000K 1-10V Dim	668,19	4.6
PLRA/2260/840/A/O	Powerline Recessed Ano 2260mm 4000K 1-10V Dim	668,19	4.6
PLRA/2260/827/DA/O	Powerline Recessed Ano 2260mm 2700K DALI Dim	633,36	4.6
PLRA/2260/830/DA/O	Powerline Recessed Ano 2260mm 3000K DALI Dim	633,36	4.6
PLRA/2260/840/DA/O	Powerline Recessed Ano 2260mm 4000K DALI Dim	633,36	4.6
PLRW/2260/827/ND/O	Powerline Recessed White 2260mm 2700K Non Dim	586,51	4.6
PLRW/2260/830/ND/O	Powerline Recessed White 2260mm 3000K Non Dim	586,51	4.6
PLRW/2260/840/ND/O	Powerline Recessed White 2260mm 4000K Non Dim	586,51	4.6
PLRW/2260/827/A/O	Powerline Recessed White 2260mm 2700K 1-10V Dim	668,19	4.6
PLRW/2260/830/A/O	Powerline Recessed White 2260mm 3000K 1-10V Dim	668,19	4.6
PLRW/2260/840/A/O	Powerline Recessed White 2260mm 4000K 1-10V Dim	668,19	4.6
PLRW/2260/827/DA/O	Powerline Recessed White 2260mm 2700K DALI Dim	633,36	4.6
PLRW/2260/830/DA/O	Powerline Recessed White 2260mm 3000K DALI Dim	633,36	4.6
PLRW/2260/840/DA/O	Powerline Recessed White 2260mm 4000K DALI Dim	633,36	4.6
PLRB/2260/827/ND/O	Powerline Recessed Black 2260mm 2700K Non Dim	586,51	4.6
PLRB/2260/830/ND/O	Powerline Recessed Black 2260mm 3000K Non Dim	586,51	4.6
PLRB/2260/840/ND/O	Powerline Recessed Black 2260mm 4000K Non Dim	586,51	4.6
PLRB/2260/827/A/O	Powerline Recessed Black 2260mm 2700K 1-10V Dim	668,19	4.6
PLRB/2260/830/A/O	Powerline Recessed Black 2260mm 3000K 1-10V Dim	668,19	4.6
PLRB/2260/840/A/O	Powerline Recessed Black 2260mm 4000K 1-10V Dim	668,19	4.6
PLRB/2260/827/DA/O	Powerline Recessed Black 2260mm 2700K DALI Dim	633,36	4.6
PLRB/2260/830/DA/O	Powerline Recessed Black 2260mm 3000K DALI Dim	633,36	4.6
PLRB/2260/840/DA/O	Powerline Recessed Black 2260mm 4000K DALI Dim	633,36	4.6
PLRA/2540/827/ND/O	Powerline Recessed Ano 2540mm 2700K Non Dim	677,71	4.6
PLRA/2540/830/ND/O	Powerline Recessed Ano 2540mm 3000K Non Dim	677,71	4.6
PLRA/2540/840/ND/O	Powerline Recessed Ano 2540mm 4000K Non Dim	677,71	4.6
PLRA/2540/827/A/O	Powerline Recessed Ano 2540mm 2700K 1-10V Dim	742,78	4.6
PLRA/2540/830/A/O	Powerline Recessed Ano 2540mm 3000K 1-10V Dim	742,78	4.6
PLRA/2540/840/A/O	Powerline Recessed Ano 2540mm 4000K 1-10V Dim	742,78	4.6
PLRA/2540/827/DA/O	Powerline Recessed Ano 2540mm 2700K DALI Dim	724,56	4.6
PLRA/2540/830/DA/O	Powerline Recessed Ano 2540mm 3000K DALI Dim	724,56	4.6
PLRA/2540/840/DA/O	Powerline Recessed Ano 2540mm 4000K DALI Dim	724,56	4.6
PLRW/2540/827/ND/O	Powerline Recessed White 2540mm 2700K Non Dim	677,71	4.6
PLRW/2540/830/ND/O	Powerline Recessed White 2540mm 3000K Non Dim	677,71	4.6
PLRW/2540/840/ND/O	Powerline Recessed White 2540mm 4000K Non Dim	677,71	4.6
PLRW/2540/827/A/O	Powerline Recessed White 2540mm 2700K 1-10V Dim	742,78	4.6
PLRW/2540/830/A/O	Powerline Recessed White 2540mm 3000K 1-10V Dim	742,78	4.6
PLRW/2540/840/A/O	Powerline Recessed White 2540mm 4000K 1-10V Dim	742,78	4.6
PLRW/2540/827/DA/O	Powerline Recessed White 2540mm 2700K DALI Dim	724,56	4.6
PLRW/2540/830/DA/O	Powerline Recessed White 2540mm 3000K DALI Dim	724,56	4.6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

PLRW/2540/840/DA/O	Powerline Recessed White 2540mm 4000K DALI Dim	724,56	4.6
PLRB/2540/827/ND/O	Powerline Recessed Black 2540mm 2700K Non Dim	677,71	4.6
PLRB/2540/830/ND/O	Powerline Recessed Black 2540mm 3000K Non Dim	677,71	4.6
PLRB/2540/840/ND/O	Powerline Recessed Black 2540mm 4000K Non Dim	677,71	4.6
PLRB/2540/827/A/O	Powerline Recessed Black 2540mm 2700K 1-10V Dim	742,78	4.6
PLRB/2540/830/A/O	Powerline Recessed Black 2540mm 3000K 1-10V Dim	742,78	4.6
PLRB/2540/840/A/O	Powerline Recessed Black 2540mm 4000K 1-10V Dim	742,78	4.6
PLRB/2540/827/DA/O	Powerline Recessed Black 2540mm 2700K DALI Dim	724,56	4.6
PLRB/2540/830/DA/O	Powerline Recessed Black 2540mm 3000K DALI Dim	724,56	4.6
PLRB/2540/840/DA/O	Powerline Recessed Black 2540mm 4000K DALI Dim	724,56	4.6
PLRA/2820/827/ND/O	Powerline Recessed Ano 2820mm 2700K Non Dim	736,41	4.6
PLRA/2820/830/ND/O	Powerline Recessed Ano 2820mm 3000K Non Dim	736,41	4.6
PLRA/2820/840/ND/O	Powerline Recessed Ano 2820mm 4000K Non Dim	736,41	4.6
PLRA/2820/827/A/O	Powerline Recessed Ano 2820mm 2700K 1-10V Dim	824,02	4.6
PLRA/2820/830/A/O	Powerline Recessed Ano 2820mm 3000K 1-10V Dim	824,02	4.6
PLRA/2820/840/A/O	Powerline Recessed Ano 2820mm 4000K 1-10V Dim	824,02	4.6
PLRA/2820/827/DA/O	Powerline Recessed Ano 2820mm 2700K DALI Dim	783,25	4.6
PLRA/2820/830/DA/O	Powerline Recessed Ano 2820mm 3000K DALI Dim	783,25	4.6
PLRA/2820/840/DA/O	Powerline Recessed Ano 2820mm 4000K DALI Dim	783,25	4.6
PLRW/2820/827/ND/O	Powerline Recessed White 2820mm 2700K Non Dim	736,41	4.6
PLRW/2820/830/ND/O	Powerline Recessed White 2820mm 3000K Non Dim	736,41	4.6
PLRW/2820/840/ND/O	Powerline Recessed White 2820mm 4000K Non Dim	736,41	4.6
PLRW/2820/827/A/O	Powerline Recessed White 2820mm 2700K 1-10V Dim	824,02	4.6
PLRW/2820/830/A/O	Powerline Recessed White 2820mm 3000K 1-10V Dim	824,02	4.6
PLRW/2820/840/A/O	Powerline Recessed White 2820mm 4000K 1-10V Dim	824,02	4.6
PLRW/2820/827/DA/O	Powerline Recessed White 2820mm 2700K DALI Dim	783,25	4.6
PLRW/2820/830/DA/O	Powerline Recessed White 2820mm 3000K DALI Dim	783,25	4.6
PLRW/2820/840/DA/O	Powerline Recessed White 2820mm 4000K DALI Dim	783,25	4.6
PLRB/2820/827/ND/O	Powerline Recessed Black 2820mm 2700K Non Dim	736,41	4.6
PLRB/2820/830/ND/O	Powerline Recessed Black 2820mm 3000K Non Dim	736,41	4.6
PLRB/2820/840/ND/O	Powerline Recessed Black 2820mm 4000K Non Dim	736,41	4.6
PLRB/2820/827/A/O	Powerline Recessed Black 2820mm 2700K 1-10V Dim	824,02	4.6
PLRB/2820/830/A/O	Powerline Recessed Black 2820mm 3000K 1-10V Dim	824,02	4.6
PLRB/2820/840/A/O	Powerline Recessed Black 2820mm 4000K 1-10V Dim	824,02	4.6
PLRB/2820/827/DA/O	Powerline Recessed Black 2820mm 2700K DALI Dim	783,25	4.6
PLRB/2820/830/DA/O	Powerline Recessed Black 2820mm 3000K DALI Dim	783,25	4.6
PLRB/2820/840/DA/O	Powerline Recessed Black 2820mm 4000K DALI Dim	783,25	4.6
PLRA/3100/827/ND/O	Powerline Recessed Ano 3100mm 2700K Non Dim	860,35	4.6
PLRA/3100/830/ND/O	Powerline Recessed Ano 3100mm 3000K Non Dim	860,35	4.6
PLRA/3100/840/ND/O	Powerline Recessed Ano 3100mm 4000K Non Dim	860,35	4.6
PLRA/3100/827/A/O	Powerline Recessed Ano 3100mm 2700K 1-10V Dim	1103,21	4.6
PLRA/3100/830/A/O	Powerline Recessed Ano 3100mm 3000K 1-10V Dim	1103,21	4.6
PLRA/3100/840/A/O	Powerline Recessed Ano 3100mm 4000K 1-10V Dim	1103,21	4.6
PLRA/3100/827/DA/O	Powerline Recessed Ano 3100mm 2700K DALI Dim	956,24	4.6
PLRA/3100/830/DA/O	Powerline Recessed Ano 3100mm 3000K DALI Dim	956,24	4.6
PLRA/3100/840/DA/O	Powerline Recessed Ano 3100mm 4000K DALI Dim	956,24	4.6
PLRW/3100/827/ND/O	Powerline Recessed White 3100mm 2700K Non Dim	860,35	4.6
PLRW/3100/830/ND/O	Powerline Recessed White 3100mm 3000K Non Dim	860,35	4.6
PLRW/3100/840/ND/O	Powerline Recessed White 3100mm 4000K Non Dim	860,35	4.6
PLRW/3100/827/A/O	Powerline Recessed White 3100mm 2700K 1-10V Dim	1103,21	4.6
PLRW/3100/830/A/O	Powerline Recessed White 3100mm 3000K 1-10V Dim	1103,21	4.6
PLRW/3100/840/A/O	Powerline Recessed White 3100mm 4000K 1-10V Dim	1103,21	4.6
PLRW/3100/827/DA/O	Powerline Recessed White 3100mm 2700K DALI Dim	956,24	4.6
PLRW/3100/830/DA/O	Powerline Recessed White 3100mm 3000K DALI Dim	956,24	4.6
PLRW/3100/840/DA/O	Powerline Recessed White 3100mm 4000K DALI Dim	956,24	4.6
PLRB/3100/827/ND/O	Powerline Recessed Black 3100mm 2700K Non Dim	860,35	4.6
PLRB/3100/830/ND/O	Powerline Recessed Black 3100mm 3000K Non Dim	860,35	4.6
PLRB/3100/840/ND/O	Powerline Recessed Black 3100mm 4000K Non Dim	860,35	4.6
PLRB/3100/827/A/O	Powerline Recessed Black 3100mm 2700K 1-10V Dim	1103,21	4.6
PLRB/3100/830/A/O	Powerline Recessed Black 3100mm 3000K 1-10V Dim	1103,21	4.6
PLRB/3100/840/A/O	Powerline Recessed Black 3100mm 4000K 1-10V Dim	1103,21	4.6
PLRB/3100/827/DA/O	Powerline Recessed Black 3100mm 2700K DALI Dim	956,24	4.6
PLRB/3100/830/DA/O	Powerline Recessed Black 3100mm 3000K DALI Dim	956,24	4.6
PLRB/3100/840/DA/O	Powerline Recessed Black 3100mm 4000K DALI Dim	956,24	4.6
PLRA/3380/827/ND/O	Powerline Recessed Ano 3380mm 2700K Non Dim	918,32	4.6
PLRA/3380/830/ND/O	Powerline Recessed Ano 3380mm 3000K Non Dim	918,32	4.6
PLRA/3380/840/ND/O	Powerline Recessed Ano 3380mm 4000K Non Dim	918,32	4.6
PLRA/3380/827/A/O	Powerline Recessed Ano 3380mm 2700K 1-10V Dim	1178,15	4.6
PLRA/3380/830/A/O	Powerline Recessed Ano 3380mm 3000K 1-10V Dim	1178,15	4.6
PLRA/3380/840/A/O	Powerline Recessed Ano 3380mm 4000K 1-10V Dim	1178,15	4.6
PLRA/3380/827/DA/O	Powerline Recessed Ano 3380mm 2700K DALI Dim	1018,08	4.6
PLRA/3380/830/DA/O	Powerline Recessed Ano 3380mm 3000K DALI Dim	1018,08	4.6
PLRA/3380/840/DA/O	Powerline Recessed Ano 3380mm 4000K DALI Dim	1018,08	4.6
PLRW/3380/827/ND/O	Powerline Recessed White 3380mm 2700K Non Dim	918,32	4.6
PLRW/3380/830/ND/O	Powerline Recessed White 3380mm 3000K Non Dim	918,32	4.6
PLRW/3380/840/ND/O	Powerline Recessed White 3380mm 4000K Non Dim	918,32	4.6
PLRW/3380/827/A/O	Powerline Recessed White 3380mm 2700K 1-10V Dim	1178,15	4.6
PLRW/3380/830/A/O	Powerline Recessed White 3380mm 3000K 1-10V Dim	1178,15	4.6
PLRW/3380/840/A/O	Powerline Recessed White 3380mm 4000K 1-10V Dim	1178,15	4.6
PLRW/3380/827/DA/O	Powerline Recessed White 3380mm 2700K DALI Dim	1018,08	4.6
PLRW/3380/830/DA/O	Powerline Recessed White 3380mm 3000K DALI Dim	1018,08	4.6
PLRW/3380/840/DA/O	Powerline Recessed White 3380mm 4000K DALI Dim	1018,08	4.6
PLRB/3380/827/ND/O	Powerline Recessed Black 3380mm 2700K Non Dim	918,32	4.6
PLRB/3380/830/ND/O	Powerline Recessed Black 3380mm 3000K Non Dim	918,32	4.6
PLRB/3380/840/ND/O	Powerline Recessed Black 3380mm 4000K Non Dim	918,32	4.6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupe(l)(WEEE)

PLRB/3380/840/ND/O	Powerline Recessed Black 3380mm 4000K Non Dim	918,32	4.6
PLRB/3380/827/A/O	Powerline Recessed Black 3380mm 2700K 1-10V Dim	1178,15	4.6
PLRB/3380/830/A/O	Powerline Recessed Black 3380mm 3000K 1-10V Dim	1178,15	4.6
PLRB/3380/840/A/O	Powerline Recessed Black 3380mm 4000K 1-10V Dim	1178,15	4.6
PLRB/3380/827/DA/O	Powerline Recessed Black 3380mm 2700K DALI Dim	1018,08	4.6
PLRB/3380/830/DA/O	Powerline Recessed Black 3380mm 3000K DALI Dim	1018,08	4.6
PLRB/3380/840/DA/O	Powerline Recessed Black 3380mm 4000K DALI Dim	1018,08	4.6
PLRA/3660/827/ND/O	Powerline Recessed Ano 3660mm 2700K Non Dim	1000,72	4.6
PLRA/3660/830/ND/O	Powerline Recessed Ano 3660mm 3000K Non Dim	1000,72	4.6
PLRA/3660/840/ND/O	Powerline Recessed Ano 3660mm 4000K Non Dim	1000,72	4.6
PLRA/3660/827/A/O	Powerline Recessed Ano 3660mm 2700K 1-10V Dim	1254,21	4.6
PLRA/3660/830/A/O	Powerline Recessed Ano 3660mm 3000K 1-10V Dim	1254,21	4.6
PLRA/3660/840/A/O	Powerline Recessed Ano 3660mm 4000K 1-10V Dim	1254,21	4.6
PLRA/3660/827/DA/O	Powerline Recessed Ano 3660mm 2700K DALI Dim	1094,55	4.6
PLRA/3660/830/DA/O	Powerline Recessed Ano 3660mm 3000K DALI Dim	1094,55	4.6
PLRA/3660/840/DA/O	Powerline Recessed Ano 3660mm 4000K DALI Dim	1094,55	4.6
PLRW/3660/827/ND/O	Powerline Recessed White 3660mm 2700K Non Dim	1000,72	4.6
PLRW/3660/830/ND/O	Powerline Recessed White 3660mm 3000K Non Dim	1000,72	4.6
PLRW/3660/840/ND/O	Powerline Recessed White 3660mm 4000K Non Dim	1000,72	4.6
PLRW/3660/827/A/O	Powerline Recessed White 3660mm 2700K 1-10V Dim	1254,21	4.6
PLRW/3660/830/A/O	Powerline Recessed White 3660mm 3000K 1-10V Dim	1254,21	4.6
PLRW/3660/840/A/O	Powerline Recessed White 3660mm 4000K 1-10V Dim	1254,21	4.6
PLRW/3660/827/DA/O	Powerline Recessed White 3660mm 2700K DALI Dim	1094,55	4.6
PLRW/3660/830/DA/O	Powerline Recessed White 3660mm 3000K DALI Dim	1094,55	4.6
PLRW/3660/840/DA/O	Powerline Recessed White 3660mm 4000K DALI Dim	1094,55	4.6
PLRB/3660/827/ND/O	Powerline Recessed Black 3660mm 2700K Non Dim	1000,72	4.6
PLRB/3660/830/ND/O	Powerline Recessed Black 3660mm 3000K Non Dim	1000,72	4.6
PLRB/3660/840/ND/O	Powerline Recessed Black 3660mm 4000K Non Dim	1000,72	4.6
PLRB/3660/827/A/O	Powerline Recessed Black 3660mm 2700K 1-10V Dim	1254,21	4.6
PLRB/3660/830/A/O	Powerline Recessed Black 3660mm 3000K 1-10V Dim	1254,21	4.6
PLRB/3660/840/A/O	Powerline Recessed Black 3660mm 4000K 1-10V Dim	1254,21	4.6
PLRB/3660/827/DA/O	Powerline Recessed Black 3660mm 2700K DALI Dim	1094,55	4.6
PLRB/3660/830/DA/O	Powerline Recessed Black 3660mm 3000K DALI Dim	1094,55	4.6
PLRB/3660/840/DA/O	Powerline Recessed Black 3660mm 4000K DALI Dim	1094,55	4.6
PLRA/3940/827/ND/O	Powerline Recessed Ano 3940mm 2700K Non Dim	1039,74	4.6
PLRA/3940/830/ND/O	Powerline Recessed Ano 3940mm 3000K Non Dim	1039,74	4.6
PLRA/3940/840/ND/O	Powerline Recessed Ano 3940mm 4000K Non Dim	1039,74	4.6
PLRA/3940/827/A/O	Powerline Recessed Ano 3940mm 2700K 1-10V Dim	1299,57	4.6
PLRA/3940/830/A/O	Powerline Recessed Ano 3940mm 3000K 1-10V Dim	1299,57	4.6
PLRA/3940/840/A/O	Powerline Recessed Ano 3940mm 4000K 1-10V Dim	1299,57	4.6
PLRA/3940/827/DA/O	Powerline Recessed Ano 3940mm 2700K DALI Dim	1139,10	4.6
PLRA/3940/830/DA/O	Powerline Recessed Ano 3940mm 3000K DALI Dim	1139,10	4.6
PLRA/3940/840/DA/O	Powerline Recessed Ano 3940mm 4000K DALI Dim	1139,10	4.6
PLRW/3940/827/ND/O	Powerline Recessed White 3940mm 2700K Non Dim	1039,74	4.6
PLRW/3940/830/ND/O	Powerline Recessed White 3940mm 3000K Non Dim	1039,74	4.6
PLRW/3940/840/ND/O	Powerline Recessed White 3940mm 4000K Non Dim	1039,74	4.6
PLRW/3940/827/A/O	Powerline Recessed White 3940mm 2700K 1-10V Dim	1299,57	4.6
PLRW/3940/830/A/O	Powerline Recessed White 3940mm 3000K 1-10V Dim	1299,57	4.6
PLRW/3940/840/A/O	Powerline Recessed White 3940mm 4000K 1-10V Dim	1299,57	4.6
PLRW/3940/827/DA/O	Powerline Recessed White 3940mm 2700K DALI Dim	1139,10	4.6
PLRW/3940/830/DA/O	Powerline Recessed White 3940mm 3000K DALI Dim	1139,10	4.6
PLRW/3940/840/DA/O	Powerline Recessed White 3940mm 4000K DALI Dim	1139,10	4.6
PLRB/3940/827/ND/O	Powerline Recessed Black 3940mm 2700K Non Dim	1039,74	4.6
PLRB/3940/830/ND/O	Powerline Recessed Black 3940mm 3000K Non Dim	1039,74	4.6
PLRB/3940/840/ND/O	Powerline Recessed Black 3940mm 4000K Non Dim	1039,74	4.6
PLRB/3940/827/A/O	Powerline Recessed Black 3940mm 2700K 1-10V Dim	1299,57	4.6
PLRB/3940/830/A/O	Powerline Recessed Black 3940mm 3000K 1-10V Dim	1299,57	4.6
PLRB/3940/840/A/O	Powerline Recessed Black 3940mm 4000K 1-10V Dim	1299,57	4.6
PLRB/3940/827/DA/O	Powerline Recessed Black 3940mm 2700K DALI Dim	1139,10	4.6
PLRB/3940/830/DA/O	Powerline Recessed Black 3940mm 3000K DALI Dim	1139,10	4.6
PLRB/3940/840/DA/O	Powerline Recessed Black 3940mm 4000K DALI Dim	1139,10	4.6
PLRA/4420/827/ND/O	Powerline Recessed Ano 4420mm 2700K Non Dim	1102,40	4.6
PLRA/4420/830/ND/O	Powerline Recessed Ano 4420mm 3000K Non Dim	1102,40	4.6
PLRA/4420/840/ND/O	Powerline Recessed Ano 4420mm 4000K Non Dim	1102,40	4.6
PLRA/4420/827/A/O	Powerline Recessed Ano 4420mm 2700K 1-10V Dim	1356,15	4.6
PLRA/4420/830/A/O	Powerline Recessed Ano 4420mm 3000K 1-10V Dim	1356,15	4.6
PLRA/4420/840/A/O	Powerline Recessed Ano 4420mm 4000K 1-10V Dim	1356,15	4.6
PLRA/4420/827/DA/O	Powerline Recessed Ano 4420mm 2700K DALI Dim	1196,09	4.6
PLRA/4420/830/DA/O	Powerline Recessed Ano 4420mm 3000K DALI Dim	1196,09	4.6
PLRA/4420/840/DA/O	Powerline Recessed Ano 4420mm 4000K DALI Dim	1196,09	4.6
PLRW/4420/827/ND/O	Powerline Recessed White 4420mm 2700K Non Dim	1102,40	4.6
PLRW/4420/830/ND/O	Powerline Recessed White 4420mm 3000K Non Dim	1102,40	4.6
PLRW/4420/840/ND/O	Powerline Recessed White 4420mm 4000K Non Dim	1102,40	4.6
PLRW/4420/827/A/O	Powerline Recessed White 4420mm 2700K 1-10V Dim	1356,15	4.6
PLRW/4420/830/A/O	Powerline Recessed White 4420mm 3000K 1-10V Dim	1356,15	4.6
PLRW/4420/840/A/O	Powerline Recessed White 4420mm 4000K 1-10V Dim	1356,15	4.6
PLRW/4420/827/DA/O	Powerline Recessed White 4420mm 2700K DALI Dim	1196,09	4.6
PLRW/4420/830/DA/O	Powerline Recessed White 4420mm 3000K DALI Dim	1196,09	4.6
PLRW/4420/840/DA/O	Powerline Recessed White 4420mm 4000K DALI Dim	1196,09	4.6
PLRB/4420/827/ND/O	Powerline Recessed Black 4420mm 2700K Non Dim	1102,40	4.6
PLRB/4420/830/ND/O	Powerline Recessed Black 4420mm 3000K Non Dim	1102,40	4.6
PLRB/4420/840/ND/O	Powerline Recessed Black 4420mm 4000K Non Dim	1102,40	4.6
PLRB/4420/827/A/O	Powerline Recessed Black 4420mm 2700K 1-10V Dim	1356,15	4.6
PLRB/4420/830/A/O	Powerline Recessed Black 4420mm 3000K 1-10V Dim	1356,15	4.6
PLRB/4420/840/A/O	Powerline Recessed Black 4420mm 4000K 1-10V Dim	1356,15	4.6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

PLRB/4220/840/A/O	Powerline Recessed Black 4220mm 4000K 1-10V Dim	1356,15	4.6
PLRB/4220/827/DA/O	Powerline Recessed Black 4220mm 2700K DALI Dim	1196,09	4.6
PLRB/4220/830/DA/O	Powerline Recessed Black 4220mm 3000K DALI Dim	1196,09	4.6
PLRB/4220/840/DA/O	Powerline Recessed Black 4220mm 4000K DALI Dim	1196,09	4.6
PLRA/4500/827/ND/O	Powerline Recessed Ano 4500mm 2700K Non Dim	1150,74	4.6
PLRA/4500/830/ND/O	Powerline Recessed Ano 4500mm 3000K Non Dim	1150,74	4.6
PLRA/4500/840/ND/O	Powerline Recessed Ano 4500mm 4000K Non Dim	1150,74	4.6
PLRA/4500/827/A/O	Powerline Recessed Ano 4500mm 2700K 1-10V Dim	1410,84	4.6
PLRA/4500/830/A/O	Powerline Recessed Ano 4500mm 3000K 1-10V Dim	1410,84	4.6
PLRA/4500/840/A/O	Powerline Recessed Ano 4500mm 4000K 1-10V Dim	1410,84	4.6
PLRA/4500/827/DA/O	Powerline Recessed Ano 4500mm 2700K DALI Dim	1244,43	4.6
PLRA/4500/830/DA/O	Powerline Recessed Ano 4500mm 3000K DALI Dim	1244,43	4.6
PLRA/4500/840/DA/O	Powerline Recessed Ano 4500mm 4000K DALI Dim	1244,43	4.6
PLRW/4500/827/ND/O	Powerline Recessed White 4500mm 2700K Non Dim	1150,74	4.6
PLRW/4500/830/ND/O	Powerline Recessed White 4500mm 3000K Non Dim	1150,74	4.6
PLRW/4500/840/ND/O	Powerline Recessed White 4500mm 4000K Non Dim	1150,74	4.6
PLRW/4500/827/A/O	Powerline Recessed White 4500mm 2700K 1-10V Dim	1410,84	4.6
PLRW/4500/830/A/O	Powerline Recessed White 4500mm 3000K 1-10V Dim	1410,84	4.6
PLRW/4500/840/A/O	Powerline Recessed White 4500mm 4000K 1-10V Dim	1410,84	4.6
PLRW/4500/827/DA/O	Powerline Recessed White 4500mm 2700K DALI Dim	1244,43	4.6
PLRW/4500/830/DA/O	Powerline Recessed White 4500mm 3000K DALI Dim	1244,43	4.6
PLRW/4500/840/DA/O	Powerline Recessed White 4500mm 4000K DALI Dim	1244,43	4.6
PLRB/4500/827/ND/O	Powerline Recessed Black 4500mm 2700K Non Dim	1150,74	4.6
PLRB/4500/830/ND/O	Powerline Recessed Black 4500mm 3000K Non Dim	1150,74	4.6
PLRB/4500/840/ND/O	Powerline Recessed Black 4500mm 4000K Non Dim	1150,74	4.6
PLRB/4500/827/A/O	Powerline Recessed Black 4500mm 2700K 1-10V Dim	1410,84	4.6
PLRB/4500/830/A/O	Powerline Recessed Black 4500mm 3000K 1-10V Dim	1410,84	4.6
PLRB/4500/840/A/O	Powerline Recessed Black 4500mm 4000K 1-10V Dim	1410,84	4.6
PLRB/4500/827/DA/O	Powerline Recessed Black 4500mm 2700K DALI Dim	1244,43	4.6
PLRB/4500/830/DA/O	Powerline Recessed Black 4500mm 3000K DALI Dim	1244,43	4.6
PLRB/4500/840/DA/O	Powerline Recessed Black 4500mm 4000K DALI Dim	1244,43	4.6
Powerline Suspension & ON			
PLA/580/827/ND/O	Powerline Ano On 580mm 2700K Non Dim	275,58	4.6
PLA/580/830/ND/O	Powerline Ano On 580mm 3000K Non Dim	275,58	4.6
PLA/580/840/ND/O	Powerline Ano On 580mm 4000K Non Dim	275,58	4.6
PLA/580/827/A/O	Powerline Ano On 580mm 2700K 1-10V Dim	344,21	4.6
PLA/580/830/A/O	Powerline Ano On 580mm 3000K 1-10V Dim	344,21	4.6
PLA/580/840/A/O	Powerline Ano On 580mm 4000K 1-10V Dim	344,21	4.6
PLA/580/827/DA/O	Powerline Ano On 580mm 2700K DALI Dim	321,01	4.6
PLA/580/830/DA/O	Powerline Ano On 580mm 3000K DALI Dim	321,01	4.6
PLA/580/840/DA/O	Powerline Ano On 580mm 4000K DALI Dim	321,01	4.6
PLW/580/827/ND/O	Powerline White On 580mm 2700K Non Dim	275,58	4.6
PLW/580/830/ND/O	Powerline White On 580mm 3000K Non Dim	275,58	4.6
PLW/580/840/ND/O	Powerline White On 580mm 4000K Non Dim	275,58	4.6
PLW/580/827/A/O	Powerline White On 580mm 2700K 1-10V Dim	344,21	4.6
PLW/580/830/A/O	Powerline White On 580mm 3000K 1-10V Dim	344,21	4.6
PLW/580/840/A/O	Powerline White On 580mm 4000K 1-10V Dim	344,21	4.6
PLW/580/827/DA/O	Powerline White On 580mm 2700K DALI Dim	321,01	4.6
PLW/580/830/DA/O	Powerline White On 580mm 3000K DALI Dim	321,01	4.6
PLW/580/840/DA/O	Powerline White On 580mm 4000K DALI Dim	321,01	4.6
PLB/580/827/ND/O	Powerline Black On 580mm 2700K Non Dim	275,58	4.6
PLB/580/830/ND/O	Powerline Black On 580mm 3000K Non Dim	275,58	4.6
PLB/580/840/ND/O	Powerline Black On 580mm 4000K Non Dim	275,58	4.6
PLB/580/827/A/O	Powerline Black On 580mm 2700K 1-10V Dim	344,21	4.6
PLB/580/830/A/O	Powerline Black On 580mm 3000K 1-10V Dim	344,21	4.6
PLB/580/840/A/O	Powerline Black On 580mm 4000K 1-10V Dim	344,21	4.6
PLB/580/827/DA/O	Powerline Black On 580mm 2700K DALI Dim	321,01	4.6
PLB/580/830/DA/O	Powerline Black On 580mm 3000K DALI Dim	321,01	4.6
PLB/580/840/DA/O	Powerline Black On 580mm 4000K DALI Dim	321,01	4.6
PLA/580/827/ND/S	Powerline Ano Suspension 580mm 2700K Non Dim	325,94	4.6
PLA/580/830/ND/S	Powerline Ano Suspension 580mm 3000K Non Dim	325,94	4.6
PLA/580/840/ND/S	Powerline Ano Suspension 580mm 4000K Non Dim	325,94	4.6
PLA/580/827/A/S	Powerline Ano Suspension 580mm 2700K 1-10V Dim	423,41	4.6
PLA/580/830/A/S	Powerline Ano Suspension 580mm 3000K 1-10V Dim	423,41	4.6
PLA/580/840/A/S	Powerline Ano Suspension 580mm 4000K 1-10V Dim	423,41	4.6
PLA/580/827/DA/S	Powerline Ano Suspension 580mm 2700K DALI Dim	397,47	4.6
PLA/580/830/DA/S	Powerline Ano Suspension 580mm 3000K DALI Dim	397,47	4.6
PLA/580/840/DA/S	Powerline Ano Suspension 580mm 4000K DALI Dim	397,47	4.6
PLW/580/827/ND/S	Powerline White Suspension 580mm 2700K Non Dim	325,94	4.6
PLW/580/830/ND/S	Powerline White Suspension 580mm 3000K Non Dim	325,94	4.6
PLW/580/840/ND/S	Powerline White Suspension 580mm 4000K Non Dim	325,94	4.6
PLW/580/827/A/S	Powerline White Suspension 580mm 2700K 1-10V Dim	423,41	4.6
PLW/580/830/A/S	Powerline White Suspension 580mm 3000K 1-10V Dim	423,41	4.6
PLW/580/840/A/S	Powerline White Suspension 580mm 4000K 1-10V Dim	423,41	4.6
PLW/580/827/DA/S	Powerline White Suspension 580mm 2700K DALI Dim	397,47	4.6
PLW/580/830/DA/S	Powerline White Suspension 580mm 3000K DALI Dim	397,47	4.6
PLW/580/840/DA/S	Powerline White Suspension 580mm 4000K DALI Dim	397,47	4.6
PLB/580/827/ND/S	Powerline Black Suspension 580mm 2700K Non Dim	325,94	4.6
PLB/580/830/ND/S	Powerline Black Suspension 580mm 3000K Non Dim	325,94	4.6
PLB/580/840/ND/S	Powerline Black Suspension 580mm 4000K Non Dim	325,94	4.6
PLB/580/827/A/S	Powerline Black Suspension 580mm 2700K 1-10V Dim	423,41	4.6
PLB/580/830/A/S	Powerline Black Suspension 580mm 3000K 1-10V Dim	423,41	4.6
PLB/580/840/A/S	Powerline Black Suspension 580mm 4000K 1-10V Dim	423,41	4.6
PLB/580/827/DA/S	Powerline Black Suspension 580mm 2700K DALI Dim	397,47	4.6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

PLB/580/830/DA/S	Powerline Black Suspension 580mm 3000K DALI Dim	397,47	4.6
PLB/580/840/DA/S	Powerline Black Suspension 580mm 4000K DALI Dim	397,47	4.6
PLA/860/827/ND/O	Powerline Ano On 860mm 2700K Non Dim	325,30	4.6
PLA/860/830/ND/O	Powerline Ano On 860mm 3000K Non Dim	325,30	4.6
PLA/860/840/ND/O	Powerline Ano On 860mm 4000K Non Dim	325,30	4.6
PLA/860/827/A/O	Powerline Ano On 860mm 2700K 1-10V Dim	387,09	4.6
PLA/860/830/A/O	Powerline Ano On 860mm 3000K 1-10V Dim	387,09	4.6
PLA/860/840/A/O	Powerline Ano On 860mm 4000K 1-10V Dim	387,09	4.6
PLA/860/827/DA/O	Powerline Ano On 860mm 2700K DALI Dim	398,61	4.6
PLA/860/830/DA/O	Powerline Ano On 860mm 3000K DALI Dim	398,61	4.6
PLA/860/840/DA/O	Powerline Ano On 860mm 4000K DALI Dim	398,61	4.6
PLW/860/827/ND/O	Powerline White On 860mm 2700K Non Dim	325,30	4.6
PLW/860/830/ND/O	Powerline White On 860mm 3000K Non Dim	325,30	4.6
PLW/860/840/ND/O	Powerline White On 860mm 4000K Non Dim	325,30	4.6
PLW/860/827/A/O	Powerline White On 860mm 2700K 1-10V Dim	387,09	4.6
PLW/860/830/A/O	Powerline White On 860mm 3000K 1-10V Dim	387,09	4.6
PLW/860/840/A/O	Powerline White On 860mm 4000K 1-10V Dim	387,09	4.6
PLW/860/827/DA/O	Powerline White On 860mm 2700K DALI Dim	398,61	4.6
PLW/860/830/DA/O	Powerline White On 860mm 3000K DALI Dim	398,61	4.6
PLW/860/840/DA/O	Powerline White On 860mm 4000K DALI Dim	398,61	4.6
PLB/860/827/ND/O	Powerline Black On 860mm 2700K Non Dim	325,30	4.6
PLB/860/830/ND/O	Powerline Black On 860mm 3000K Non Dim	325,30	4.6
PLB/860/840/ND/O	Powerline Black On 860mm 4000K Non Dim	325,30	4.6
PLB/860/827/A/O	Powerline Black On 860mm 2700K 1-10V Dim	387,09	4.6
PLB/860/830/A/O	Powerline Black On 860mm 3000K 1-10V Dim	387,09	4.6
PLB/860/840/A/O	Powerline Black On 860mm 4000K 1-10V Dim	387,09	4.6
PLB/860/827/DA/O	Powerline Black On 860mm 2700K DALI Dim	398,61	4.6
PLB/860/830/DA/O	Powerline Black On 860mm 3000K DALI Dim	398,61	4.6
PLB/860/840/DA/O	Powerline Black On 860mm 4000K DALI Dim	398,61	4.6
PLA/860/827/ND/S	Powerline Ano Suspension 860mm 2700K Non Dim	375,67	4.6
PLA/860/830/ND/S	Powerline Ano Suspension 860mm 3000K Non Dim	375,67	4.6
PLA/860/840/ND/S	Powerline Ano Suspension 860mm 4000K Non Dim	375,67	4.6
PLA/860/827/A/S	Powerline Ano Suspension 860mm 2700K 1-10V Dim	466,29	4.6
PLA/860/830/A/S	Powerline Ano Suspension 860mm 3000K 1-10V Dim	466,29	4.6
PLA/860/840/A/S	Powerline Ano Suspension 860mm 4000K 1-10V Dim	466,29	4.6
PLA/860/827/DA/S	Powerline Ano Suspension 860mm 2700K DALI Dim	447,31	4.6
PLA/860/830/DA/S	Powerline Ano Suspension 860mm 3000K DALI Dim	447,31	4.6
PLA/860/840/DA/S	Powerline Ano Suspension 860mm 4000K DALI Dim	447,31	4.6
PLW/860/827/ND/S	Powerline White Suspension 860mm 2700K Non Dim	375,67	4.6
PLW/860/830/ND/S	Powerline White Suspension 860mm 3000K Non Dim	375,67	4.6
PLW/860/840/ND/S	Powerline White Suspension 860mm 4000K Non Dim	375,67	4.6
PLW/860/827/A/S	Powerline White Suspension 860mm 2700K 1-10V Dim	466,29	4.6
PLW/860/830/A/S	Powerline White Suspension 860mm 3000K 1-10V Dim	466,29	4.6
PLW/860/840/A/S	Powerline White Suspension 860mm 4000K 1-10V Dim	466,29	4.6
PLW/860/827/DA/S	Powerline White Suspension 860mm 2700K DALI Dim	447,31	4.6
PLW/860/830/DA/S	Powerline White Suspension 860mm 3000K DALI Dim	447,31	4.6
PLW/860/840/DA/S	Powerline White Suspension 860mm 4000K DALI Dim	447,31	4.6
PLB/860/827/ND/S	Powerline Black Suspension 860mm 2700K Non Dim	375,67	4.6
PLB/860/830/ND/S	Powerline Black Suspension 860mm 3000K Non Dim	375,67	4.6
PLB/860/840/ND/S	Powerline Black Suspension 860mm 4000K Non Dim	375,67	4.6
PLB/860/827/A/S	Powerline Black Suspension 860mm 2700K 1-10V Dim	466,29	4.6
PLB/860/830/A/S	Powerline Black Suspension 860mm 3000K 1-10V Dim	466,29	4.6
PLB/860/840/A/S	Powerline Black Suspension 860mm 4000K 1-10V Dim	466,29	4.6
PLB/860/827/DA/S	Powerline Black Suspension 860mm 2700K DALI Dim	447,31	4.6
PLB/860/830/DA/S	Powerline Black Suspension 860mm 3000K DALI Dim	447,31	4.6
PLB/860/840/DA/S	Powerline Black Suspension 860mm 4000K DALI Dim	447,31	4.6
PLA/1140/827/ND/O	Powerline Ano On 1140mm 2700K Non Dim	351,49	4.6
PLA/1140/830/ND/O	Powerline Ano On 1140mm 3000K Non Dim	351,49	4.6
PLA/1140/840/ND/O	Powerline Ano On 1140mm 4000K Non Dim	351,49	4.6
PLA/1140/827/A/O	Powerline Ano On 1140mm 2700K 1-10V Dim	428,15	4.6
PLA/1140/830/A/O	Powerline Ano On 1140mm 3000K 1-10V Dim	428,15	4.6
PLA/1140/840/A/O	Powerline Ano On 1140mm 4000K 1-10V Dim	428,15	4.6
PLA/1140/827/DA/O	Powerline Ano On 1140mm 2700K DALI Dim	398,61	4.6
PLA/1140/830/DA/O	Powerline Ano On 1140mm 3000K DALI Dim	398,61	4.6
PLA/1140/840/DA/O	Powerline Ano On 1140mm 4000K DALI Dim	398,61	4.6
PLW/1140/827/ND/O	Powerline White On 1140mm 2700K Non Dim	351,49	4.6
PLW/1140/830/ND/O	Powerline White On 1140mm 3000K Non Dim	351,49	4.6
PLW/1140/840/ND/O	Powerline White On 1140mm 4000K Non Dim	351,49	4.6
PLW/1140/827/A/O	Powerline White On 1140mm 2700K 1-10V Dim	428,15	4.6
PLW/1140/830/A/O	Powerline White On 1140mm 3000K 1-10V Dim	428,15	4.6
PLW/1140/840/A/O	Powerline White On 1140mm 4000K 1-10V Dim	428,15	4.6
PLW/1140/827/DA/O	Powerline White On 1140mm 2700K DALI Dim	398,61	4.6
PLW/1140/830/DA/O	Powerline White On 1140mm 3000K DALI Dim	398,61	4.6
PLW/1140/840/DA/O	Powerline White On 1140mm 4000K DALI Dim	398,61	4.6
PLB/1140/827/ND/O	Powerline Black On 1140mm 2700K Non Dim	351,49	4.6
PLB/1140/830/ND/O	Powerline Black On 1140mm 3000K Non Dim	351,49	4.6
PLB/1140/840/ND/O	Powerline Black On 1140mm 4000K Non Dim	351,49	4.6
PLB/1140/827/A/O	Powerline Black On 1140mm 2700K 1-10V Dim	428,15	4.6
PLB/1140/830/A/O	Powerline Black On 1140mm 3000K 1-10V Dim	428,15	4.6
PLB/1140/840/A/O	Powerline Black On 1140mm 4000K 1-10V Dim	428,15	4.6
PLB/1140/827/DA/O	Powerline Black On 1140mm 2700K DALI Dim	398,61	4.6
PLB/1140/830/DA/O	Powerline Black On 1140mm 3000K DALI Dim	398,61	4.6
PLB/1140/840/DA/O	Powerline Black On 1140mm 4000K DALI Dim	398,61	4.6
PLA/1140/827/ND/S	Powerline Ano Suspension 1140mm 2700K Non Dim	404,95	4.6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

PLA/1140/830/ND/S	Powerline Ano Suspension 1140mm 3000K Non Dim	404,95	4.6
PLA/1140/840/ND/S	Powerline Ano Suspension 1140mm 4000K Non Dim	404,95	4.6
PLA/1140/827/A/S	Powerline Ano Suspension 1140mm 2700K 1-10V Dim	507,35	4.6
PLA/1140/830/A/S	Powerline Ano Suspension 1140mm 3000K 1-10V Dim	507,35	4.6
PLA/1140/840/A/S	Powerline Ano Suspension 1140mm 4000K 1-10V Dim	507,35	4.6
PLA/1140/827/DA/S	Powerline Ano Suspension 1140mm 2700K DALI Dim	475,07	4.6
PLA/1140/830/DA/S	Powerline Ano Suspension 1140mm 3000K DALI Dim	475,07	4.6
PLA/1140/840/DA/S	Powerline Ano Suspension 1140mm 4000K DALI Dim	475,07	4.6
PLW/1140/827/ND/S	Powerline White Suspension 1140mm 2700K Non Dim	404,95	4.6
PLW/1140/830/ND/S	Powerline White Suspension 1140mm 3000K Non Dim	404,95	4.6
PLW/1140/840/ND/S	Powerline White Suspension 1140mm 4000K Non Dim	404,95	4.6
PLW/1140/827/A/S	Powerline White Suspension 1140mm 2700K 1-10V Dim	507,35	4.6
PLW/1140/830/A/S	Powerline White Suspension 1140mm 3000K 1-10V Dim	507,35	4.6
PLW/1140/840/A/S	Powerline White Suspension 1140mm 4000K 1-10V Dim	507,35	4.6
PLW/1140/827/DA/S	Powerline White Suspension 1140mm 2700K DALI Dim	475,07	4.6
PLW/1140/830/DA/S	Powerline White Suspension 1140mm 3000K DALI Dim	475,07	4.6
PLW/1140/840/DA/S	Powerline White Suspension 1140mm 4000K DALI Dim	475,07	4.6
PLB/1140/827/ND/S	Powerline Black Suspension 1140mm 2700K Non Dim	404,95	4.6
PLB/1140/830/ND/S	Powerline Black Suspension 1140mm 3000K Non Dim	404,95	4.6
PLB/1140/840/ND/S	Powerline Black Suspension 1140mm 4000K Non Dim	404,95	4.6
PLB/1140/827/A/S	Powerline Black Suspension 1140mm 2700K 1-10V Dim	507,35	4.6
PLB/1140/830/A/S	Powerline Black Suspension 1140mm 3000K 1-10V Dim	507,35	4.6
PLB/1140/840/A/S	Powerline Black Suspension 1140mm 4000K 1-10V Dim	507,35	4.6
PLB/1140/827/DA/S	Powerline Black Suspension 1140mm 2700K DALI Dim	475,07	4.6
PLB/1140/830/DA/S	Powerline Black Suspension 1140mm 3000K DALI Dim	475,07	4.6
PLB/1140/840/DA/S	Powerline Black Suspension 1140mm 4000K DALI Dim	475,07	4.6
PLA/1420/827/ND/O	Powerline Ano On 1420mm 2700K Non Dim	409,86	4.6
PLA/1420/830/ND/O	Powerline Ano On 1420mm 3000K Non Dim	409,86	4.6
PLA/1420/840/ND/O	Powerline Ano On 1420mm 4000K Non Dim	409,86	4.6
PLA/1420/827/A/O	Powerline Ano On 1420mm 2700K 1-10V Dim	482,74	4.6
PLA/1420/830/A/O	Powerline Ano On 1420mm 3000K 1-10V Dim	482,74	4.6
PLA/1420/840/A/O	Powerline Ano On 1420mm 4000K 1-10V Dim	482,74	4.6
PLA/1420/827/DA/O	Powerline Ano On 1420mm 2700K DALI Dim	454,43	4.6
PLA/1420/830/DA/O	Powerline Ano On 1420mm 3000K DALI Dim	454,43	4.6
PLA/1420/840/DA/O	Powerline Ano On 1420mm 4000K DALI Dim	454,43	4.6
PLW/1420/827/ND/O	Powerline White On 1420mm 2700K Non Dim	409,86	4.6
PLW/1420/830/ND/O	Powerline White On 1420mm 3000K Non Dim	409,86	4.6
PLW/1420/840/ND/O	Powerline White On 1420mm 4000K Non Dim	409,86	4.6
PLW/1420/827/A/O	Powerline White On 1420mm 2700K 1-10V Dim	482,74	4.6
PLW/1420/830/A/O	Powerline White On 1420mm 3000K 1-10V Dim	482,74	4.6
PLW/1420/840/A/O	Powerline White On 1420mm 4000K 1-10V Dim	482,74	4.6
PLW/1420/827/DA/O	Powerline White On 1420mm 2700K DALI Dim	454,43	4.6
PLW/1420/830/DA/O	Powerline White On 1420mm 3000K DALI Dim	454,43	4.6
PLW/1420/840/DA/O	Powerline White On 1420mm 4000K DALI Dim	454,43	4.6
PLB/1420/827/ND/O	Powerline Black On 1420mm 2700K Non Dim	409,86	4.6
PLB/1420/830/ND/O	Powerline Black On 1420mm 3000K Non Dim	409,86	4.6
PLB/1420/840/ND/O	Powerline Black On 1420mm 4000K Non Dim	409,86	4.6
PLB/1420/827/A/O	Powerline Black On 1420mm 2700K 1-10V Dim	482,74	4.6
PLB/1420/830/A/O	Powerline Black On 1420mm 3000K 1-10V Dim	482,74	4.6
PLB/1420/840/A/O	Powerline Black On 1420mm 4000K 1-10V Dim	482,74	4.6
PLB/1420/827/DA/O	Powerline Black On 1420mm 2700K DALI Dim	454,43	4.6
PLB/1420/830/DA/O	Powerline Black On 1420mm 3000K DALI Dim	454,43	4.6
PLB/1420/840/DA/O	Powerline Black On 1420mm 4000K DALI Dim	454,43	4.6
PLA/1420/827/ND/S	Powerline Ano Suspension 1420mm 2700K Non Dim	460,22	4.6
PLA/1420/830/ND/S	Powerline Ano Suspension 1420mm 3000K Non Dim	460,22	4.6
PLA/1420/840/ND/S	Powerline Ano Suspension 1420mm 4000K Non Dim	460,22	4.6
PLA/1420/827/A/S	Powerline Ano Suspension 1420mm 2700K 1-10V Dim	561,94	4.6
PLA/1420/830/A/S	Powerline Ano Suspension 1420mm 3000K 1-10V Dim	561,94	4.6
PLA/1420/840/A/S	Powerline Ano Suspension 1420mm 4000K 1-10V Dim	561,94	4.6
PLA/1420/827/DA/S	Powerline Ano Suspension 1420mm 2700K DALI Dim	530,87	4.6
PLA/1420/830/DA/S	Powerline Ano Suspension 1420mm 3000K DALI Dim	530,87	4.6
PLA/1420/840/DA/S	Powerline Ano Suspension 1420mm 4000K DALI Dim	530,87	4.6
PLW/1420/827/ND/S	Powerline White Suspension 1420mm 2700K Non Dim	460,22	4.6
PLW/1420/830/ND/S	Powerline White Suspension 1420mm 3000K Non Dim	460,22	4.6
PLW/1420/840/ND/S	Powerline White Suspension 1420mm 4000K Non Dim	460,22	4.6
PLW/1420/827/A/S	Powerline White Suspension 1420mm 2700K 1-10V Dim	561,94	4.6
PLW/1420/830/A/S	Powerline White Suspension 1420mm 3000K 1-10V Dim	561,94	4.6
PLW/1420/840/A/S	Powerline White Suspension 1420mm 4000K 1-10V Dim	561,94	4.6
PLW/1420/827/DA/S	Powerline White Suspension 1420mm 2700K DALI Dim	530,87	4.6
PLW/1420/830/DA/S	Powerline White Suspension 1420mm 3000K DALI Dim	530,87	4.6
PLW/1420/840/DA/S	Powerline White Suspension 1420mm 4000K DALI Dim	530,87	4.6
PLB/1420/827/ND/S	Powerline Black Suspension 1420mm 2700K Non Dim	460,22	4.6
PLB/1420/830/ND/S	Powerline Black Suspension 1420mm 3000K Non Dim	460,22	4.6
PLB/1420/840/ND/S	Powerline Black Suspension 1420mm 4000K Non Dim	460,22	4.6
PLB/1420/827/A/S	Powerline Black Suspension 1420mm 2700K 1-10V Dim	561,94	4.6
PLB/1420/830/A/S	Powerline Black Suspension 1420mm 3000K 1-10V Dim	561,94	4.6
PLB/1420/840/A/S	Powerline Black Suspension 1420mm 4000K 1-10V Dim	561,94	4.6
PLB/1420/827/DA/S	Powerline Black Suspension 1420mm 2700K DALI Dim	530,87	4.6
PLB/1420/830/DA/S	Powerline Black Suspension 1420mm 3000K DALI Dim	530,87	4.6
PLB/1420/840/DA/S	Powerline Black Suspension 1420mm 4000K DALI Dim	530,87	4.6
PLA/1700/827/ND/O	Powerline Ano On 1700mm 2700K Non Dim	451,49	4.6
PLA/1700/830/ND/O	Powerline Ano On 1700mm 3000K Non Dim	451,49	4.6
PLA/1700/840/ND/O	Powerline Ano On 1700mm 4000K Non Dim	451,49	4.6
PLA/1700/827/A/O	Powerline Ano On 1700mm 2700K 1-10V Dim	523,82	4.6

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

PLA/1700/830/A/O	Powerline Ano On 1700mm 3000K 1-10V Dim	523,82	4.6
PLA/1700/840/A/O	Powerline Ano On 1700mm 4000K 1-10V Dim	523,82	4.6
PLA/1700/827/DA/O	Powerline Ano On 1700mm 2700K DALI Dim	492,69	4.6
PLA/1700/830/DA/O	Powerline Ano On 1700mm 3000K DALI Dim	492,69	4.6
PLA/1700/840/DA/O	Powerline Ano On 1700mm 4000K DALI Dim	492,69	4.6
PLW/1700/827/ND/O	Powerline White On 1700mm 2700K Non Dim	451,49	4.6
PLW/1700/830/ND/O	Powerline White On 1700mm 3000K Non Dim	451,49	4.6
PLW/1700/840/ND/O	Powerline White On 1700mm 4000K Non Dim	451,49	4.6
PLW/1700/827/A/O	Powerline White On 1700mm 2700K 1-10V Dim	523,82	4.6
PLW/1700/830/A/O	Powerline White On 1700mm 3000K 1-10V Dim	523,82	4.6
PLW/1700/840/A/O	Powerline White On 1700mm 4000K 1-10V Dim	523,82	4.6
PLW/1700/827/DA/O	Powerline White On 1700mm 2700K DALI Dim	492,69	4.6
PLW/1700/830/DA/O	Powerline White On 1700mm 3000K DALI Dim	492,69	4.6
PLW/1700/840/DA/O	Powerline White On 1700mm 4000K DALI Dim	492,69	4.6
PLB/1700/827/ND/O	Powerline Black On 1700mm 2700K Non Dim	451,49	4.6
PLB/1700/830/ND/O	Powerline Black On 1700mm 3000K Non Dim	451,49	4.6
PLB/1700/840/ND/O	Powerline Black On 1700mm 4000K Non Dim	451,49	4.6
PLB/1700/827/A/O	Powerline Black On 1700mm 2700K 1-10V Dim	523,82	4.6
PLB/1700/830/A/O	Powerline Black On 1700mm 3000K 1-10V Dim	523,82	4.6
PLB/1700/840/A/O	Powerline Black On 1700mm 4000K 1-10V Dim	523,82	4.6
PLB/1700/827/DA/O	Powerline Black On 1700mm 2700K DALI Dim	492,69	4.6
PLB/1700/830/DA/O	Powerline Black On 1700mm 3000K DALI Dim	492,69	4.6
PLB/1700/840/DA/O	Powerline Black On 1700mm 4000K DALI Dim	492,69	4.6
PLA/1700/827/ND/S	Powerline Ano Suspension 1700mm 2700K Non Dim	501,87	4.6
PLA/1700/830/ND/S	Powerline Ano Suspension 1700mm 3000K Non Dim	504,87	4.6
PLA/1700/840/ND/S	Powerline Ano Suspension 1700mm 4000K Non Dim	504,87	4.6
PLA/1700/827/A/S	Powerline Ano Suspension 1700mm 2700K 1-10V Dim	603,02	4.6
PLA/1700/830/A/S	Powerline Ano Suspension 1700mm 3000K 1-10V Dim	603,02	4.6
PLA/1700/840/A/S	Powerline Ano Suspension 1700mm 4000K 1-10V Dim	603,02	4.6
PLA/1700/827/DA/S	Powerline Ano Suspension 1700mm 2700K DALI Dim	569,15	4.6
PLA/1700/830/DA/S	Powerline Ano Suspension 1700mm 3000K DALI Dim	569,15	4.6
PLA/1700/840/DA/S	Powerline Ano Suspension 1700mm 4000K DALI Dim	569,15	4.6
PLW/1700/827/ND/S	Powerline White Suspension 1700mm 2700K Non Dim	501,87	4.6
PLW/1700/830/ND/S	Powerline White Suspension 1700mm 3000K Non Dim	504,87	4.6
PLW/1700/840/ND/S	Powerline White Suspension 1700mm 4000K Non Dim	504,87	4.6
PLW/1700/827/A/S	Powerline White Suspension 1700mm 2700K 1-10V Dim	603,02	4.6
PLW/1700/830/A/S	Powerline White Suspension 1700mm 3000K 1-10V Dim	603,02	4.6
PLW/1700/840/A/S	Powerline White Suspension 1700mm 4000K 1-10V Dim	603,02	4.6
PLW/1700/827/DA/S	Powerline White Suspension 1700mm 2700K DALI Dim	569,15	4.6
PLW/1700/830/DA/S	Powerline White Suspension 1700mm 3000K DALI Dim	569,15	4.6
PLW/1700/840/DA/S	Powerline White Suspension 1700mm 4000K DALI Dim	569,15	4.6
PLB/1700/827/ND/S	Powerline Black Suspension 1700mm 2700K Non Dim	501,87	4.6
PLB/1700/830/ND/S	Powerline Black Suspension 1700mm 3000K Non Dim	504,87	4.6
PLB/1700/840/ND/S	Powerline Black Suspension 1700mm 4000K Non Dim	504,87	4.6
PLB/1700/827/A/S	Powerline Black Suspension 1700mm 2700K 1-10V Dim	603,02	4.6
PLB/1700/830/A/S	Powerline Black Suspension 1700mm 3000K 1-10V Dim	603,02	4.6
PLB/1700/840/A/S	Powerline Black Suspension 1700mm 4000K 1-10V Dim	603,02	4.6
PLB/1700/827/DA/S	Powerline Black Suspension 1700mm 2700K DALI Dim	569,15	4.6
PLB/1700/830/DA/S	Powerline Black Suspension 1700mm 3000K DALI Dim	569,15	4.6
PLB/1700/840/DA/S	Powerline Black Suspension 1700mm 4000K DALI Dim	569,15	4.6
PLA/1980/827/ND/O	Powerline Ano On 1980mm 2700K Non Dim	511,45	4.6
PLA/1980/830/ND/O	Powerline Ano On 1980mm 3000K Non Dim	511,45	4.6
PLA/1980/840/ND/O	Powerline Ano On 1980mm 4000K Non Dim	511,45	4.6
PLA/1980/827/A/O	Powerline Ano On 1980mm 2700K 1-10V Dim	675,16	4.6
PLA/1980/830/A/O	Powerline Ano On 1980mm 3000K 1-10V Dim	675,16	4.6
PLA/1980/840/A/O	Powerline Ano On 1980mm 4000K 1-10V Dim	675,16	4.6
PLA/1980/827/DA/O	Powerline Ano On 1980mm 2700K DALI Dim	558,13	4.6
PLA/1980/830/DA/O	Powerline Ano On 1980mm 3000K DALI Dim	558,13	4.6
PLA/1980/840/DA/O	Powerline Ano On 1980mm 4000K DALI Dim	558,13	4.6
PLW/1980/827/ND/O	Powerline White On 1980mm 2700K Non Dim	511,45	4.6
PLW/1980/830/ND/O	Powerline White On 1980mm 3000K Non Dim	511,45	4.6
PLW/1980/840/ND/O	Powerline White On 1980mm 4000K Non Dim	511,45	4.6
PLW/1980/827/A/O	Powerline White On 1980mm 2700K 1-10V Dim	675,16	4.6
PLW/1980/830/A/O	Powerline White On 1980mm 3000K 1-10V Dim	675,16	4.6
PLW/1980/840/A/O	Powerline White On 1980mm 4000K 1-10V Dim	675,16	4.6
PLW/1980/827/DA/O	Powerline White On 1980mm 2700K DALI Dim	558,13	4.6
PLW/1980/830/DA/O	Powerline White On 1980mm 3000K DALI Dim	558,13	4.6
PLW/1980/840/DA/O	Powerline White On 1980mm 4000K DALI Dim	558,13	4.6
PLB/1980/827/ND/O	Powerline Black On 1980mm 2700K Non Dim	511,45	4.6
PLB/1980/830/ND/O	Powerline Black On 1980mm 3000K Non Dim	511,45	4.6
PLB/1980/840/ND/O	Powerline Black On 1980mm 4000K Non Dim	511,45	4.6
PLB/1980/827/A/O	Powerline Black On 1980mm 2700K 1-10V Dim	675,16	4.6
PLB/1980/830/A/O	Powerline Black On 1980mm 3000K 1-10V Dim	675,16	4.6
PLB/1980/840/A/O	Powerline Black On 1980mm 4000K 1-10V Dim	675,16	4.6
PLB/1980/827/DA/O	Powerline Black On 1980mm 2700K DALI Dim	558,13	4.6
PLB/1980/830/DA/O	Powerline Black On 1980mm 3000K DALI Dim	558,13	4.6
PLB/1980/840/DA/O	Powerline Black On 1980mm 4000K DALI Dim	558,13	4.6
PLA/1980/827/ND/S	Powerline Ano Suspension 1980mm 2700K Non Dim	561,80	4.6
PLA/1980/830/ND/S	Powerline Ano Suspension 1980mm 3000K Non Dim	561,80	4.6
PLA/1980/840/ND/S	Powerline Ano Suspension 1980mm 4000K Non Dim	561,80	4.6
PLA/1980/827/A/S	Powerline Ano Suspension 1980mm 2700K 1-10V Dim	754,36	4.6
PLA/1980/830/A/S	Powerline Ano Suspension 1980mm 3000K 1-10V Dim	754,36	4.6
PLA/1980/840/A/S	Powerline Ano Suspension 1980mm 4000K 1-10V Dim	754,36	4.6
PLA/1980/827/DA/S	Powerline Ano Suspension 1980mm 2700K DALI Dim	634,59	4.6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

PLA/1980/830/DA/S	Powerline Ano Suspension 1980mm 3000K DALI Dim	634,59	4.6
PLA/1980/840/DA/S	Powerline Ano Suspension 1980mm 4000K DALI Dim	634,59	4.6
PLW/1980/827/ND/S	Powerline White Suspension 1980mm 2700K Non Dim	561,80	4.6
PLW/1980/830/ND/S	Powerline White Suspension 1980mm 3000K Non Dim	561,80	4.6
PLW/1980/840/ND/S	Powerline White Suspension 1980mm 4000K Non Dim	561,80	4.6
PLW/1980/827/A/S	Powerline White Suspension 1980mm 2700K 1-10V Dim	754,36	4.6
PLW/1980/830/A/S	Powerline White Suspension 1980mm 3000K 1-10V Dim	754,36	4.6
PLW/1980/840/A/S	Powerline White Suspension 1980mm 4000K 1-10V Dim	754,36	4.6
PLW/1980/827/DA/S	Powerline White Suspension 1980mm 2700K DALI Dim	634,59	4.6
PLW/1980/830/DA/S	Powerline White Suspension 1980mm 3000K DALI Dim	634,59	4.6
PLW/1980/840/DA/S	Powerline White Suspension 1980mm 4000K DALI Dim	634,59	4.6
PLB/1980/827/ND/S	Powerline Black Suspension 1980mm 2700K Non Dim	561,80	4.6
PLB/1980/830/ND/S	Powerline Black Suspension 1980mm 3000K Non Dim	561,80	4.6
PLB/1980/840/ND/S	Powerline Black Suspension 1980mm 4000K Non Dim	561,80	4.6
PLB/1980/827/A/S	Powerline Black Suspension 1980mm 2700K 1-10V Dim	754,36	4.6
PLB/1980/830/A/S	Powerline Black Suspension 1980mm 3000K 1-10V Dim	754,36	4.6
PLB/1980/840/A/S	Powerline Black Suspension 1980mm 4000K 1-10V Dim	754,36	4.6
PLB/1980/827/DA/S	Powerline Black Suspension 1980mm 2700K DALI Dim	634,59	4.6
PLB/1980/830/DA/S	Powerline Black Suspension 1980mm 3000K DALI Dim	634,59	4.6
PLB/1980/840/DA/S	Powerline Black Suspension 1980mm 4000K DALI Dim	634,59	4.6
PLA/2260/827/ND/O	Powerline Ano On 2260mm 2700K Non Dim	545,54	4.6
PLA/2260/830/ND/O	Powerline Ano On 2260mm 3000K Non Dim	545,54	4.6
PLA/2260/840/ND/O	Powerline Ano On 2260mm 4000K Non Dim	545,54	4.6
PLA/2260/827/A/O	Powerline Ano On 2260mm 2700K 1-10V Dim	667,86	4.6
PLA/2260/830/A/O	Powerline Ano On 2260mm 3000K 1-10V Dim	667,86	4.6
PLA/2260/840/A/O	Powerline Ano On 2260mm 4000K 1-10V Dim	667,86	4.6
PLA/2260/827/DA/O	Powerline Ano On 2260mm 2700K DALI Dim	592,56	4.6
PLA/2260/830/DA/O	Powerline Ano On 2260mm 3000K DALI Dim	592,56	4.6
PLA/2260/840/DA/O	Powerline Ano On 2260mm 4000K DALI Dim	592,56	4.6
PLW/2260/827/ND/O	Powerline White On 2260mm 2700K Non Dim	545,54	4.6
PLW/2260/830/ND/O	Powerline White On 2260mm 3000K Non Dim	545,54	4.6
PLW/2260/840/ND/O	Powerline White On 2260mm 4000K Non Dim	545,54	4.6
PLW/2260/827/A/O	Powerline White On 2260mm 2700K 1-10V Dim	667,86	4.6
PLW/2260/830/A/O	Powerline White On 2260mm 3000K 1-10V Dim	667,86	4.6
PLW/2260/840/A/O	Powerline White On 2260mm 4000K 1-10V Dim	667,86	4.6
PLW/2260/827/DA/O	Powerline White On 2260mm 2700K DALI Dim	592,56	4.6
PLW/2260/830/DA/O	Powerline White On 2260mm 3000K DALI Dim	592,56	4.6
PLW/2260/840/DA/O	Powerline White On 2260mm 4000K DALI Dim	592,56	4.6
PLB/2260/827/ND/O	Powerline Black On 2260mm 2700K Non Dim	545,54	4.6
PLB/2260/830/ND/O	Powerline Black On 2260mm 3000K Non Dim	545,54	4.6
PLB/2260/840/ND/O	Powerline Black On 2260mm 4000K Non Dim	545,54	4.6
PLB/2260/827/A/O	Powerline Black On 2260mm 2700K 1-10V Dim	667,86	4.6
PLB/2260/830/A/O	Powerline Black On 2260mm 3000K 1-10V Dim	667,86	4.6
PLB/2260/840/A/O	Powerline Black On 2260mm 4000K 1-10V Dim	667,86	4.6
PLB/2260/827/DA/O	Powerline Black On 2260mm 2700K DALI Dim	592,56	4.6
PLB/2260/830/DA/O	Powerline Black On 2260mm 3000K DALI Dim	592,56	4.6
PLB/2260/840/DA/O	Powerline Black On 2260mm 4000K DALI Dim	592,56	4.6
PLA/2260/827/ND/S	Powerline Ano Suspension 2260mm 2700K Non Dim	595,92	4.6
PLA/2260/830/ND/S	Powerline Ano Suspension 2260mm 3000K Non Dim	595,92	4.6
PLA/2260/840/ND/S	Powerline Ano Suspension 2260mm 4000K Non Dim	595,92	4.6
PLA/2260/827/A/S	Powerline Ano Suspension 2260mm 2700K 1-10V Dim	626,76	4.6
PLA/2260/830/A/S	Powerline Ano Suspension 2260mm 3000K 1-10V Dim	626,76	4.6
PLA/2260/840/A/S	Powerline Ano Suspension 2260mm 4000K 1-10V Dim	926,76	4.6
PLA/2260/827/DA/S	Powerline Ano Suspension 2260mm 2700K DALI Dim	669,02	4.6
PLA/2260/830/DA/S	Powerline Ano Suspension 2260mm 3000K DALI Dim	669,02	4.6
PLA/2260/840/DA/S	Powerline Ano Suspension 2260mm 4000K DALI Dim	669,02	4.6
PLW/2260/827/ND/S	Powerline White Suspension 2260mm 2700K Non Dim	595,92	4.6
PLW/2260/830/ND/S	Powerline White Suspension 2260mm 3000K Non Dim	595,92	4.6
PLW/2260/840/ND/S	Powerline White Suspension 2260mm 4000K Non Dim	595,92	4.6
PLW/2260/827/A/S	Powerline White Suspension 2260mm 2700K 1-10V Dim	626,76	4.6
PLW/2260/830/A/S	Powerline White Suspension 2260mm 3000K 1-10V Dim	626,76	4.6
PLW/2260/840/A/S	Powerline White Suspension 2260mm 4000K 1-10V Dim	926,76	4.6
PLW/2260/827/DA/S	Powerline White Suspension 2260mm 2700K DALI Dim	669,02	4.6
PLW/2260/830/DA/S	Powerline White Suspension 2260mm 3000K DALI Dim	669,02	4.6
PLW/2260/840/DA/S	Powerline White Suspension 2260mm 4000K DALI Dim	669,02	4.6
PLB/2260/827/ND/S	Powerline Black Suspension 2260mm 2700K Non Dim	595,92	4.6
PLB/2260/830/ND/S	Powerline Black Suspension 2260mm 3000K Non Dim	595,92	4.6
PLB/2260/840/ND/S	Powerline Black Suspension 2260mm 4000K Non Dim	595,92	4.6
PLB/2260/827/A/S	Powerline Black Suspension 2260mm 2700K 1-10V Dim	626,76	4.6
PLB/2260/830/A/S	Powerline Black Suspension 2260mm 3000K 1-10V Dim	626,76	4.6
PLB/2260/840/A/S	Powerline Black Suspension 2260mm 4000K 1-10V Dim	926,76	4.6
PLB/2260/827/DA/S	Powerline Black Suspension 2260mm 2700K DALI Dim	669,02	4.6
PLB/2260/830/DA/S	Powerline Black Suspension 2260mm 3000K DALI Dim	669,02	4.6
PLB/2260/840/DA/S	Powerline Black Suspension 2260mm 4000K DALI Dim	669,02	4.6
PLA/2540/827/ND/O	Powerline Ano On 2540mm 2700K Non Dim	622,02	4.6
PLA/2540/830/ND/O	Powerline Ano On 2540mm 3000K Non Dim	622,02	4.6
PLA/2540/840/ND/O	Powerline Ano On 2540mm 4000K Non Dim	622,02	4.6
PLA/2540/827/A/O	Powerline Ano On 2540mm 2700K 1-10V Dim	682,76	4.6
PLA/2540/830/A/O	Powerline Ano On 2540mm 3000K 1-10V Dim	682,76	4.6
PLA/2540/840/A/O	Powerline Ano On 2540mm 4000K 1-10V Dim	682,86	4.6
PLA/2540/827/DA/O	Powerline Ano On 2540mm 2700K DALI Dim	669,77	4.6
PLA/2540/830/DA/O	Powerline Ano On 2540mm 3000K DALI Dim	669,77	4.6
PLA/2540/840/DA/O	Powerline Ano On 2540mm 4000K DALI Dim	669,77	4.6
PLW/2540/827/ND/O	Powerline White On 2540mm 2700K Non Dim	622,02	4.6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

PLW/2540/830/ND/O	Powerline White On 2540mm 3000K Non Dim	622,02	4.6
PLW/2540/840/ND/O	Powerline White On 2540mm 4000K Non Dim	622,02	4.6
PLW/2540/827/A/O	Powerline White On 2540mm 2700K 1-10V Dim	682,76	4.6
PLW/2540/830/A/O	Powerline White On 2540mm 3000K 1-10V Dim	682,76	4.6
PLW/2540/840/A/O	Powerline White On 2540mm 4000K 1-10V Dim	682,86	4.6
PLW/2540/827/DA/O	Powerline White On 2540mm 2700K DALI Dim	669,77	4.6
PLW/2540/830/DA/O	Powerline White On 2540mm 3000K DALI Dim	669,77	4.6
PLW/2540/840/DA/O	Powerline White On 2540mm 4000K DALI Dim	669,77	4.6
PLB/2540/827/ND/O	Powerline Black On 2540mm 2700K Non Dim	622,02	4.6
PLB/2540/830/ND/O	Powerline Black On 2540mm 3000K Non Dim	622,02	4.6
PLB/2540/840/ND/O	Powerline Black On 2540mm 4000K Non Dim	622,02	4.6
PLB/2540/827/A/O	Powerline Black On 2540mm 2700K 1-10V Dim	682,76	4.6
PLB/2540/830/A/O	Powerline Black On 2540mm 3000K 1-10V Dim	682,76	4.6
PLB/2540/840/A/O	Powerline Black On 2540mm 4000K 1-10V Dim	682,86	4.6
PLB/2540/827/DA/O	Powerline Black On 2540mm 2700K DALI Dim	669,77	4.6
PLB/2540/830/DA/O	Powerline Black On 2540mm 3000K DALI Dim	669,77	4.6
PLB/2540/840/DA/O	Powerline Black On 2540mm 4000K DALI Dim	669,77	4.6
PLA/2540/827/ND/S	Powerline Ano Suspension 2540mm 2700K Non Dim	683,09	4.6
PLA/2540/830/ND/S	Powerline Ano Suspension 2540mm 3000K Non Dim	683,09	4.6
PLA/2540/840/ND/S	Powerline Ano Suspension 2540mm 4000K Non Dim	683,09	4.6
PLA/2540/827/A/S	Powerline Ano Suspension 2540mm 2700K 1-10V Dim	682,76	4.6
PLA/2540/830/A/S	Powerline Ano Suspension 2540mm 3000K 1-10V Dim	682,76	4.6
PLA/2540/840/A/S	Powerline Ano Suspension 2540mm 4000K 1-10V Dim	682,76	4.6
PLA/2540/827/DA/S	Powerline Ano Suspension 2540mm 2700K DALI Dim	757,04	4.6
PLA/2540/830/DA/S	Powerline Ano Suspension 2540mm 3000K DALI Dim	757,04	4.6
PLA/2540/840/DA/S	Powerline Ano Suspension 2540mm 4000K DALI Dim	757,04	4.6
PLW/2540/827/ND/S	Powerline White Suspension 2540mm 2700K Non Dim	683,09	4.6
PLW/2540/830/ND/S	Powerline White Suspension 2540mm 3000K Non Dim	683,09	4.6
PLW/2540/840/ND/S	Powerline White Suspension 2540mm 4000K Non Dim	683,09	4.6
PLW/2540/827/A/S	Powerline White Suspension 2540mm 2700K 1-10V Dim	682,76	4.6
PLW/2540/830/A/S	Powerline White Suspension 2540mm 3000K 1-10V Dim	682,76	4.6
PLW/2540/840/A/S	Powerline White Suspension 2540mm 4000K 1-10V Dim	682,76	4.6
PLW/2540/827/DA/S	Powerline White Suspension 2540mm 2700K DALI Dim	757,04	4.6
PLW/2540/830/DA/S	Powerline White Suspension 2540mm 3000K DALI Dim	757,04	4.6
PLW/2540/840/DA/S	Powerline White Suspension 2540mm 4000K DALI Dim	757,04	4.6
PLB/2540/827/ND/S	Powerline Black Suspension 2540mm 2700K Non Dim	683,09	4.6
PLB/2540/830/ND/S	Powerline Black Suspension 2540mm 3000K Non Dim	683,09	4.6
PLB/2540/840/ND/S	Powerline Black Suspension 2540mm 4000K Non Dim	683,09	4.6
PLB/2540/827/A/S	Powerline Black Suspension 2540mm 2700K 1-10V Dim	682,76	4.6
PLB/2540/830/A/S	Powerline Black Suspension 2540mm 3000K 1-10V Dim	682,76	4.6
PLB/2540/840/A/S	Powerline Black Suspension 2540mm 4000K 1-10V Dim	682,76	4.6
PLB/2540/827/DA/S	Powerline Black Suspension 2540mm 2700K DALI Dim	757,04	4.6
PLB/2540/830/DA/S	Powerline Black Suspension 2540mm 3000K DALI Dim	757,04	4.6
PLB/2540/840/DA/S	Powerline Black Suspension 2540mm 4000K DALI Dim	757,04	4.6
PLA/2820/827/ND/O	Powerline Ano On 2820mm 2700K Non Dim	679,53	4.6
PLA/2820/830/ND/O	Powerline Ano On 2820mm 3000K Non Dim	679,53	4.6
PLA/2820/840/ND/O	Powerline Ano On 2820mm 4000K Non Dim	679,53	4.6
PLA/2820/827/A/O	Powerline Ano On 2820mm 2700K 1-10V Dim	762,32	4.6
PLA/2820/830/A/O	Powerline Ano On 2820mm 3000K 1-10V Dim	762,32	4.6
PLA/2820/840/A/O	Powerline Ano On 2820mm 4000K 1-10V Dim	762,32	4.6
PLA/2820/827/DA/O	Powerline Ano On 2820mm 2700K DALI Dim	727,85	4.6
PLA/2820/830/DA/O	Powerline Ano On 2820mm 3000K DALI Dim	727,85	4.6
PLA/2820/840/DA/O	Powerline Ano On 2820mm 4000K DALI Dim	727,85	4.6
PLW/2820/827/ND/O	Powerline White On 2820mm 2700K Non Dim	679,53	4.6
PLW/2820/830/ND/O	Powerline White On 2820mm 3000K Non Dim	679,53	4.6
PLW/2820/840/ND/O	Powerline White On 2820mm 4000K Non Dim	679,53	4.6
PLW/2820/827/A/O	Powerline White On 2820mm 2700K 1-10V Dim	762,32	4.6
PLW/2820/830/A/O	Powerline White On 2820mm 3000K 1-10V Dim	762,32	4.6
PLW/2820/840/A/O	Powerline White On 2820mm 4000K 1-10V Dim	762,32	4.6
PLW/2820/827/DA/O	Powerline White On 2820mm 2700K DALI Dim	727,85	4.6
PLW/2820/830/DA/O	Powerline White On 2820mm 3000K DALI Dim	727,85	4.6
PLW/2820/840/DA/O	Powerline White On 2820mm 4000K DALI Dim	727,85	4.6
PLB/2820/827/ND/O	Powerline Black On 2820mm 2700K Non Dim	679,53	4.6
PLB/2820/830/ND/O	Powerline Black On 2820mm 3000K Non Dim	679,53	4.6
PLB/2820/840/ND/O	Powerline Black On 2820mm 4000K Non Dim	679,53	4.6
PLB/2820/827/A/O	Powerline Black On 2820mm 2700K 1-10V Dim	762,32	4.6
PLB/2820/830/A/O	Powerline Black On 2820mm 3000K 1-10V Dim	762,32	4.6
PLB/2820/840/A/O	Powerline Black On 2820mm 4000K 1-10V Dim	762,32	4.6
PLB/2820/827/DA/O	Powerline Black On 2820mm 2700K DALI Dim	727,85	4.6
PLB/2820/830/DA/O	Powerline Black On 2820mm 3000K DALI Dim	727,85	4.6
PLB/2820/840/DA/O	Powerline Black On 2820mm 4000K DALI Dim	727,85	4.6
PLA/2820/827/ND/S	Powerline Ano Suspension 2820mm 2700K Non Dim	740,61	4.6
PLA/2820/830/ND/S	Powerline Ano Suspension 2820mm 3000K Non Dim	740,61	4.6
PLA/2820/840/ND/S	Powerline Ano Suspension 2820mm 4000K Non Dim	740,61	4.6
PLA/2820/827/A/S	Powerline Ano Suspension 2820mm 2700K 1-10V Dim	853,67	4.6
PLA/2820/830/A/S	Powerline Ano Suspension 2820mm 3000K 1-10V Dim	853,67	4.6
PLA/2820/840/A/S	Powerline Ano Suspension 2820mm 4000K 1-10V Dim	853,67	4.6
PLA/2820/827/DA/S	Powerline Ano Suspension 2820mm 2700K DALI Dim	815,12	4.6
PLA/2820/830/DA/S	Powerline Ano Suspension 2820mm 3000K DALI Dim	815,12	4.6
PLA/2820/840/DA/S	Powerline Ano Suspension 2820mm 4000K DALI Dim	815,12	4.6
PLW/2820/827/ND/S	Powerline White Suspension 2820mm 2700K Non Dim	740,61	4.6
PLW/2820/830/ND/S	Powerline White Suspension 2820mm 3000K Non Dim	740,61	4.6
PLW/2820/840/ND/S	Powerline White Suspension 2820mm 4000K Non Dim	740,61	4.6
PLW/2820/827/A/S	Powerline White Suspension 2820mm 2700K 1-10V Dim	853,67	4.6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

PLW/2820/830/A/S	Powerline White Suspension 2820mm 3000K 1-10V Dim	853,67	4.6
PLW/2820/840/A/S	Powerline White Suspension 2820mm 4000K 1-10V Dim	853,67	4.6
PLW/2820/827/DA/S	Powerline White Suspension 2820mm 2700K DALI Dim	815,12	4.6
PLW/2820/830/DA/S	Powerline White Suspension 2820mm 3000K DALI Dim	815,12	4.6
PLW/2820/840/DA/S	Powerline White Suspension 2820mm 4000K DALI Dim	815,12	4.6
PLB/2820/827/ND/S	Powerline Black Suspension 2820mm 2700K Non Dim	740,61	4.6
PLB/2820/830/ND/S	Powerline Black Suspension 2820mm 3000K Non Dim	740,61	4.6
PLB/2820/840/ND/S	Powerline Black Suspension 2820mm 4000K Non Dim	740,61	4.6
PLB/2820/827/A/S	Powerline Black Suspension 2820mm 2700K 1-10V Dim	853,67	4.6
PLB/2820/830/A/S	Powerline Black Suspension 2820mm 3000K 1-10V Dim	853,67	4.6
PLB/2820/840/A/S	Powerline Black Suspension 2820mm 4000K 1-10V Dim	853,67	4.6
PLB/2820/827/DA/S	Powerline Black Suspension 2820mm 2700K DALI Dim	815,12	4.6
PLB/2820/830/DA/S	Powerline Black Suspension 2820mm 3000K DALI Dim	815,12	4.6
PLB/2820/840/DA/S	Powerline Black Suspension 2820mm 4000K DALI Dim	815,12	4.6
PLA/3100/827/ND/O	Powerline Ano On 3100mm 2700K Non Dim	796,97	4.6
PLA/3100/830/ND/O	Powerline Ano On 3100mm 3000K Non Dim	796,97	4.6
PLA/3100/840/ND/O	Powerline Ano On 3100mm 4000K Non Dim	796,97	4.6
PLA/3100/827/A/O	Powerline Ano On 3100mm 2700K 1-10V Dim	1039,84	4.6
PLA/3100/830/A/O	Powerline Ano On 3100mm 3000K 1-10V Dim	1039,84	4.6
PLA/3100/840/A/O	Powerline Ano On 3100mm 4000K 1-10V Dim	1039,84	4.6
PLA/3100/827/DA/O	Powerline Ano On 3100mm 2700K DALI Dim	890,60	4.6
PLA/3100/830/DA/O	Powerline Ano On 3100mm 3000K DALI Dim	890,60	4.6
PLA/3100/840/DA/O	Powerline Ano On 3100mm 4000K DALI Dim	890,60	4.6
PLW/3100/827/ND/O	Powerline White On 3100mm 2700K Non Dim	796,97	4.6
PLW/3100/830/ND/O	Powerline White On 3100mm 3000K Non Dim	796,97	4.6
PLW/3100/840/ND/O	Powerline White On 3100mm 4000K Non Dim	796,97	4.6
PLW/3100/827/A/O	Powerline White On 3100mm 2700K 1-10V Dim	1039,84	4.6
PLW/3100/830/A/O	Powerline White On 3100mm 3000K 1-10V Dim	1039,84	4.6
PLW/3100/840/A/O	Powerline White On 3100mm 4000K 1-10V Dim	1039,84	4.6
PLW/3100/827/DA/O	Powerline White On 3100mm 2700K DALI Dim	890,60	4.6
PLW/3100/830/DA/O	Powerline White On 3100mm 3000K DALI Dim	890,60	4.6
PLW/3100/840/DA/O	Powerline White On 3100mm 4000K DALI Dim	890,60	4.6
PLB/3100/827/ND/O	Powerline Black On 3100mm 2700K Non Dim	796,97	4.6
PLB/3100/830/ND/O	Powerline Black On 3100mm 3000K Non Dim	796,97	4.6
PLB/3100/840/ND/O	Powerline Black On 3100mm 4000K Non Dim	796,97	4.6
PLB/3100/827/A/O	Powerline Black On 3100mm 2700K 1-10V Dim	1039,84	4.6
PLB/3100/830/A/O	Powerline Black On 3100mm 3000K 1-10V Dim	1039,84	4.6
PLB/3100/840/A/O	Powerline Black On 3100mm 4000K 1-10V Dim	1039,84	4.6
PLB/3100/827/DA/O	Powerline Black On 3100mm 2700K DALI Dim	890,60	4.6
PLB/3100/830/DA/O	Powerline Black On 3100mm 3000K DALI Dim	890,60	4.6
PLB/3100/840/DA/O	Powerline Black On 3100mm 4000K DALI Dim	890,60	4.6
PLA/3100/827/ND/S	Powerline Ano Suspension 3100mm 2700K Non Dim	865,64	4.6
PLA/3100/830/ND/S	Powerline Ano Suspension 3100mm 3000K Non Dim	865,64	4.6
PLA/3100/840/ND/S	Powerline Ano Suspension 3100mm 4000K Non Dim	865,64	4.6
PLA/3100/827/A/S	Powerline Ano Suspension 3100mm 2700K 1-10V Dim	1131,19	4.6
PLA/3100/830/A/S	Powerline Ano Suspension 3100mm 3000K 1-10V Dim	1131,19	4.6
PLA/3100/840/A/S	Powerline Ano Suspension 3100mm 4000K 1-10V Dim	1131,19	4.6
PLA/3100/827/DA/S	Powerline Ano Suspension 3100mm 2700K DALI Dim	978,20	4.6
PLA/3100/830/DA/S	Powerline Ano Suspension 3100mm 3000K DALI Dim	978,20	4.6
PLA/3100/840/DA/S	Powerline Ano Suspension 3100mm 4000K DALI Dim	978,20	4.6
PLW/3100/827/ND/S	Powerline White Suspension 3100mm 2700K Non Dim	865,64	4.6
PLW/3100/830/ND/S	Powerline White Suspension 3100mm 3000K Non Dim	865,64	4.6
PLW/3100/840/ND/S	Powerline White Suspension 3100mm 4000K Non Dim	865,64	4.6
PLW/3100/827/A/S	Powerline White Suspension 3100mm 2700K 1-10V Dim	1131,19	4.6
PLW/3100/830/A/S	Powerline White Suspension 3100mm 3000K 1-10V Dim	1131,19	4.6
PLW/3100/840/A/S	Powerline White Suspension 3100mm 4000K 1-10V Dim	1131,19	4.6
PLW/3100/827/DA/S	Powerline White Suspension 3100mm 2700K DALI Dim	978,20	4.6
PLW/3100/830/DA/S	Powerline White Suspension 3100mm 3000K DALI Dim	978,20	4.6
PLW/3100/840/DA/S	Powerline White Suspension 3100mm 4000K DALI Dim	978,20	4.6
PLB/3100/827/ND/S	Powerline Black Suspension 3100mm 2700K Non Dim	865,64	4.6
PLB/3100/830/ND/S	Powerline Black Suspension 3100mm 3000K Non Dim	865,64	4.6
PLB/3100/840/ND/S	Powerline Black Suspension 3100mm 4000K Non Dim	865,64	4.6
PLB/3100/827/A/S	Powerline Black Suspension 3100mm 2700K 1-10V Dim	1131,19	4.6
PLB/3100/830/A/S	Powerline Black Suspension 3100mm 3000K 1-10V Dim	1131,19	4.6
PLB/3100/840/A/S	Powerline Black Suspension 3100mm 4000K 1-10V Dim	1131,19	4.6
PLB/3100/827/DA/S	Powerline Black Suspension 3100mm 2700K DALI Dim	978,20	4.6
PLB/3100/830/DA/S	Powerline Black Suspension 3100mm 3000K DALI Dim	978,20	4.6
PLB/3100/840/DA/S	Powerline Black Suspension 3100mm 4000K DALI Dim	978,20	4.6
PLA/3380/827/ND/O	Powerline Ano On 3380mm 2700K Non Dim	864,42	4.6
PLA/3380/830/ND/O	Powerline Ano On 3380mm 3000K Non Dim	864,42	4.6
PLA/3380/840/ND/O	Powerline Ano On 3380mm 4000K Non Dim	864,42	4.6
PLA/3380/827/A/O	Powerline Ano On 3380mm 2700K 1-10V Dim	1113,10	4.6
PLA/3380/830/A/O	Powerline Ano On 3380mm 3000K 1-10V Dim	1113,10	4.6
PLA/3380/840/A/O	Powerline Ano On 3380mm 4000K 1-10V Dim	1113,10	4.6
PLA/3380/827/DA/O	Powerline Ano On 3380mm 2700K DALI Dim	958,91	4.6
PLA/3380/830/DA/O	Powerline Ano On 3380mm 3000K DALI Dim	958,91	4.6
PLA/3380/840/DA/O	Powerline Ano On 3380mm 4000K DALI Dim	958,91	4.6
PLW/3380/827/ND/O	Powerline White On 3380mm 2700K Non Dim	864,42	4.6
PLW/3380/830/ND/O	Powerline White On 3380mm 3000K Non Dim	864,42	4.6
PLW/3380/840/ND/O	Powerline White On 3380mm 4000K Non Dim	864,42	4.6
PLW/3380/827/A/O	Powerline White On 3380mm 2700K 1-10V Dim	1113,10	4.6
PLW/3380/830/A/O	Powerline White On 3380mm 3000K 1-10V Dim	1113,10	4.6
PLW/3380/840/A/O	Powerline White On 3380mm 4000K 1-10V Dim	1113,10	4.6
PLW/3380/827/DA/O	Powerline White On 3380mm 2700K DALI Dim	958,91	4.6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

PLW/3380/830/DA/O	Powerline White On 3380mm 3000K DALI Dim	958,91	4.6
PLW/3380/840/DA/O	Powerline White On 3380mm 4000K DALI Dim	958,91	4.6
PLB/3380/827/ND/O	Powerline Black On 3380mm 2700K Non Dim	864,42	4.6
PLB/3380/830/ND/O	Powerline Black On 3380mm 3000K Non Dim	864,42	4.6
PLB/3380/840/ND/O	Powerline Black On 3380mm 4000K Non Dim	864,42	4.6
PLB/3380/827/A/O	Powerline Black On 3380mm 2700K 1-10V Dim	1113,10	4.6
PLB/3380/830/A/O	Powerline Black On 3380mm 3000K 1-10V Dim	1113,10	4.6
PLB/3380/840/A/O	Powerline Black On 3380mm 4000K 1-10V Dim	1113,10	4.6
PLB/3380/827/DA/O	Powerline Black On 3380mm 2700K DALI Dim	958,91	4.6
PLB/3380/830/DA/O	Powerline Black On 3380mm 3000K DALI Dim	958,91	4.6
PLB/3380/840/DA/O	Powerline Black On 3380mm 4000K DALI Dim	958,91	4.6
PLA/3380/827/ND/S	Powerline Ano Suspension 3380mm 2700K Non Dim	925,50	4.6
PLA/3380/830/ND/S	Powerline Ano Suspension 3380mm 3000K Non Dim	925,50	4.6
PLA/3380/840/ND/S	Powerline Ano Suspension 3380mm 4000K Non Dim	925,50	4.6
PLA/3380/827/A/S	Powerline Ano Suspension 3380mm 2700K 1-10V Dim	1204,45	4.6
PLA/3380/830/A/S	Powerline Ano Suspension 3380mm 3000K 1-10V Dim	1204,45	4.6
PLA/3380/840/A/S	Powerline Ano Suspension 3380mm 4000K 1-10V Dim	1204,45	4.6
PLA/3380/827/DA/S	Powerline Ano Suspension 3380mm 2700K DALI Dim	1046,18	4.6
PLA/3380/830/DA/S	Powerline Ano Suspension 3380mm 3000K DALI Dim	1046,18	4.6
PLA/3380/840/DA/S	Powerline Ano Suspension 3380mm 4000K DALI Dim	1046,18	4.6
PLW/3380/827/ND/S	Powerline White Suspension 3380mm 2700K Non Dim	925,50	4.6
PLW/3380/830/ND/S	Powerline White Suspension 3380mm 3000K Non Dim	925,50	4.6
PLW/3380/840/ND/S	Powerline White Suspension 3380mm 4000K Non Dim	925,50	4.6
PLW/3380/827/A/S	Powerline White Suspension 3380mm 2700K 1-10V Dim	1204,45	4.6
PLW/3380/830/A/S	Powerline White Suspension 3380mm 3000K 1-10V Dim	1204,45	4.6
PLW/3380/840/A/S	Powerline White Suspension 3380mm 4000K 1-10V Dim	1204,45	4.6
PLW/3380/827/DA/S	Powerline White Suspension 3380mm 2700K DALI Dim	1046,18	4.6
PLW/3380/830/DA/S	Powerline White Suspension 3380mm 3000K DALI Dim	1046,18	4.6
PLW/3380/840/DA/S	Powerline White Suspension 3380mm 4000K DALI Dim	1046,18	4.6
PLB/3380/827/ND/S	Powerline Black Suspension 3380mm 2700K Non Dim	925,50	4.6
PLB/3380/830/ND/S	Powerline Black Suspension 3380mm 3000K Non Dim	925,50	4.6
PLB/3380/840/ND/S	Powerline Black Suspension 3380mm 4000K Non Dim	925,50	4.6
PLB/3380/827/A/S	Powerline Black Suspension 3380mm 2700K 1-10V Dim	1204,45	4.6
PLB/3380/830/A/S	Powerline Black Suspension 3380mm 3000K 1-10V Dim	1204,45	4.6
PLB/3380/840/A/S	Powerline Black Suspension 3380mm 4000K 1-10V Dim	1204,45	4.6
PLB/3380/827/DA/S	Powerline Black Suspension 3380mm 2700K DALI Dim	1046,18	4.6
PLB/3380/830/DA/S	Powerline Black Suspension 3380mm 3000K DALI Dim	1046,18	4.6
PLB/3380/840/DA/S	Powerline Black Suspension 3380mm 4000K DALI Dim	1046,18	4.6
PLA/3660/827/ND/O	Powerline Ano On 3660mm 2700K Non Dim	929,70	4.6
PLA/3660/830/ND/O	Powerline Ano On 3660mm 3000K Non Dim	929,70	4.6
PLA/3660/840/ND/O	Powerline Ano On 3660mm 4000K Non Dim	929,70	4.6
PLA/3660/827/A/O	Powerline Ano On 3660mm 2700K 1-10V Dim	1173,53	4.6
PLA/3660/830/A/O	Powerline Ano On 3660mm 3000K 1-10V Dim	1173,53	4.6
PLA/3660/840/A/O	Powerline Ano On 3660mm 4000K 1-10V Dim	1173,53	4.6
PLA/3660/827/DA/O	Powerline Ano On 3660mm 2700K DALI Dim	1021,04	4.6
PLA/3660/830/DA/O	Powerline Ano On 3660mm 3000K DALI Dim	1021,04	4.6
PLA/3660/840/DA/O	Powerline Ano On 3660mm 4000K DALI Dim	1021,04	4.6
PLW/3660/827/ND/O	Powerline White On 3660mm 2700K Non Dim	929,70	4.6
PLW/3660/830/ND/O	Powerline White On 3660mm 3000K Non Dim	929,70	4.6
PLW/3660/840/ND/O	Powerline White On 3660mm 4000K Non Dim	929,70	4.6
PLW/3660/827/A/O	Powerline White On 3660mm 2700K 1-10V Dim	1173,53	4.6
PLW/3660/830/A/O	Powerline White On 3660mm 3000K 1-10V Dim	1173,53	4.6
PLW/3660/840/A/O	Powerline White On 3660mm 4000K 1-10V Dim	1173,53	4.6
PLW/3660/827/DA/O	Powerline White On 3660mm 2700K DALI Dim	1021,04	4.6
PLW/3660/830/DA/O	Powerline White On 3660mm 3000K DALI Dim	1021,04	4.6
PLW/3660/840/DA/O	Powerline White On 3660mm 4000K DALI Dim	1021,04	4.6
PLB/3660/827/ND/O	Powerline Black On 3660mm 2700K Non Dim	929,70	4.6
PLB/3660/830/ND/O	Powerline Black On 3660mm 3000K Non Dim	929,70	4.6
PLB/3660/840/ND/O	Powerline Black On 3660mm 4000K Non Dim	929,70	4.6
PLB/3660/827/A/O	Powerline Black On 3660mm 2700K 1-10V Dim	1173,53	4.6
PLB/3660/830/A/O	Powerline Black On 3660mm 3000K 1-10V Dim	1173,53	4.6
PLB/3660/840/A/O	Powerline Black On 3660mm 4000K 1-10V Dim	1173,53	4.6
PLB/3660/827/DA/O	Powerline Black On 3660mm 2700K DALI Dim	1021,04	4.6
PLB/3660/830/DA/O	Powerline Black On 3660mm 3000K DALI Dim	1021,04	4.6
PLB/3660/840/DA/O	Powerline Black On 3660mm 4000K DALI Dim	1021,04	4.6
PLA/3660/827/ND/S	Powerline Ano Suspension 3660mm 2700K Non Dim	1001,49	4.6
PLA/3660/830/ND/S	Powerline Ano Suspension 3660mm 3000K Non Dim	1001,49	4.6
PLA/3660/840/ND/S	Powerline Ano Suspension 3660mm 4000K Non Dim	1001,49	4.6
PLA/3660/827/A/S	Powerline Ano Suspension 3660mm 2700K 1-10V Dim	1277,03	4.6
PLA/3660/830/A/S	Powerline Ano Suspension 3660mm 3000K 1-10V Dim	1277,03	4.6
PLA/3660/840/A/S	Powerline Ano Suspension 3660mm 4000K 1-10V Dim	1277,03	4.6
PLA/3660/827/DA/S	Powerline Ano Suspension 3660mm 2700K DALI Dim	1119,12	4.6
PLA/3660/830/DA/S	Powerline Ano Suspension 3660mm 3000K DALI Dim	1119,12	4.6
PLA/3660/840/DA/S	Powerline Ano Suspension 3660mm 4000K DALI Dim	1119,12	4.6
PLW/3660/827/ND/S	Powerline White Suspension 3660mm 2700K Non Dim	1001,49	4.6
PLW/3660/830/ND/S	Powerline White Suspension 3660mm 3000K Non Dim	1001,49	4.6
PLW/3660/840/ND/S	Powerline White Suspension 3660mm 4000K Non Dim	1001,49	4.6
PLW/3660/827/A/S	Powerline White Suspension 3660mm 2700K 1-10V Dim	1277,03	4.6
PLW/3660/830/A/S	Powerline White Suspension 3660mm 3000K 1-10V Dim	1277,03	4.6
PLW/3660/840/A/S	Powerline White Suspension 3660mm 4000K 1-10V Dim	1277,03	4.6
PLW/3660/827/DA/S	Powerline White Suspension 3660mm 2700K DALI Dim	1119,12	4.6
PLW/3660/830/DA/S	Powerline White Suspension 3660mm 3000K DALI Dim	1119,12	4.6
PLW/3660/840/DA/S	Powerline White Suspension 3660mm 4000K DALI Dim	1119,12	4.6
PLB/3660/827/ND/S	Powerline Black Suspension 3660mm 2700K Non Dim	1001,49	4.6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

PLB/3660/830/ND/S	Powerline Black Suspension 3660mm 3000K Non Dim	1001,49	4.6
PLB/3660/840/ND/S	Powerline Black Suspension 3660mm 4000K Non Dim	1001,49	4.6
PLB/3660/827/A/S	Powerline Black Suspension 3660mm 2700K 1-10V Dim	1277,03	4.6
PLB/3660/830/A/S	Powerline Black Suspension 3660mm 3000K 1-10V Dim	1277,03	4.6
PLB/3660/840/A/S	Powerline Black Suspension 3660mm 4000K 1-10V Dim	1277,03	4.6
PLB/3660/827/DA/S	Powerline Black Suspension 3660mm 2700K DALI Dim	1119,12	4.6
PLB/3660/830/DA/S	Powerline Black Suspension 3660mm 3000K DALI Dim	1119,12	4.6
PLB/3660/840/DA/S	Powerline Black Suspension 3660mm 4000K DALI Dim	1119,12	4.6
PLA/3940/827/ND/O	Powerline Ano On 3940mm 2700K Non Dim	966,95	4.6
PLA/3940/830/ND/O	Powerline Ano On 3940mm 3000K Non Dim	966,95	4.6
PLA/3940/840/ND/O	Powerline Ano On 3940mm 4000K Non Dim	966,95	4.6
PLA/3940/827/A/O	Powerline Ano On 3940mm 2700K 1-10V Dim	1217,34	4.6
PLA/3940/830/A/O	Powerline Ano On 3940mm 3000K 1-10V Dim	1217,34	4.6
PLA/3940/840/A/O	Powerline Ano On 3940mm 4000K 1-10V Dim	1217,34	4.6
PLA/3940/827/DA/O	Powerline Ano On 3940mm 2700K DALI Dim	1161,66	4.6
PLA/3940/830/DA/O	Powerline Ano On 3940mm 3000K DALI Dim	1161,66	4.6
PLA/3940/840/DA/O	Powerline Ano On 3940mm 4000K DALI Dim	1161,66	4.6
PLW/3940/827/ND/O	Powerline White On 3940mm 2700K Non Dim	966,95	4.6
PLW/3940/830/ND/O	Powerline White On 3940mm 3000K Non Dim	966,95	4.6
PLW/3940/840/ND/O	Powerline White On 3940mm 4000K Non Dim	966,95	4.6
PLW/3940/827/A/O	Powerline White On 3940mm 2700K 1-10V Dim	1217,34	4.6
PLW/3940/830/A/O	Powerline White On 3940mm 3000K 1-10V Dim	1217,34	4.6
PLW/3940/840/A/O	Powerline White On 3940mm 4000K 1-10V Dim	1217,34	4.6
PLW/3940/827/DA/O	Powerline White On 3940mm 2700K DALI Dim	1161,66	4.6
PLW/3940/830/DA/O	Powerline White On 3940mm 3000K DALI Dim	1161,66	4.6
PLW/3940/840/DA/O	Powerline White On 3940mm 4000K DALI Dim	1161,66	4.6
PLB/3940/827/ND/O	Powerline Black On 3940mm 2700K Non Dim	966,95	4.6
PLB/3940/830/ND/O	Powerline Black On 3940mm 3000K Non Dim	966,95	4.6
PLB/3940/840/ND/O	Powerline Black On 3940mm 4000K Non Dim	966,95	4.6
PLB/3940/827/A/O	Powerline Black On 3940mm 2700K 1-10V Dim	1217,34	4.6
PLB/3940/830/A/O	Powerline Black On 3940mm 3000K 1-10V Dim	1217,34	4.6
PLB/3940/840/A/O	Powerline Black On 3940mm 4000K 1-10V Dim	1217,34	4.6
PLB/3940/827/DA/O	Powerline Black On 3940mm 2700K DALI Dim	1161,66	4.6
PLB/3940/830/DA/O	Powerline Black On 3940mm 3000K DALI Dim	1161,66	4.6
PLB/3940/840/DA/O	Powerline Black On 3940mm 4000K DALI Dim	1161,66	4.6
PLA/3940/827/ND/S	Powerline Ano Suspension 3940mm 2700K Non Dim	1038,74	4.6
PLA/3940/830/ND/S	Powerline Ano Suspension 3940mm 3000K Non Dim	1038,74	4.6
PLA/3940/840/ND/S	Powerline Ano Suspension 3940mm 4000K Non Dim	1038,74	4.6
PLA/3940/827/A/S	Powerline Ano Suspension 3940mm 2700K 1-10V Dim	1320,84	4.6
PLA/3940/830/A/S	Powerline Ano Suspension 3940mm 3000K 1-10V Dim	1320,84	4.6
PLA/3940/840/A/S	Powerline Ano Suspension 3940mm 4000K 1-10V Dim	1320,84	4.6
PLA/3940/827/DA/S	Powerline Ano Suspension 3940mm 2700K DALI Dim	1161,66	4.6
PLA/3940/830/DA/S	Powerline Ano Suspension 3940mm 3000K DALI Dim	1161,66	4.6
PLA/3940/840/DA/S	Powerline Ano Suspension 3940mm 4000K DALI Dim	1161,66	4.6
PLW/3940/827/ND/S	Powerline White Suspension 3940mm 2700K Non Dim	1038,74	4.6
PLW/3940/830/ND/S	Powerline White Suspension 3940mm 3000K Non Dim	1038,74	4.6
PLW/3940/840/ND/S	Powerline White Suspension 3940mm 4000K Non Dim	1038,74	4.6
PLW/3940/827/A/S	Powerline White Suspension 3940mm 2700K 1-10V Dim	1320,84	4.6
PLW/3940/830/A/S	Powerline White Suspension 3940mm 3000K 1-10V Dim	1320,84	4.6
PLW/3940/840/A/S	Powerline White Suspension 3940mm 4000K 1-10V Dim	1320,84	4.6
PLW/3940/827/DA/S	Powerline White Suspension 3940mm 2700K DALI Dim	1161,66	4.6
PLW/3940/830/DA/S	Powerline White Suspension 3940mm 3000K DALI Dim	1161,66	4.6
PLW/3940/840/DA/S	Powerline White Suspension 3940mm 4000K DALI Dim	1161,66	4.6
PLB/3940/827/ND/S	Powerline Black Suspension 3940mm 2700K Non Dim	1038,74	4.6
PLB/3940/830/ND/S	Powerline Black Suspension 3940mm 3000K Non Dim	1038,74	4.6
PLB/3940/840/ND/S	Powerline Black Suspension 3940mm 4000K Non Dim	1038,74	4.6
PLB/3940/827/A/S	Powerline Black Suspension 3940mm 2700K 1-10V Dim	1320,84	4.6
PLB/3940/830/A/S	Powerline Black Suspension 3940mm 3000K 1-10V Dim	1320,84	4.6
PLB/3940/840/A/S	Powerline Black Suspension 3940mm 4000K 1-10V Dim	1320,84	4.6
PLB/3940/827/DA/S	Powerline Black Suspension 3940mm 2700K DALI Dim	1161,66	4.6
PLB/3940/830/DA/S	Powerline Black Suspension 3940mm 3000K DALI Dim	1161,66	4.6
PLB/3940/840/DA/S	Powerline Black Suspension 3940mm 4000K DALI Dim	1161,66	4.6
PLA/4220/827/ND/O	Powerline Ano On 4220mm 2700K Non Dim	1074,17	4.6
PLA/4220/830/ND/O	Powerline Ano On 4220mm 3000K Non Dim	1074,17	4.6
PLA/4220/840/ND/O	Powerline Ano On 4220mm 4000K Non Dim	1074,17	4.6
PLA/4220/827/A/O	Powerline Ano On 4220mm 2700K 1-10V Dim	1272,13	4.6
PLA/4220/830/A/O	Powerline Ano On 4220mm 3000K 1-10V Dim	1272,13	4.6
PLA/4220/840/A/O	Powerline Ano On 4220mm 4000K 1-10V Dim	1272,13	4.6
PLA/4220/827/DA/O	Powerline Ano On 4220mm 2700K DALI Dim	1119,55	4.6
PLA/4220/830/DA/O	Powerline Ano On 4220mm 3000K DALI Dim	1119,55	4.6
PLA/4220/840/DA/O	Powerline Ano On 4220mm 4000K DALI Dim	1119,55	4.6
PLW/4220/827/ND/O	Powerline White On 4220mm 2700K Non Dim	1074,17	4.6
PLW/4220/830/ND/O	Powerline White On 4220mm 3000K Non Dim	1074,17	4.6
PLW/4220/840/ND/O	Powerline White On 4220mm 4000K Non Dim	1074,17	4.6
PLW/4220/827/A/O	Powerline White On 4220mm 2700K 1-10V Dim	1272,13	4.6
PLW/4220/830/A/O	Powerline White On 4220mm 3000K 1-10V Dim	1272,13	4.6
PLW/4220/840/A/O	Powerline White On 4220mm 4000K 1-10V Dim	1272,13	4.6
PLW/4220/827/DA/O	Powerline White On 4220mm 2700K DALI Dim	1119,55	4.6
PLW/4220/830/DA/O	Powerline White On 4220mm 3000K DALI Dim	1119,55	4.6
PLW/4220/840/DA/O	Powerline White On 4220mm 4000K DALI Dim	1119,55	4.6
PLB/4220/827/ND/O	Powerline Black On 4220mm 2700K Non Dim	1074,17	4.6
PLB/4220/830/ND/O	Powerline Black On 4220mm 3000K Non Dim	1074,17	4.6
PLB/4220/840/ND/O	Powerline Black On 4220mm 4000K Non Dim	1074,17	4.6
PLB/4220/827/A/O	Powerline Black On 4220mm 2700K 1-10V Dim	1272,13	4.6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

PLB/4220/830/A/O	Powerline Black On 4220mm 3000K 1-10V Dim	1272,13	4.6
PLB/4220/840/A/O	Powerline Black On 4220mm 4000K 1-10V Dim	1272,13	4.6
PLB/4220/827/DA/O	Powerline Black On 4220mm 2700K DALI Dim	1119,55	4.6
PLB/4220/830/DA/O	Powerline Black On 4220mm 3000K DALI Dim	1119,55	4.6
PLB/4220/840/DA/O	Powerline Black On 4220mm 4000K DALI Dim	1119,55	4.6
PLA/4220/827/ND/S	Powerline Ano Suspension 4220mm 2700K Non Dim	1099,19	4.6
PLA/4220/830/ND/S	Powerline Ano Suspension 4220mm 3000K Non Dim	1099,19	4.6
PLA/4220/840/ND/S	Powerline Ano Suspension 4220mm 4000K Non Dim	1099,19	4.6
PLA/4220/827/A/S	Powerline Ano Suspension 4220mm 2700K 1-10V Dim	1375,63	4.6
PLA/4220/830/A/S	Powerline Ano Suspension 4220mm 3000K 1-10V Dim	1375,63	4.6
PLA/4220/840/A/S	Powerline Ano Suspension 4220mm 4000K 1-10V Dim	1375,63	4.6
PLA/4220/827/DA/S	Powerline Ano Suspension 4220mm 2700K DALI Dim	1217,63	4.6
PLA/4220/830/DA/S	Powerline Ano Suspension 4220mm 3000K DALI Dim	1217,63	4.6
PLA/4220/840/DA/S	Powerline Ano Suspension 4220mm 4000K DALI Dim	1217,63	4.6
PLW/4220/827/ND/S	Powerline White Suspension 4220mm 2700K Non Dim	1099,19	4.6
PLW/4220/830/ND/S	Powerline White Suspension 4220mm 3000K Non Dim	1099,19	4.6
PLW/4220/840/ND/S	Powerline White Suspension 4220mm 4000K Non Dim	1099,19	4.6
PLW/4220/827/A/S	Powerline White Suspension 4220mm 2700K 1-10V Dim	1375,63	4.6
PLW/4220/830/A/S	Powerline White Suspension 4220mm 3000K 1-10V Dim	1375,63	4.6
PLW/4220/840/A/S	Powerline White Suspension 4220mm 4000K 1-10V Dim	1375,63	4.6
PLW/4220/827/DA/S	Powerline White Suspension 4220mm 2700K DALI Dim	1217,63	4.6
PLW/4220/830/DA/S	Powerline White Suspension 4220mm 3000K DALI Dim	1217,63	4.6
PLW/4220/840/DA/S	Powerline White Suspension 4220mm 4000K DALI Dim	1217,63	4.6
PLB/4220/827/ND/S	Powerline Black Suspension 4220mm 2700K Non Dim	1099,19	4.6
PLB/4220/830/ND/S	Powerline Black Suspension 4220mm 3000K Non Dim	1099,19	4.6
PLB/4220/840/ND/S	Powerline Black Suspension 4220mm 4000K Non Dim	1099,19	4.6
PLB/4220/827/A/S	Powerline Black Suspension 4220mm 2700K 1-10V Dim	1375,63	4.6
PLB/4220/830/A/S	Powerline Black Suspension 4220mm 3000K 1-10V Dim	1375,63	4.6
PLB/4220/840/A/S	Powerline Black Suspension 4220mm 4000K 1-10V Dim	1375,63	4.6
PLB/4220/827/DA/S	Powerline Black Suspension 4220mm 2700K DALI Dim	1217,63	4.6
PLB/4220/830/DA/S	Powerline Black Suspension 4220mm 3000K DALI Dim	1217,63	4.6
PLB/4220/840/DA/S	Powerline Black Suspension 4220mm 4000K DALI Dim	1217,63	4.6
PLA/4500/827/ND/O	Powerline Ano On 4500mm 2700K Non Dim	1072,92	4.6
PLA/4500/830/ND/O	Powerline Ano On 4500mm 3000K Non Dim	1072,92	4.6
PLA/4500/840/ND/O	Powerline Ano On 4500mm 4000K Non Dim	1072,92	4.6
PLA/4500/827/A/O	Powerline Ano On 4500mm 2700K 1-10V Dim	1325,14	4.6
PLA/4500/830/A/O	Powerline Ano On 4500mm 3000K 1-10V Dim	1325,14	4.6
PLA/4500/840/A/O	Powerline Ano On 4500mm 4000K 1-10V Dim	1325,14	4.6
PLA/4500/827/DA/O	Powerline Ano On 4500mm 2700K DALI Dim	1166,78	4.6
PLA/4500/830/DA/O	Powerline Ano On 4500mm 3000K DALI Dim	1166,78	4.6
PLA/4500/840/DA/O	Powerline Ano On 4500mm 4000K DALI Dim	1166,78	4.6
PLW/4500/827/ND/O	Powerline White On 4500mm 2700K Non Dim	1072,92	4.6
PLW/4500/830/ND/O	Powerline White On 4500mm 3000K Non Dim	1072,92	4.6
PLW/4500/840/ND/O	Powerline White On 4500mm 4000K Non Dim	1072,92	4.6
PLW/4500/827/A/O	Powerline White On 4500mm 2700K 1-10V Dim	1325,14	4.6
PLW/4500/830/A/O	Powerline White On 4500mm 3000K 1-10V Dim	1325,14	4.6
PLW/4500/840/A/O	Powerline White On 4500mm 4000K 1-10V Dim	1325,14	4.6
PLW/4500/827/DA/O	Powerline White On 4500mm 2700K DALI Dim	1166,78	4.6
PLW/4500/830/DA/O	Powerline White On 4500mm 3000K DALI Dim	1166,78	4.6
PLW/4500/840/DA/O	Powerline White On 4500mm 4000K DALI Dim	1166,78	4.6
PLB/4500/827/ND/O	Powerline Black On 4500mm 2700K Non Dim	1072,92	4.6
PLB/4500/830/ND/O	Powerline Black On 4500mm 3000K Non Dim	1072,92	4.6
PLB/4500/840/ND/O	Powerline Black On 4500mm 4000K Non Dim	1072,92	4.6
PLB/4500/827/A/O	Powerline Black On 4500mm 2700K 1-10V Dim	1325,14	4.6
PLB/4500/830/A/O	Powerline Black On 4500mm 3000K 1-10V Dim	1325,14	4.6
PLB/4500/840/A/O	Powerline Black On 4500mm 4000K 1-10V Dim	1325,14	4.6
PLB/4500/827/DA/O	Powerline Black On 4500mm 2700K DALI Dim	1166,78	4.6
PLB/4500/830/DA/O	Powerline Black On 4500mm 3000K DALI Dim	1166,78	4.6
PLB/4500/840/DA/O	Powerline Black On 4500mm 4000K DALI Dim	1166,78	4.6
PLA/4500/827/ND/S	Powerline Ano Suspension 4500mm 2700K Non Dim	1145,86	4.6
PLA/4500/830/ND/S	Powerline Ano Suspension 4500mm 3000K Non Dim	1145,86	4.6
PLA/4500/840/ND/S	Powerline Ano Suspension 4500mm 4000K Non Dim	1145,86	4.6
PLA/4500/827/A/S	Powerline Ano Suspension 4500mm 2700K 1-10V Dim	1428,64	4.6
PLA/4500/830/A/S	Powerline Ano Suspension 4500mm 3000K 1-10V Dim	1428,64	4.6
PLA/4500/840/A/S	Powerline Ano Suspension 4500mm 4000K 1-10V Dim	1428,64	4.6
PLA/4500/827/DA/S	Powerline Ano Suspension 4500mm 2700K DALI Dim	1264,87	4.6
PLA/4500/830/DA/S	Powerline Ano Suspension 4500mm 3000K DALI Dim	1264,87	4.6
PLA/4500/840/DA/S	Powerline Ano Suspension 4500mm 4000K DALI Dim	1264,87	4.6
PLW/4500/827/ND/S	Powerline White Suspension 4500mm 2700K Non Dim	1145,86	4.6
PLW/4500/830/ND/S	Powerline White Suspension 4500mm 3000K Non Dim	1145,86	4.6
PLW/4500/840/ND/S	Powerline White Suspension 4500mm 4000K Non Dim	1145,86	4.6
PLW/4500/827/A/S	Powerline White Suspension 4500mm 2700K 1-10V Dim	1428,64	4.6
PLW/4500/830/A/S	Powerline White Suspension 4500mm 3000K 1-10V Dim	1428,64	4.6
PLW/4500/840/A/S	Powerline White Suspension 4500mm 4000K 1-10V Dim	1428,64	4.6
PLW/4500/827/DA/S	Powerline White Suspension 4500mm 2700K DALI Dim	1264,87	4.6
PLW/4500/830/DA/S	Powerline White Suspension 4500mm 3000K DALI Dim	1264,87	4.6
PLW/4500/840/DA/S	Powerline White Suspension 4500mm 4000K DALI Dim	1264,87	4.6
PLB/4500/827/ND/S	Powerline Black Suspension 4500mm 2700K Non Dim	1145,86	4.6
PLB/4500/830/ND/S	Powerline Black Suspension 4500mm 3000K Non Dim	1145,86	4.6
PLB/4500/840/ND/S	Powerline Black Suspension 4500mm 4000K Non Dim	1145,86	4.6
PLB/4500/827/A/S	Powerline Black Suspension 4500mm 2700K 1-10V Dim	1428,64	4.6
PLB/4500/830/A/S	Powerline Black Suspension 4500mm 3000K 1-10V Dim	1428,64	4.6
PLB/4500/840/A/S	Powerline Black Suspension 4500mm 4000K 1-10V Dim	1428,64	4.6
PLB/4500/827/DA/S	Powerline Black Suspension 4500mm 2700K DALI Dim	1264,87	4.6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

PLB/4500/830/DA/S	Powerline Black Suspension 4500mm 3000K DALI Dim	1264,87	4.6
PLB/4500/840/DA/S	Powerline Black Suspension 4500mm 4000K DALI Dim	1264,87	4.6
Powerline Anodised			
PLBR/580/827/ND/O	Powerline Bronze 580mm 2700K Non Dim On	335,81	4.6
PLBR/580/830/ND/O	Powerline Bronze 580mm 3000K Non Dim On	335,81	4.6
PLBR/580/840/ND/O	Powerline Bronze 580mm 4000K Non Dim On	335,81	4.6
PLBR/580/827/A/O	Powerline Bronze 580mm 2700K 1-10V Dim On	406,73	4.6
PLBR/580/830/A/O	Powerline Bronze 580mm 3000K 1-10V Dim On	406,73	4.6
PLBR/580/840/A/O	Powerline Bronze 580mm 4000K 1-10V Dim On	406,73	4.6
PLBR/580/827/DA/O	Powerline Bronze 580mm 2700K DALI Dim On	377,39	4.6
PLBR/580/830/DA/O	Powerline Bronze 580mm 3000K DALI Dim On	377,39	4.6
PLBR/580/840/DA/O	Powerline Bronze 580mm 4000K DALI Dim On	377,39	4.6
PLGM/580/827/ND/O	Powerline Gun Metal Bronze 580mm 2700K Non Dim On	335,81	4.6
PLGM/580/830/ND/O	Powerline Gun Metal Bronze 580mm 3000K Non Dim On	335,81	4.6
PLGM/580/840/ND/O	Powerline Gun Metal Bronze 580mm 4000K Non Dim On	335,81	4.6
PLGM/580/827/A/O	Powerline Gun Metal Bronze 580mm 2700K 1-10V Dim On	406,73	4.6
PLGM/580/830/A/O	Powerline Gun Metal Bronze 580mm 3000K 1-10V Dim On	406,73	4.6
PLGM/580/840/A/O	Powerline Gun Metal Bronze 580mm 4000K 1-10V Dim On	406,73	4.6
PLGM/580/827/DA/O	Powerline Gun Metal Bronze 580mm 2700K DALI Dim On	377,39	4.6
PLGM/580/830/DA/O	Powerline Gun Metal Bronze 580mm 3000K DALI Dim On	377,39	4.6
PLGM/580/840/DA/O	Powerline Gun Metal Bronze 580mm 4000K DALI Dim On	377,39	4.6
PLCH/580/827/ND/O	Powerline Champagne 580mm 2700K Non Dim On	335,81	4.6
PLCH/580/830/ND/O	Powerline Champagne 580mm 3000K Non Dim On	335,81	4.6
PLCH/580/840/ND/O	Powerline Champagne 580mm 4000K Non Dim On	335,81	4.6
PLCH/580/827/A/O	Powerline Champagne 580mm 2700K 1-10V Dim On	406,73	4.6
PLCH/580/830/A/O	Powerline Champagne 580mm 3000K 1-10V Dim On	406,73	4.6
PLCH/580/840/A/O	Powerline Champagne 580mm 4000K 1-10V Dim On	406,73	4.6
PLCH/580/827/DA/O	Powerline Champagne 580mm 2700K DALI Dim On	377,39	4.6
PLCH/580/830/DA/O	Powerline Champagne 580mm 3000K DALI Dim On	377,39	4.6
PLCH/580/840/DA/O	Powerline Champagne 580mm 4000K DALI Dim On	377,39	4.6
PLBR/580/827/ND/S	Powerline Bronze 580mm 2700K Non Dim Suspension	391,65	4.6
PLBR/580/830/ND/S	Powerline Bronze 580mm 3000K Non Dim Suspension	391,65	4.6
PLBR/580/840/ND/S	Powerline Bronze 580mm 4000K Non Dim Suspension	391,65	4.6
PLBR/580/827/A/S	Powerline Bronze 580mm 2700K 1-10V Dim Suspension	485,93	4.6
PLBR/580/830/A/S	Powerline Bronze 580mm 3000K 1-10V Dim Suspension	485,93	4.6
PLBR/580/840/A/S	Powerline Bronze 580mm 4000K 1-10V Dim Suspension	485,93	4.6
PLBR/580/827/DA/S	Powerline Bronze 580mm 2700K DALI Dim Suspension	456,59	4.6
PLBR/580/830/DA/S	Powerline Bronze 580mm 3000K DALI Dim Suspension	456,59	4.6
PLBR/580/840/DA/S	Powerline Bronze 580mm 4000K DALI Dim Suspension	456,59	4.6
PLGM/580/827/ND/S	Powerline Gun Metal Bronze 580mm 2700K Non Dim Suspension	391,65	4.6
PLGM/580/830/ND/S	Powerline Gun Metal Bronze 580mm 3000K Non Dim Suspension	391,65	4.6
PLGM/580/840/ND/S	Powerline Gun Metal Bronze 580mm 4000K Non Dim Suspension	391,65	4.6
PLGM/580/827/A/S	Powerline Gun Metal Bronze 580mm 2700K 1-10V Dim Suspension	485,93	4.6
PLGM/580/830/A/S	Powerline Gun Metal Bronze 580mm 3000K 1-10V Dim Suspension	485,93	4.6
PLGM/580/840/A/S	Powerline Gun Metal Bronze 580mm 4000K 1-10V Dim Suspension	485,93	4.6
PLGM/580/827/DA/S	Powerline Gun Metal Bronze 580mm 2700K DALI Dim Suspension	456,59	4.6
PLGM/580/830/DA/S	Powerline Gun Metal Bronze 580mm 3000K DALI Dim Suspension	456,59	4.6
PLGM/580/840/DA/S	Powerline Gun Metal Bronze 580mm 4000K DALI Dim Suspension	456,59	4.6
PLCH/580/827/ND/S	Powerline Champagne 580mm 2700K Non Dim Suspension	391,65	4.6
PLCH/580/830/ND/S	Powerline Champagne 580mm 3000K Non Dim Suspension	391,65	4.6
PLCH/580/840/ND/S	Powerline Champagne 580mm 4000K Non Dim Suspension	391,65	4.6
PLCH/580/827/A/S	Powerline Champagne 580mm 2700K 1-10V Dim Suspension	485,93	4.6
PLCH/580/830/A/S	Powerline Champagne 580mm 3000K 1-10V Dim Suspension	485,93	4.6
PLCH/580/840/A/S	Powerline Champagne 580mm 4000K 1-10V Dim Suspension	485,93	4.6
PLCH/580/827/DA/S	Powerline Champagne 580mm 2700K DALI Dim Suspension	456,59	4.6
PLCH/580/830/DA/S	Powerline Champagne 580mm 3000K DALI Dim Suspension	456,59	4.6
PLCH/580/840/DA/S	Powerline Champagne 580mm 4000K DALI Dim Suspension	456,59	4.6
PLBR/860/827/ND/O	Powerline Bronze 860mm 2700K Non Dim On	406,83	4.6
PLBR/860/830/ND/O	Powerline Bronze 860mm 3000K Non Dim On	406,83	4.6
PLBR/860/840/ND/O	Powerline Bronze 860mm 4000K Non Dim On	406,83	4.6
PLBR/860/827/A/O	Powerline Bronze 860mm 2700K 1-10V Dim On	471,27	4.6
PLBR/860/830/A/O	Powerline Bronze 860mm 3000K 1-10V Dim On	471,27	4.6
PLBR/860/840/A/O	Powerline Bronze 860mm 4000K 1-10V Dim On	471,27	4.6
PLBR/860/827/DA/O	Powerline Bronze 860mm 2700K DALI Dim On	449,08	4.6
PLBR/860/830/DA/O	Powerline Bronze 860mm 3000K DALI Dim On	449,08	4.6
PLBR/860/840/DA/O	Powerline Bronze 860mm 4000K DALI Dim On	449,08	4.6
PLGM/860/827/ND/O	Powerline Gun Metal Bronze 860mm 2700K Non Dim On	406,83	4.6
PLGM/860/830/ND/O	Powerline Gun Metal Bronze 860mm 3000K Non Dim On	406,83	4.6
PLGM/860/840/ND/O	Powerline Gun Metal Bronze 860mm 4000K Non Dim On	406,83	4.6
PLGM/860/827/A/O	Powerline Gun Metal Bronze 860mm 2700K 1-10V Dim On	471,27	4.6
PLGM/860/830/A/O	Powerline Gun Metal Bronze 860mm 3000K 1-10V Dim On	471,27	4.6
PLGM/860/840/A/O	Powerline Gun Metal Bronze 860mm 4000K 1-10V Dim On	471,27	4.6
PLGM/860/827/DA/O	Powerline Gun Metal Bronze 860mm 2700K DALI Dim On	449,08	4.6
PLGM/860/830/DA/O	Powerline Gun Metal Bronze 860mm 3000K DALI Dim On	449,08	4.6
PLGM/860/840/DA/O	Powerline Gun Metal Bronze 860mm 4000K DALI Dim On	449,08	4.6
PLCH/860/827/ND/O	Powerline Champagne 860mm 2700K Non Dim On	406,83	4.6
PLCH/860/830/ND/O	Powerline Champagne 860mm 3000K Non Dim On	406,83	4.6
PLCH/860/840/ND/O	Powerline Champagne 860mm 4000K Non Dim On	406,83	4.6
PLCH/860/827/A/O	Powerline Champagne 860mm 2700K 1-10V Dim On	471,27	4.6
PLCH/860/830/A/O	Powerline Champagne 860mm 3000K 1-10V Dim On	471,27	4.6
PLCH/860/840/A/O	Powerline Champagne 860mm 4000K 1-10V Dim On	471,27	4.6
PLCH/860/827/DA/O	Powerline Champagne 860mm 2700K DALI Dim On	449,08	4.6
PLCH/860/830/DA/O	Powerline Champagne 860mm 3000K DALI Dim On	449,08	4.6
PLCH/860/840/DA/O	Powerline Champagne 860mm 4000K DALI Dim On	449,08	4.6

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

PLBR/860/827/ND/S	Powerline Bronze 860mm 2700K Non Dim Suspension	463,35	4.6
PLBR/860/830/ND/S	Powerline Bronze 860mm 3000K Non Dim Suspension	463,35	4.6
PLBR/860/840/ND/S	Powerline Bronze 860mm 4000K Non Dim Suspension	463,35	4.6
PLBR/860/827/A/S	Powerline Bronze 860mm 2700K 1-10V Dim Suspension	550,47	4.6
PLBR/860/830/A/S	Powerline Bronze 860mm 3000K 1-10V Dim Suspension	550,47	4.6
PLBR/860/840/A/S	Powerline Bronze 860mm 4000K 1-10V Dim Suspension	550,47	4.6
PLBR/860/827/DA/S	Powerline Bronze 860mm 2700K DALI Dim Suspension	528,28	4.6
PLBR/860/830/DA/S	Powerline Bronze 860mm 3000K DALI Dim Suspension	528,28	4.6
PLBR/860/840/DA/S	Powerline Bronze 860mm 4000K DALI Dim Suspension	528,28	4.6
PLGM/860/827/ND/S	Powerline Gun Metal Bronze 860mm 2700K Non Dim Suspension	463,35	4.6
PLGM/860/830/ND/S	Powerline Gun Metal Bronze 860mm 3000K Non Dim Suspension	463,35	4.6
PLGM/860/840/ND/S	Powerline Gun Metal Bronze 860mm 4000K Non Dim Suspension	463,35	4.6
PLGM/860/827/A/S	Powerline Gun Metal Bronze 860mm 2700K 1-10V Dim Suspension	550,47	4.6
PLGM/860/830/A/S	Powerline Gun Metal Bronze 860mm 3000K 1-10V Dim Suspension	550,47	4.6
PLGM/860/840/A/S	Powerline Gun Metal Bronze 860mm 4000K 1-10V Dim Suspension	550,47	4.6
PLGM/860/827/DA/S	Powerline Gun Metal Bronze 860mm 2700K DALI Dim Suspension	528,28	4.6
PLGM/860/830/DA/S	Powerline Gun Metal Bronze 860mm 3000K DALI Dim Suspension	528,28	4.6
PLGM/860/840/DA/S	Powerline Gun Metal Bronze 860mm 4000K DALI Dim Suspension	528,28	4.6
PLCH/860/827/ND/S	Powerline Champagne 860mm 2700K Non Dim Suspension	463,35	4.6
PLCH/860/830/ND/S	Powerline Champagne 860mm 3000K Non Dim Suspension	463,35	4.6
PLCH/860/840/ND/S	Powerline Champagne 860mm 4000K Non Dim Suspension	463,35	4.6
PLCH/860/827/A/S	Powerline Champagne 860mm 2700K 1-10V Dim Suspension	550,47	4.6
PLCH/860/830/A/S	Powerline Champagne 860mm 3000K 1-10V Dim Suspension	550,47	4.6
PLCH/860/840/A/S	Powerline Champagne 860mm 4000K 1-10V Dim Suspension	550,47	4.6
PLCH/860/827/DA/S	Powerline Champagne 860mm 2700K DALI Dim Suspension	528,28	4.6
PLCH/860/830/DA/S	Powerline Champagne 860mm 3000K DALI Dim Suspension	528,28	4.6
PLCH/860/840/DA/S	Powerline Champagne 860mm 4000K DALI Dim Suspension	528,28	4.6
PLBR/1140/827/ND/O	Powerline Bronze 1140mm 2700K Non Dim On	455,06	4.6
PLBR/1140/830/ND/O	Powerline Bronze 1140mm 3000K Non Dim On	455,06	4.6
PLBR/1140/840/ND/O	Powerline Bronze 1140mm 4000K Non Dim On	455,06	4.6
PLBR/1140/827/A/O	Powerline Bronze 1140mm 2700K 1-10V Dim On	532,59	4.6
PLBR/1140/830/A/O	Powerline Bronze 1140mm 3000K 1-10V Dim On	532,59	4.6
PLBR/1140/840/A/O	Powerline Bronze 1140mm 4000K 1-10V Dim On	532,59	4.6
PLBR/1140/827/DA/O	Powerline Bronze 1140mm 2700K DALI Dim On	497,31	4.6
PLBR/1140/830/DA/O	Powerline Bronze 1140mm 3000K DALI Dim On	497,31	4.6
PLBR/1140/840/DA/O	Powerline Bronze 1140mm 4000K DALI Dim On	497,31	4.6
PLGM/1140/827/ND/O	Powerline Gun Metal Bronze 1140mm 2700K Non Dim On	455,06	4.6
PLGM/1140/830/ND/O	Powerline Gun Metal Bronze 1140mm 3000K Non Dim On	455,06	4.6
PLGM/1140/840/ND/O	Powerline Gun Metal Bronze 1140mm 4000K Non Dim On	455,06	4.6
PLGM/1140/827/A/O	Powerline Gun Metal Bronze 1140mm 2700K 1-10V Dim On	532,59	4.6
PLGM/1140/830/A/O	Powerline Gun Metal Bronze 1140mm 3000K 1-10V Dim On	532,59	4.6
PLGM/1140/840/A/O	Powerline Gun Metal Bronze 1140mm 4000K 1-10V Dim On	532,59	4.6
PLGM/1140/827/DA/O	Powerline Gun Metal Bronze 1140mm 2700K DALI Dim On	497,31	4.6
PLGM/1140/830/DA/O	Powerline Gun Metal Bronze 1140mm 3000K DALI Dim On	497,31	4.6
PLGM/1140/840/DA/O	Powerline Gun Metal Bronze 1140mm 4000K DALI Dim On	497,31	4.6
PLCH/1140/827/ND/O	Powerline Champagne 1140mm 2700K Non Dim On	455,06	4.6
PLCH/1140/830/ND/O	Powerline Champagne 1140mm 3000K Non Dim On	455,06	4.6
PLCH/1140/840/ND/O	Powerline Champagne 1140mm 4000K Non Dim On	455,06	4.6
PLCH/1140/827/A/O	Powerline Champagne 1140mm 2700K 1-10V Dim On	532,59	4.6
PLCH/1140/830/A/O	Powerline Champagne 1140mm 3000K 1-10V Dim On	532,59	4.6
PLCH/1140/840/A/O	Powerline Champagne 1140mm 4000K 1-10V Dim On	532,59	4.6
PLCH/1140/827/DA/O	Powerline Champagne 1140mm 2700K DALI Dim On	497,31	4.6
PLCH/1140/830/DA/O	Powerline Champagne 1140mm 3000K DALI Dim On	497,31	4.6
PLCH/1140/840/DA/O	Powerline Champagne 1140mm 4000K DALI Dim On	497,31	4.6
PLBR/1140/827/ND/S	Powerline Bronze 1140mm 2700K Non Dim Suspension	511,58	4.6
PLBR/1140/830/ND/S	Powerline Bronze 1140mm 3000K Non Dim Suspension	511,58	4.6
PLBR/1140/840/ND/S	Powerline Bronze 1140mm 4000K Non Dim Suspension	511,58	4.6
PLBR/1140/827/A/S	Powerline Bronze 1140mm 2700K 1-10V Dim Suspension	611,79	4.6
PLBR/1140/830/A/S	Powerline Bronze 1140mm 3000K 1-10V Dim Suspension	611,79	4.6
PLBR/1140/840/A/S	Powerline Bronze 1140mm 4000K 1-10V Dim Suspension	611,79	4.6
PLBR/1140/827/DA/S	Powerline Bronze 1140mm 2700K DALI Dim Suspension	576,51	4.6
PLBR/1140/830/DA/S	Powerline Bronze 1140mm 3000K DALI Dim Suspension	576,51	4.6
PLBR/1140/840/DA/S	Powerline Bronze 1140mm 4000K DALI Dim Suspension	576,51	4.6
PLGM/1140/827/ND/S	Powerline Gun Metal Bronze 1140mm 2700K Non Dim Suspension	511,58	4.6
PLGM/1140/830/ND/S	Powerline Gun Metal Bronze 1140mm 3000K Non Dim Suspension	511,58	4.6
PLGM/1140/840/ND/S	Powerline Gun Metal Bronze 1140mm 4000K Non Dim Suspension	511,58	4.6
PLGM/1140/827/A/S	Powerline Gun Metal Bronze 1140mm 2700K 1-10V Dim Suspension	611,79	4.6
PLGM/1140/830/A/S	Powerline Gun Metal Bronze 1140mm 3000K 1-10V Dim Suspension	611,79	4.6
PLGM/1140/840/A/S	Powerline Gun Metal Bronze 1140mm 4000K 1-10V Dim Suspension	611,79	4.6
PLGM/1140/827/DA/S	Powerline Gun Metal Bronze 1140mm 2700K DALI Dim Suspension	576,51	4.6
PLGM/1140/830/DA/S	Powerline Gun Metal Bronze 1140mm 3000K DALI Dim Suspension	576,51	4.6
PLGM/1140/840/DA/S	Powerline Gun Metal Bronze 1140mm 4000K DALI Dim Suspension	576,51	4.6
PLCH/1140/827/ND/S	Powerline Champagne 1140mm 2700K Non Dim Suspension	511,58	4.6
PLCH/1140/830/ND/S	Powerline Champagne 1140mm 3000K Non Dim Suspension	511,58	4.6
PLCH/1140/840/ND/S	Powerline Champagne 1140mm 4000K Non Dim Suspension	511,58	4.6
PLCH/1140/827/A/S	Powerline Champagne 1140mm 2700K 1-10V Dim Suspension	611,79	4.6
PLCH/1140/830/A/S	Powerline Champagne 1140mm 3000K 1-10V Dim Suspension	611,79	4.6
PLCH/1140/840/A/S	Powerline Champagne 1140mm 4000K 1-10V Dim Suspension	611,79	4.6
PLCH/1140/827/DA/S	Powerline Champagne 1140mm 2700K DALI Dim Suspension	576,51	4.6
PLCH/1140/830/DA/S	Powerline Champagne 1140mm 3000K DALI Dim Suspension	576,51	4.6
PLCH/1140/840/DA/S	Powerline Champagne 1140mm 4000K DALI Dim Suspension	576,51	4.6
PLBR/1420/827/ND/O	Powerline Bronze 1420mm 2700K Non Dim On	532,35	4.6
PLBR/1420/830/ND/O	Powerline Bronze 1420mm 3000K Non Dim On	532,35	4.6
PLBR/1420/840/ND/O	Powerline Bronze 1420mm 4000K Non Dim On	532,35	4.6

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

PLBR/1420/827/A/O	Powerline Bronze 1420mm 2700K 1-10V Dim On	607,41	4.6
PLBR/1420/830/A/O	Powerline Bronze 1420mm 3000K 1-10V Dim On	607,41	4.6
PLBR/1420/840/A/O	Powerline Bronze 1420mm 4000K 1-10V Dim On	607,41	4.6
PLBR/1420/827/DA/O	Powerline Bronze 1420mm 2700K DALI Dim On	579,33	4.6
PLBR/1420/830/DA/O	Powerline Bronze 1420mm 3000K DALI Dim On	579,33	4.6
PLBR/1420/840/DA/O	Powerline Bronze 1420mm 4000K DALI Dim On	579,33	4.6
PLGM/1420/827/ND/O	Powerline Gun Metal Bronze 1420mm 2700K Non Dim On	532,35	4.6
PLGM/1420/830/ND/O	Powerline Gun Metal Bronze 1420mm 3000K Non Dim On	532,35	4.6
PLGM/1420/840/ND/O	Powerline Gun Metal Bronze 1420mm 4000K Non Dim On	532,35	4.6
PLGM/1420/827/A/O	Powerline Gun Metal Bronze 1420mm 2700K 1-10V Dim On	607,41	4.6
PLGM/1420/830/A/O	Powerline Gun Metal Bronze 1420mm 3000K 1-10V Dim On	607,41	4.6
PLGM/1420/840/A/O	Powerline Gun Metal Bronze 1420mm 4000K 1-10V Dim On	607,41	4.6
PLGM/1420/827/DA/O	Powerline Gun Metal Bronze 1420mm 2700K DALI Dim On	579,33	4.6
PLGM/1420/830/DA/O	Powerline Gun Metal Bronze 1420mm 3000K DALI Dim On	579,33	4.6
PLGM/1420/840/DA/O	Powerline Gun Metal Bronze 1420mm 4000K DALI Dim On	579,33	4.6
PLCH/1420/827/ND/O	Powerline Champagne 1420mm 2700K Non Dim On	532,35	4.6
PLCH/1420/830/ND/O	Powerline Champagne 1420mm 3000K Non Dim On	532,35	4.6
PLCH/1420/840/ND/O	Powerline Champagne 1420mm 4000K Non Dim On	532,35	4.6
PLCH/1420/827/A/O	Powerline Champagne 1420mm 2700K 1-10V Dim On	607,41	4.6
PLCH/1420/830/A/O	Powerline Champagne 1420mm 3000K 1-10V Dim On	607,41	4.6
PLCH/1420/840/A/O	Powerline Champagne 1420mm 4000K 1-10V Dim On	607,41	4.6
PLCH/1420/827/DA/O	Powerline Champagne 1420mm 2700K DALI Dim On	579,33	4.6
PLCH/1420/830/DA/O	Powerline Champagne 1420mm 3000K DALI Dim On	579,33	4.6
PLCH/1420/840/DA/O	Powerline Champagne 1420mm 4000K DALI Dim On	579,33	4.6
PLBR/1420/827/ND/S	Powerline Bronze 1420mm 2700K Non Dim Suspension	588,87	4.6
PLBR/1420/830/ND/S	Powerline Bronze 1420mm 3000K Non Dim Suspension	588,87	4.6
PLBR/1420/840/ND/S	Powerline Bronze 1420mm 4000K Non Dim Suspension	588,87	4.6
PLBR/1420/827/A/S	Powerline Bronze 1420mm 2700K 1-10V Dim Suspension	686,61	4.6
PLBR/1420/830/A/S	Powerline Bronze 1420mm 3000K 1-10V Dim Suspension	686,61	4.6
PLBR/1420/840/A/S	Powerline Bronze 1420mm 4000K 1-10V Dim Suspension	686,61	4.6
PLBR/1420/827/DA/S	Powerline Bronze 1420mm 2700K DALI Dim Suspension	658,53	4.6
PLBR/1420/830/DA/S	Powerline Bronze 1420mm 3000K DALI Dim Suspension	658,53	4.6
PLBR/1420/840/DA/S	Powerline Bronze 1420mm 4000K DALI Dim Suspension	658,53	4.6
PLGM/1420/827/ND/S	Powerline Gun Metal Bronze 1420mm 2700K Non Dim Suspension	588,87	4.6
PLGM/1420/830/ND/S	Powerline Gun Metal Bronze 1420mm 3000K Non Dim Suspension	588,87	4.6
PLGM/1420/840/ND/S	Powerline Gun Metal Bronze 1420mm 4000K Non Dim Suspension	588,87	4.6
PLGM/1420/827/A/S	Powerline Gun Metal Bronze 1420mm 2700K 1-10V Dim Suspension	686,61	4.6
PLGM/1420/830/A/S	Powerline Gun Metal Bronze 1420mm 3000K 1-10V Dim Suspension	686,61	4.6
PLGM/1420/840/A/S	Powerline Gun Metal Bronze 1420mm 4000K 1-10V Dim Suspension	686,61	4.6
PLGM/1420/827/DA/S	Powerline Gun Metal Bronze 1420mm 2700K DALI Dim Suspension	658,53	4.6
PLGM/1420/830/DA/S	Powerline Gun Metal Bronze 1420mm 3000K DALI Dim Suspension	658,53	4.6
PLGM/1420/840/DA/S	Powerline Gun Metal Bronze 1420mm 4000K DALI Dim Suspension	658,53	4.6
PLCH/1420/827/ND/S	Powerline Champagne 1420mm 2700K Non Dim Suspension	588,87	4.6
PLCH/1420/830/ND/S	Powerline Champagne 1420mm 3000K Non Dim Suspension	588,87	4.6
PLCH/1420/840/ND/S	Powerline Champagne 1420mm 4000K Non Dim Suspension	588,87	4.6
PLCH/1420/827/A/S	Powerline Champagne 1420mm 2700K 1-10V Dim Suspension	686,61	4.6
PLCH/1420/830/A/S	Powerline Champagne 1420mm 3000K 1-10V Dim Suspension	686,61	4.6
PLCH/1420/840/A/S	Powerline Champagne 1420mm 4000K 1-10V Dim Suspension	686,61	4.6
PLCH/1420/827/DA/S	Powerline Champagne 1420mm 2700K DALI Dim Suspension	658,53	4.6
PLCH/1420/830/DA/S	Powerline Champagne 1420mm 3000K DALI Dim Suspension	658,53	4.6
PLCH/1420/840/DA/S	Powerline Champagne 1420mm 4000K DALI Dim Suspension	658,53	4.6
PLBR/1700/827/ND/O	Powerline Bronze 1700mm 2700K Non Dim On	587,33	4.6
PLBR/1700/830/ND/O	Powerline Bronze 1700mm 3000K Non Dim On	587,33	4.6
PLBR/1700/840/ND/O	Powerline Bronze 1700mm 4000K Non Dim On	587,33	4.6
PLBR/1700/827/A/O	Powerline Bronze 1700mm 2700K 1-10V Dim On	668,73	4.6
PLBR/1700/830/A/O	Powerline Bronze 1700mm 3000K 1-10V Dim On	668,73	4.6
PLBR/1700/840/A/O	Powerline Bronze 1700mm 4000K 1-10V Dim On	668,73	4.6
PLBR/1700/827/DA/O	Powerline Bronze 1700mm 2700K DALI Dim On	634,31	4.6
PLBR/1700/830/DA/O	Powerline Bronze 1700mm 3000K DALI Dim On	634,31	4.6
PLBR/1700/840/DA/O	Powerline Bronze 1700mm 4000K DALI Dim On	634,31	4.6
PLGM/1700/827/ND/O	Powerline Gun Metal Bronze 1700mm 2700K Non Dim On	587,33	4.6
PLGM/1700/830/ND/O	Powerline Gun Metal Bronze 1700mm 3000K Non Dim On	587,33	4.6
PLGM/1700/840/ND/O	Powerline Gun Metal Bronze 1700mm 4000K Non Dim On	587,33	4.6
PLGM/1700/827/A/O	Powerline Gun Metal Bronze 1700mm 2700K 1-10V Dim On	668,73	4.6
PLGM/1700/830/A/O	Powerline Gun Metal Bronze 1700mm 3000K 1-10V Dim On	668,73	4.6
PLGM/1700/840/A/O	Powerline Gun Metal Bronze 1700mm 4000K 1-10V Dim On	668,73	4.6
PLGM/1700/827/DA/O	Powerline Gun Metal Bronze 1700mm 2700K DALI Dim On	634,31	4.6
PLGM/1700/830/DA/O	Powerline Gun Metal Bronze 1700mm 3000K DALI Dim On	634,31	4.6
PLGM/1700/840/DA/O	Powerline Gun Metal Bronze 1700mm 4000K DALI Dim On	634,31	4.6
PLCH/1700/827/ND/O	Powerline Champagne 1700mm 2700K Non Dim On	587,33	4.6
PLCH/1700/830/ND/O	Powerline Champagne 1700mm 3000K Non Dim On	587,33	4.6
PLCH/1700/840/ND/O	Powerline Champagne 1700mm 4000K Non Dim On	587,33	4.6
PLCH/1700/827/A/O	Powerline Champagne 1700mm 2700K 1-10V Dim On	668,73	4.6
PLCH/1700/830/A/O	Powerline Champagne 1700mm 3000K 1-10V Dim On	668,73	4.6
PLCH/1700/840/A/O	Powerline Champagne 1700mm 4000K 1-10V Dim On	668,73	4.6
PLCH/1700/827/DA/O	Powerline Champagne 1700mm 2700K DALI Dim On	634,31	4.6
PLCH/1700/830/DA/O	Powerline Champagne 1700mm 3000K DALI Dim On	634,31	4.6
PLCH/1700/840/DA/O	Powerline Champagne 1700mm 4000K DALI Dim On	634,31	4.6
PLBR/1700/827/ND/S	Powerline Bronze 1700mm 2700K Non Dim Suspension	643,85	4.6
PLBR/1700/830/ND/S	Powerline Bronze 1700mm 3000K Non Dim Suspension	643,85	4.6
PLBR/1700/840/ND/S	Powerline Bronze 1700mm 4000K Non Dim Suspension	643,85	4.6
PLBR/1700/827/A/S	Powerline Bronze 1700mm 2700K 1-10V Dim Suspension	747,93	4.6
PLBR/1700/830/A/S	Powerline Bronze 1700mm 3000K 1-10V Dim Suspension	747,93	4.6
PLBR/1700/840/A/S	Powerline Bronze 1700mm 4000K 1-10V Dim Suspension	747,93	4.6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

PLBR/1700/827/DA/S	Powerline Bronze 1700mm 2700K DALI Dim Suspension	713,51	4.6
PLBR/1700/830/DA/S	Powerline Bronze 1700mm 3000K DALI Dim Suspension	713,51	4.6
PLBR/1700/840/DA/S	Powerline Bronze 1700mm 4000K DALI Dim Suspension	713,51	4.6
PLGM/1700/827/ND/S	Powerline Gun Metal Bronze 1700mm 2700K Non Dim Suspension	643,85	4.6
PLGM/1700/830/ND/S	Powerline Gun Metal Bronze 1700mm 3000K Non Dim Suspension	643,85	4.6
PLGM/1700/840/ND/S	Powerline Gun Metal Bronze 1700mm 4000K Non Dim Suspension	643,85	4.6
PLGM/1700/827/A/S	Powerline Gun Metal Bronze 1700mm 2700K 1-10V Dim Suspension	747,93	4.6
PLGM/1700/830/A/S	Powerline Gun Metal Bronze 1700mm 3000K 1-10V Dim Suspension	747,93	4.6
PLGM/1700/840/A/S	Powerline Gun Metal Bronze 1700mm 4000K 1-10V Dim Suspension	747,93	4.6
PLGM/1700/827/DA/S	Powerline Gun Metal Bronze 1700mm 2700K DALI Dim Suspension	713,51	4.6
PLGM/1700/830/DA/S	Powerline Gun Metal Bronze 1700mm 3000K DALI Dim Suspension	713,51	4.6
PLGM/1700/840/DA/S	Powerline Gun Metal Bronze 1700mm 4000K DALI Dim Suspension	713,51	4.6
PLCH/1700/827/ND/S	Powerline Champagne 1700mm 2700K Non Dim Suspension	643,85	4.6
PLCH/1700/830/ND/S	Powerline Champagne 1700mm 3000K Non Dim Suspension	643,85	4.6
PLCH/1700/840/ND/S	Powerline Champagne 1700mm 4000K Non Dim Suspension	643,85	4.6
PLCH/1700/827/A/S	Powerline Champagne 1700mm 2700K 1-10V Dim Suspension	747,93	4.6
PLCH/1700/830/A/S	Powerline Champagne 1700mm 3000K 1-10V Dim Suspension	747,93	4.6
PLCH/1700/840/A/S	Powerline Champagne 1700mm 4000K 1-10V Dim Suspension	747,93	4.6
PLCH/1700/827/DA/S	Powerline Champagne 1700mm 2700K DALI Dim Suspension	713,51	4.6
PLCH/1700/830/DA/S	Powerline Champagne 1700mm 3000K DALI Dim Suspension	713,51	4.6
PLCH/1700/840/DA/S	Powerline Champagne 1700mm 4000K DALI Dim Suspension	713,51	4.6
PLBR/1980/827/ND/O	Powerline Bronze 1980mm 2700K Non Dim On	668,22	4.6
PLBR/1980/830/ND/O	Powerline Bronze 1980mm 3000K Non Dim On	668,22	4.6
PLBR/1980/840/ND/O	Powerline Bronze 1980mm 4000K Non Dim On	668,22	4.6
PLBR/1980/827/A/O	Powerline Bronze 1980mm 2700K 1-10V Dim On	840,30	4.6
PLBR/1980/830/A/O	Powerline Bronze 1980mm 3000K 1-10V Dim On	840,30	4.6
PLBR/1980/840/A/O	Powerline Bronze 1980mm 4000K 1-10V Dim On	840,30	4.6
PLBR/1980/827/DA/O	Powerline Bronze 1980mm 2700K DALI Dim On	715,07	4.6
PLBR/1980/830/DA/O	Powerline Bronze 1980mm 3000K DALI Dim On	715,07	4.6
PLBR/1980/840/DA/O	Powerline Bronze 1980mm 4000K DALI Dim On	715,07	4.6
PLGM/1980/827/ND/O	Powerline Gun Metal Bronze 1980mm 2700K Non Dim On	668,22	4.6
PLGM/1980/830/ND/O	Powerline Gun Metal Bronze 1980mm 3000K Non Dim On	668,22	4.6
PLGM/1980/840/ND/O	Powerline Gun Metal Bronze 1980mm 4000K Non Dim On	668,22	4.6
PLGM/1980/827/A/O	Powerline Gun Metal Bronze 1980mm 2700K 1-10V Dim On	840,30	4.6
PLGM/1980/830/A/O	Powerline Gun Metal Bronze 1980mm 3000K 1-10V Dim On	840,30	4.6
PLGM/1980/840/A/O	Powerline Gun Metal Bronze 1980mm 4000K 1-10V Dim On	840,30	4.6
PLGM/1980/827/DA/O	Powerline Gun Metal Bronze 1980mm 2700K DALI Dim On	715,07	4.6
PLGM/1980/830/DA/O	Powerline Gun Metal Bronze 1980mm 3000K DALI Dim On	715,07	4.6
PLGM/1980/840/DA/O	Powerline Gun Metal Bronze 1980mm 4000K DALI Dim On	715,07	4.6
PLCH/1980/827/ND/O	Powerline Champagne 1980mm 2700K Non Dim On	668,22	4.6
PLCH/1980/830/ND/O	Powerline Champagne 1980mm 3000K Non Dim On	668,22	4.6
PLCH/1980/840/ND/O	Powerline Champagne 1980mm 4000K Non Dim On	668,22	4.6
PLCH/1980/827/A/O	Powerline Champagne 1980mm 2700K 1-10V Dim On	840,30	4.6
PLCH/1980/830/A/O	Powerline Champagne 1980mm 3000K 1-10V Dim On	840,30	4.6
PLCH/1980/840/A/O	Powerline Champagne 1980mm 4000K 1-10V Dim On	840,30	4.6
PLCH/1980/827/DA/O	Powerline Champagne 1980mm 2700K DALI Dim On	715,07	4.6
PLCH/1980/830/DA/O	Powerline Champagne 1980mm 3000K DALI Dim On	715,07	4.6
PLCH/1980/840/DA/O	Powerline Champagne 1980mm 4000K DALI Dim On	715,07	4.6
PLBR/1980/827/ND/S	Powerline Bronze 1980mm 2700K Non Dim Suspension	724,74	4.6
PLBR/1980/830/ND/S	Powerline Bronze 1980mm 3000K Non Dim Suspension	724,74	4.6
PLBR/1980/840/ND/S	Powerline Bronze 1980mm 4000K Non Dim Suspension	724,74	4.6
PLBR/1980/827/A/S	Powerline Bronze 1980mm 2700K 1-10V Dim Suspension	919,50	4.6
PLBR/1980/830/A/S	Powerline Bronze 1980mm 3000K 1-10V Dim Suspension	919,50	4.6
PLBR/1980/840/A/S	Powerline Bronze 1980mm 4000K 1-10V Dim Suspension	919,50	4.6
PLBR/1980/827/DA/S	Powerline Bronze 1980mm 2700K DALI Dim Suspension	794,27	4.6
PLBR/1980/830/DA/S	Powerline Bronze 1980mm 3000K DALI Dim Suspension	794,27	4.6
PLBR/1980/840/DA/S	Powerline Bronze 1980mm 4000K DALI Dim Suspension	794,27	4.6
PLGM/1980/827/ND/S	Powerline Gun Metal Bronze 1980mm 2700K Non Dim Suspension	724,74	4.6
PLGM/1980/830/ND/S	Powerline Gun Metal Bronze 1980mm 3000K Non Dim Suspension	724,74	4.6
PLGM/1980/840/ND/S	Powerline Gun Metal Bronze 1980mm 4000K Non Dim Suspension	724,74	4.6
PLGM/1980/827/A/S	Powerline Gun Metal Bronze 1980mm 2700K 1-10V Dim Suspension	919,50	4.6
PLGM/1980/830/A/S	Powerline Gun Metal Bronze 1980mm 3000K 1-10V Dim Suspension	919,50	4.6
PLGM/1980/840/A/S	Powerline Gun Metal Bronze 1980mm 4000K 1-10V Dim Suspension	919,50	4.6
PLGM/1980/827/DA/S	Powerline Gun Metal Bronze 1980mm 2700K DALI Dim Suspension	794,27	4.6
PLGM/1980/830/DA/S	Powerline Gun Metal Bronze 1980mm 3000K DALI Dim Suspension	794,27	4.6
PLGM/1980/840/DA/S	Powerline Gun Metal Bronze 1980mm 4000K DALI Dim Suspension	794,27	4.6
PLCH/1980/827/ND/S	Powerline Champagne 1980mm 2700K Non Dim Suspension	724,74	4.6
PLCH/1980/830/ND/S	Powerline Champagne 1980mm 3000K Non Dim Suspension	724,74	4.6
PLCH/1980/840/ND/S	Powerline Champagne 1980mm 4000K Non Dim Suspension	724,74	4.6
PLCH/1980/827/A/S	Powerline Champagne 1980mm 2700K 1-10V Dim Suspension	919,50	4.6
PLCH/1980/830/A/S	Powerline Champagne 1980mm 3000K 1-10V Dim Suspension	919,50	4.6
PLCH/1980/840/A/S	Powerline Champagne 1980mm 4000K 1-10V Dim Suspension	919,50	4.6
PLCH/1980/827/DA/S	Powerline Champagne 1980mm 2700K DALI Dim Suspension	794,27	4.6
PLCH/1980/830/DA/S	Powerline Champagne 1980mm 3000K DALI Dim Suspension	794,27	4.6
PLCH/1980/840/DA/S	Powerline Champagne 1980mm 4000K DALI Dim Suspension	794,27	4.6
PLBR/2260/827/ND/O	Powerline Bronze 2260mm 2700K Non Dim On	730,47	4.6
PLBR/2260/830/ND/O	Powerline Bronze 2260mm 3000K Non Dim On	730,47	4.6
PLBR/2260/840/ND/O	Powerline Bronze 2260mm 4000K Non Dim On	730,47	4.6
PLBR/2260/827/A/O	Powerline Bronze 2260mm 2700K 1-10V Dim On	812,14	4.6
PLBR/2260/830/A/O	Powerline Bronze 2260mm 3000K 1-10V Dim On	812,14	4.6
PLBR/2260/840/A/O	Powerline Bronze 2260mm 4000K 1-10V Dim On	812,14	4.6
PLBR/2260/827/DA/O	Powerline Bronze 2260mm 2700K DALI Dim On	777,31	4.6
PLBR/2260/830/DA/O	Powerline Bronze 2260mm 3000K DALI Dim On	777,31	4.6
PLBR/2260/840/DA/O	Powerline Bronze 2260mm 4000K DALI Dim On	777,31	4.6

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

PLGM/2260/827/ND/O	Powerline Gun Metal Bronze 2260mm 2700K Non Dim On	730,47	4.6
PLGM/2260/830/ND/O	Powerline Gun Metal Bronze 2260mm 3000K Non Dim On	730,47	4.6
PLGM/2260/840/ND/O	Powerline Gun Metal Bronze 2260mm 4000K Non Dim On	730,47	4.6
PLGM/2260/827/A/O	Powerline Gun Metal Bronze 2260mm 2700K 1-10V Dim On	812,14	4.6
PLGM/2260/830/A/O	Powerline Gun Metal Bronze 2260mm 3000K 1-10V Dim On	812,14	4.6
PLGM/2260/840/A/O	Powerline Gun Metal Bronze 2260mm 4000K 1-10V Dim On	812,14	4.6
PLGM/2260/827/DA/O	Powerline Gun Metal Bronze 2260mm 2700K DALI Dim On	777,31	4.6
PLGM/2260/830/DA/O	Powerline Gun Metal Bronze 2260mm 3000K DALI Dim On	777,31	4.6
PLGM/2260/840/DA/O	Powerline Gun Metal Bronze 2260mm 4000K DALI Dim On	777,31	4.6
PLCH/2260/827/ND/O	Powerline Champagne 2260mm 2700K Non Dim On	730,47	4.6
PLCH/2260/830/ND/O	Powerline Champagne 2260mm 3000K Non Dim On	730,47	4.6
PLCH/2260/840/ND/O	Powerline Champagne 2260mm 4000K Non Dim On	730,47	4.6
PLCH/2260/827/A/O	Powerline Champagne 2260mm 2700K 1-10V Dim On	812,14	4.6
PLCH/2260/830/A/O	Powerline Champagne 2260mm 3000K 1-10V Dim On	812,14	4.6
PLCH/2260/840/A/O	Powerline Champagne 2260mm 4000K 1-10V Dim On	812,14	4.6
PLCH/2260/827/DA/O	Powerline Champagne 2260mm 2700K DALI Dim On	777,31	4.6
PLCH/2260/830/DA/O	Powerline Champagne 2260mm 3000K DALI Dim On	777,31	4.6
PLCH/2260/840/DA/O	Powerline Champagne 2260mm 4000K DALI Dim On	777,31	4.6
PLBR/2260/827/ND/S	Powerline Bronze 2260mm 2700K Non Dim Suspension	786,99	4.6
PLBR/2260/830/ND/S	Powerline Bronze 2260mm 3000K Non Dim Suspension	786,99	4.6
PLBR/2260/840/ND/S	Powerline Bronze 2260mm 4000K Non Dim Suspension	786,99	4.6
PLBR/2260/827/A/S	Powerline Bronze 2260mm 2700K 1-10V Dim Suspension	891,34	4.6
PLBR/2260/830/A/S	Powerline Bronze 2260mm 3000K 1-10V Dim Suspension	891,34	4.6
PLBR/2260/840/A/S	Powerline Bronze 2260mm 4000K 1-10V Dim Suspension	891,34	4.6
PLBR/2260/827/DA/S	Powerline Bronze 2260mm 2700K DALI Dim Suspension	856,51	4.6
PLBR/2260/830/DA/S	Powerline Bronze 2260mm 3000K DALI Dim Suspension	856,51	4.6
PLBR/2260/840/DA/S	Powerline Bronze 2260mm 4000K DALI Dim Suspension	856,51	4.6
PLGM/2260/827/ND/S	Powerline Gun Metal Bronze 2260mm 2700K Non Dim Suspension	786,99	4.6
PLGM/2260/830/ND/S	Powerline Gun Metal Bronze 2260mm 3000K Non Dim Suspension	786,99	4.6
PLGM/2260/840/ND/S	Powerline Gun Metal Bronze 2260mm 4000K Non Dim Suspension	786,99	4.6
PLGM/2260/827/A/S	Powerline Gun Metal Bronze 2260mm 2700K 1-10V Dim Suspension	891,34	4.6
PLGM/2260/830/A/S	Powerline Gun Metal Bronze 2260mm 3000K 1-10V Dim Suspension	891,34	4.6
PLGM/2260/840/A/S	Powerline Gun Metal Bronze 2260mm 4000K 1-10V Dim Suspension	891,34	4.6
PLGM/2260/827/DA/S	Powerline Gun Metal Bronze 2260mm 2700K DALI Dim Suspension	856,51	4.6
PLGM/2260/830/DA/S	Powerline Gun Metal Bronze 2260mm 3000K DALI Dim Suspension	856,51	4.6
PLGM/2260/840/DA/S	Powerline Gun Metal Bronze 2260mm 4000K DALI Dim Suspension	856,51	4.6
PLCH/2260/827/ND/S	Powerline Champagne 2260mm 2700K Non Dim Suspension	786,99	4.6
PLCH/2260/830/ND/S	Powerline Champagne 2260mm 3000K Non Dim Suspension	786,99	4.6
PLCH/2260/840/ND/S	Powerline Champagne 2260mm 4000K Non Dim Suspension	786,99	4.6
PLCH/2260/827/A/S	Powerline Champagne 2260mm 2700K 1-10V Dim Suspension	891,34	4.6
PLCH/2260/830/A/S	Powerline Champagne 2260mm 3000K 1-10V Dim Suspension	891,34	4.6
PLCH/2260/840/A/S	Powerline Champagne 2260mm 4000K 1-10V Dim Suspension	891,34	4.6
PLCH/2260/827/DA/S	Powerline Champagne 2260mm 2700K DALI Dim Suspension	856,51	4.6
PLCH/2260/830/DA/S	Powerline Champagne 2260mm 3000K DALI Dim Suspension	856,51	4.6
PLCH/2260/840/DA/S	Powerline Champagne 2260mm 4000K DALI Dim Suspension	856,51	4.6
PLBR/2540/827/ND/O	Powerline Bronze 2540mm 2700K Non Dim On	823,31	4.6
PLBR/2540/830/ND/O	Powerline Bronze 2540mm 3000K Non Dim On	823,31	4.6
PLBR/2540/840/ND/O	Powerline Bronze 2540mm 4000K Non Dim On	823,31	4.6
PLBR/2540/827/A/O	Powerline Bronze 2540mm 2700K 1-10V Dim On	888,38	4.6
PLBR/2540/830/A/O	Powerline Bronze 2540mm 3000K 1-10V Dim On	888,38	4.6
PLBR/2540/840/A/O	Powerline Bronze 2540mm 4000K 1-10V Dim On	888,38	4.6
PLBR/2540/827/DA/O	Powerline Bronze 2540mm 2700K DALI Dim On	870,15	4.6
PLBR/2540/830/DA/O	Powerline Bronze 2540mm 3000K DALI Dim On	870,15	4.6
PLBR/2540/840/DA/O	Powerline Bronze 2540mm 4000K DALI Dim On	870,15	4.6
PLGM/2540/827/ND/O	Powerline Gun Metal Bronze 2540mm 2700K Non Dim On	823,31	4.6
PLGM/2540/830/ND/O	Powerline Gun Metal Bronze 2540mm 3000K Non Dim On	823,31	4.6
PLGM/2540/840/ND/O	Powerline Gun Metal Bronze 2540mm 4000K Non Dim On	823,31	4.6
PLGM/2540/827/A/O	Powerline Gun Metal Bronze 2540mm 2700K 1-10V Dim On	888,38	4.6
PLGM/2540/830/A/O	Powerline Gun Metal Bronze 2540mm 3000K 1-10V Dim On	888,38	4.6
PLGM/2540/840/A/O	Powerline Gun Metal Bronze 2540mm 4000K 1-10V Dim On	888,38	4.6
PLGM/2540/827/DA/O	Powerline Gun Metal Bronze 2540mm 2700K DALI Dim On	870,15	4.6
PLGM/2540/830/DA/O	Powerline Gun Metal Bronze 2540mm 3000K DALI Dim On	870,15	4.6
PLGM/2540/840/DA/O	Powerline Gun Metal Bronze 2540mm 4000K DALI Dim On	870,15	4.6
PLCH/2540/827/ND/O	Powerline Champagne 2540mm 2700K Non Dim On	823,31	4.6
PLCH/2540/830/ND/O	Powerline Champagne 2540mm 3000K Non Dim On	823,31	4.6
PLCH/2540/840/ND/O	Powerline Champagne 2540mm 4000K Non Dim On	823,31	4.6
PLCH/2540/827/A/O	Powerline Champagne 2540mm 2700K 1-10V Dim On	888,38	4.6
PLCH/2540/830/A/O	Powerline Champagne 2540mm 3000K 1-10V Dim On	888,38	4.6
PLCH/2540/840/A/O	Powerline Champagne 2540mm 4000K 1-10V Dim On	888,38	4.6
PLCH/2540/827/DA/O	Powerline Champagne 2540mm 2700K DALI Dim On	870,15	4.6
PLCH/2540/830/DA/O	Powerline Champagne 2540mm 3000K DALI Dim On	870,15	4.6
PLCH/2540/840/DA/O	Powerline Champagne 2540mm 4000K DALI Dim On	870,15	4.6
PLBR/2540/827/ND/S	Powerline Bronze 2540mm 2700K Non Dim Suspension	891,98	4.6
PLBR/2540/830/ND/S	Powerline Bronze 2540mm 3000K Non Dim Suspension	891,98	4.6
PLBR/2540/840/ND/S	Powerline Bronze 2540mm 4000K Non Dim Suspension	891,98	4.6
PLBR/2540/827/A/S	Powerline Bronze 2540mm 2700K 1-10V Dim Suspension	979,73	4.6
PLBR/2540/830/A/S	Powerline Bronze 2540mm 3000K 1-10V Dim Suspension	979,73	4.6
PLBR/2540/840/A/S	Powerline Bronze 2540mm 4000K 1-10V Dim Suspension	979,73	4.6
PLBR/2540/827/DA/S	Powerline Bronze 2540mm 2700K DALI Dim Suspension	961,50	4.6
PLBR/2540/830/DA/S	Powerline Bronze 2540mm 3000K DALI Dim Suspension	961,50	4.6
PLBR/2540/840/DA/S	Powerline Bronze 2540mm 4000K DALI Dim Suspension	961,50	4.6
PLGM/2540/827/ND/S	Powerline Gun Metal Bronze 2540mm 2700K Non Dim Suspension	891,98	4.6
PLGM/2540/830/ND/S	Powerline Gun Metal Bronze 2540mm 3000K Non Dim Suspension	891,98	4.6
PLGM/2540/840/ND/S	Powerline Gun Metal Bronze 2540mm 4000K Non Dim Suspension	891,98	4.6

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

PLGM/2540/827/A/S	Powerline Gun Metal Bronze 2540mm 2700K 1-10V Dim Suspension	979,73	4.6
PLGM/2540/830/A/S	Powerline Gun Metal Bronze 2540mm 3000K 1-10V Dim Suspension	979,73	4.6
PLGM/2540/840/A/S	Powerline Gun Metal Bronze 2540mm 4000K 1-10V Dim Suspension	979,73	4.6
PLGM/2540/827/DA/S	Powerline Gun Metal Bronze 2540mm 2700K DALI Dim Suspension	961,50	4.6
PLGM/2540/830/DA/S	Powerline Gun Metal Bronze 2540mm 3000K DALI Dim Suspension	961,50	4.6
PLGM/2540/840/DA/S	Powerline Gun Metal Bronze 2540mm 4000K DALI Dim Suspension	961,50	4.6
PLCH/2540/827/ND/S	Powerline Champagne 2540mm 2700K Non Dim Suspension	891,98	4.6
PLCH/2540/830/ND/S	Powerline Champagne 2540mm 3000K Non Dim Suspension	891,98	4.6
PLCH/2540/840/ND/S	Powerline Champagne 2540mm 4000K Non Dim Suspension	891,98	4.6
PLCH/2540/827/A/S	Powerline Champagne 2540mm 2700K 1-10V Dim Suspension	979,73	4.6
PLCH/2540/830/A/S	Powerline Champagne 2540mm 3000K 1-10V Dim Suspension	979,73	4.6
PLCH/2540/840/A/S	Powerline Champagne 2540mm 4000K 1-10V Dim Suspension	979,73	4.6
PLCH/2540/827/DA/S	Powerline Champagne 2540mm 2700K DALI Dim Suspension	961,50	4.6
PLCH/2540/830/DA/S	Powerline Champagne 2540mm 3000K DALI Dim Suspension	961,50	4.6
PLCH/2540/840/DA/S	Powerline Champagne 2540mm 4000K DALI Dim Suspension	961,50	4.6
PLBR/2820/827/ND/O	Powerline Bronze 2820mm 2700K Non Dim On	900,56	4.6
PLBR/2820/830/ND/O	Powerline Bronze 2820mm 3000K Non Dim On	900,56	4.6
PLBR/2820/840/ND/O	Powerline Bronze 2820mm 4000K Non Dim On	900,56	4.6
PLBR/2820/827/A/O	Powerline Bronze 2820mm 2700K 1-10V Dim On	988,17	4.6
PLBR/2820/830/A/O	Powerline Bronze 2820mm 3000K 1-10V Dim On	988,17	4.6
PLBR/2820/840/A/O	Powerline Bronze 2820mm 4000K 1-10V Dim On	988,17	4.6
PLBR/2820/827/DA/O	Powerline Bronze 2820mm 2700K DALI Dim On	947,40	4.6
PLBR/2820/830/DA/O	Powerline Bronze 2820mm 3000K DALI Dim On	947,40	4.6
PLBR/2820/840/DA/O	Powerline Bronze 2820mm 4000K DALI Dim On	947,40	4.6
PLGM/2820/827/ND/O	Powerline Gun Metal Bronze 2820mm 2700K Non Dim On	900,56	4.6
PLGM/2820/830/ND/O	Powerline Gun Metal Bronze 2820mm 3000K Non Dim On	900,56	4.6
PLGM/2820/840/ND/O	Powerline Gun Metal Bronze 2820mm 4000K Non Dim On	900,56	4.6
PLGM/2820/827/A/O	Powerline Gun Metal Bronze 2820mm 2700K 1-10V Dim On	988,17	4.6
PLGM/2820/830/A/O	Powerline Gun Metal Bronze 2820mm 3000K 1-10V Dim On	988,17	4.6
PLGM/2820/840/A/O	Powerline Gun Metal Bronze 2820mm 4000K 1-10V Dim On	988,17	4.6
PLGM/2820/827/DA/O	Powerline Gun Metal Bronze 2820mm 2700K DALI Dim On	947,40	4.6
PLGM/2820/830/DA/O	Powerline Gun Metal Bronze 2820mm 3000K DALI Dim On	947,40	4.6
PLGM/2820/840/DA/O	Powerline Gun Metal Bronze 2820mm 4000K DALI Dim On	947,40	4.6
PLCH/2820/827/ND/O	Powerline Champagne 2820mm 2700K Non Dim On	900,56	4.6
PLCH/2820/830/ND/O	Powerline Champagne 2820mm 3000K Non Dim On	900,56	4.6
PLCH/2820/840/ND/O	Powerline Champagne 2820mm 4000K Non Dim On	900,56	4.6
PLCH/2820/827/A/O	Powerline Champagne 2820mm 2700K 1-10V Dim On	988,17	4.6
PLCH/2820/830/A/O	Powerline Champagne 2820mm 3000K 1-10V Dim On	988,17	4.6
PLCH/2820/840/A/O	Powerline Champagne 2820mm 4000K 1-10V Dim On	988,17	4.6
PLCH/2820/827/DA/O	Powerline Champagne 2820mm 2700K DALI Dim On	947,40	4.6
PLCH/2820/830/DA/O	Powerline Champagne 2820mm 3000K DALI Dim On	947,40	4.6
PLCH/2820/840/DA/O	Powerline Champagne 2820mm 4000K DALI Dim On	947,40	4.6
PLBR/2820/827/ND/S	Powerline Bronze 2820mm 2700K Non Dim Suspension	969,23	4.6
PLBR/2820/830/ND/S	Powerline Bronze 2820mm 3000K Non Dim Suspension	969,23	4.6
PLBR/2820/840/ND/S	Powerline Bronze 2820mm 4000K Non Dim Suspension	969,23	4.6
PLBR/2820/827/A/S	Powerline Bronze 2820mm 2700K 1-10V Dim Suspension	1079,52	4.6
PLBR/2820/830/A/S	Powerline Bronze 2820mm 3000K 1-10V Dim Suspension	1079,52	4.6
PLBR/2820/840/A/S	Powerline Bronze 2820mm 4000K 1-10V Dim Suspension	1079,52	4.6
PLBR/2820/827/DA/S	Powerline Bronze 2820mm 2700K DALI Dim Suspension	1038,75	4.6
PLBR/2820/830/DA/S	Powerline Bronze 2820mm 3000K DALI Dim Suspension	1038,75	4.6
PLBR/2820/840/DA/S	Powerline Bronze 2820mm 4000K DALI Dim Suspension	1038,75	4.6
PLGM/2820/827/ND/S	Powerline Gun Metal Bronze 2820mm 2700K Non Dim Suspension	969,23	4.6
PLGM/2820/830/ND/S	Powerline Gun Metal Bronze 2820mm 3000K Non Dim Suspension	969,23	4.6
PLGM/2820/840/ND/S	Powerline Gun Metal Bronze 2820mm 4000K Non Dim Suspension	969,23	4.6
PLGM/2820/827/A/S	Powerline Gun Metal Bronze 2820mm 2700K 1-10V Dim Suspension	1079,52	4.6
PLGM/2820/830/A/S	Powerline Gun Metal Bronze 2820mm 3000K 1-10V Dim Suspension	1079,52	4.6
PLGM/2820/840/A/S	Powerline Gun Metal Bronze 2820mm 4000K 1-10V Dim Suspension	1079,52	4.6
PLGM/2820/827/DA/S	Powerline Gun Metal Bronze 2820mm 2700K DALI Dim Suspension	1038,75	4.6
PLGM/2820/830/DA/S	Powerline Gun Metal Bronze 2820mm 3000K DALI Dim Suspension	1038,75	4.6
PLGM/2820/840/DA/S	Powerline Gun Metal Bronze 2820mm 4000K DALI Dim Suspension	1038,75	4.6
PLCH/2820/827/ND/S	Powerline Champagne 2820mm 2700K Non Dim Suspension	969,23	4.6
PLCH/2820/830/ND/S	Powerline Champagne 2820mm 3000K Non Dim Suspension	969,23	4.6
PLCH/2820/840/ND/S	Powerline Champagne 2820mm 4000K Non Dim Suspension	969,23	4.6
PLCH/2820/827/A/S	Powerline Champagne 2820mm 2700K 1-10V Dim Suspension	1079,52	4.6
PLCH/2820/830/A/S	Powerline Champagne 2820mm 3000K 1-10V Dim Suspension	1079,52	4.6
PLCH/2820/840/A/S	Powerline Champagne 2820mm 4000K 1-10V Dim Suspension	1079,52	4.6
PLCH/2820/827/DA/S	Powerline Champagne 2820mm 2700K DALI Dim Suspension	1038,75	4.6
PLCH/2820/830/DA/S	Powerline Champagne 2820mm 3000K DALI Dim Suspension	1038,75	4.6
PLCH/2820/840/DA/S	Powerline Champagne 2820mm 4000K DALI Dim Suspension	1038,75	4.6
PLBR/3100/827/ND/O	Powerline Bronze 3100mm 2700K Non Dim On	1043,06	4.6
PLBR/3100/830/ND/O	Powerline Bronze 3100mm 3000K Non Dim On	1043,06	4.6
PLBR/3100/840/ND/O	Powerline Bronze 3100mm 4000K Non Dim On	1043,06	4.6
PLBR/3100/827/A/O	Powerline Bronze 3100mm 2700K 1-10V Dim On	1285,92	4.6
PLBR/3100/830/A/O	Powerline Bronze 3100mm 3000K 1-10V Dim On	1285,92	4.6
PLBR/3100/840/A/O	Powerline Bronze 3100mm 4000K 1-10V Dim On	1285,92	4.6
PLBR/3100/827/DA/O	Powerline Bronze 3100mm 2700K DALI Dim On	1138,95	4.6
PLBR/3100/830/DA/O	Powerline Bronze 3100mm 3000K DALI Dim On	1138,95	4.6
PLBR/3100/840/DA/O	Powerline Bronze 3100mm 4000K DALI Dim On	1138,95	4.6
PLGM/3100/827/ND/O	Powerline Gun Metal Bronze 3100mm 2700K Non Dim On	1043,06	4.6
PLGM/3100/830/ND/O	Powerline Gun Metal Bronze 3100mm 3000K Non Dim On	1043,06	4.6
PLGM/3100/840/ND/O	Powerline Gun Metal Bronze 3100mm 4000K Non Dim On	1043,06	4.6
PLGM/3100/827/A/O	Powerline Gun Metal Bronze 3100mm 2700K 1-10V Dim On	1285,92	4.6
PLGM/3100/830/A/O	Powerline Gun Metal Bronze 3100mm 3000K 1-10V Dim On	1285,92	4.6
PLGM/3100/840/A/O	Powerline Gun Metal Bronze 3100mm 4000K 1-10V Dim On	1285,92	4.6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

PLGM/3100/827/DA/O	Powerline Gun Metal Bronze 3100mm 2700K DALI Dim On	1138,95	4.6
PLGM/3100/830/DA/O	Powerline Gun Metal Bronze 3100mm 3000K DALI Dim On	1138,95	4.6
PLGM/3100/840/DA/O	Powerline Gun Metal Bronze 3100mm 4000K DALI Dim On	1138,95	4.6
PLCH/3100/827/ND/O	Powerline Champagne 3100mm 2700K Non Dim On	1043,06	4.6
PLCH/3100/830/ND/O	Powerline Champagne 3100mm 3000K Non Dim On	1043,06	4.6
PLCH/3100/840/ND/O	Powerline Champagne 3100mm 4000K Non Dim On	1043,06	4.6
PLCH/3100/827/A/O	Powerline Champagne 3100mm 2700K 1-10V Dim On	1285,92	4.6
PLCH/3100/830/A/O	Powerline Champagne 3100mm 3000K 1-10V Dim On	1285,92	4.6
PLCH/3100/840/A/O	Powerline Champagne 3100mm 4000K 1-10V Dim On	1285,92	4.6
PLCH/3100/827/DA/O	Powerline Champagne 3100mm 2700K DALI Dim On	1138,95	4.6
PLCH/3100/830/DA/O	Powerline Champagne 3100mm 3000K DALI Dim On	1138,95	4.6
PLCH/3100/840/DA/O	Powerline Champagne 3100mm 4000K DALI Dim On	1138,95	4.6
PLBR/3100/827/ND/S	Powerline Bronze 3100mm 2700K Non Dim Suspension	1111,73	4.6
PLBR/3100/830/ND/S	Powerline Bronze 3100mm 3000K Non Dim Suspension	1111,73	4.6
PLBR/3100/840/ND/S	Powerline Bronze 3100mm 4000K Non Dim Suspension	1111,73	4.6
PLBR/3100/827/A/S	Powerline Bronze 3100mm 2700K 1-10V Dim Suspension	1377,27	4.6
PLBR/3100/830/A/S	Powerline Bronze 3100mm 3000K 1-10V Dim Suspension	1377,27	4.6
PLBR/3100/840/A/S	Powerline Bronze 3100mm 4000K 1-10V Dim Suspension	1377,27	4.6
PLBR/3100/827/DA/S	Powerline Bronze 3100mm 2700K DALI Dim Suspension	1230,30	4.6
PLBR/3100/830/DA/S	Powerline Bronze 3100mm 3000K DALI Dim Suspension	1230,30	4.6
PLBR/3100/840/DA/S	Powerline Bronze 3100mm 4000K DALI Dim Suspension	1230,30	4.6
PLGM/3100/827/ND/S	Powerline Gun Metal Bronze 3100mm 2700K Non Dim Suspension	1111,73	4.6
PLGM/3100/830/ND/S	Powerline Gun Metal Bronze 3100mm 3000K Non Dim Suspension	1111,73	4.6
PLGM/3100/840/ND/S	Powerline Gun Metal Bronze 3100mm 4000K Non Dim Suspension	1111,73	4.6
PLGM/3100/827/A/S	Powerline Gun Metal Bronze 3100mm 2700K 1-10V Dim Suspension	1377,27	4.6
PLGM/3100/830/A/S	Powerline Gun Metal Bronze 3100mm 3000K 1-10V Dim Suspension	1377,27	4.6
PLGM/3100/840/A/S	Powerline Gun Metal Bronze 3100mm 4000K 1-10V Dim Suspension	1377,27	4.6
PLGM/3100/827/DA/S	Powerline Gun Metal Bronze 3100mm 2700K DALI Dim Suspension	1230,30	4.6
PLGM/3100/830/DA/S	Powerline Gun Metal Bronze 3100mm 3000K DALI Dim Suspension	1230,30	4.6
PLGM/3100/840/DA/S	Powerline Gun Metal Bronze 3100mm 4000K DALI Dim Suspension	1230,30	4.6
PLCH/3100/827/ND/S	Powerline Champagne 3100mm 2700K Non Dim Suspension	1111,73	4.6
PLCH/3100/830/ND/S	Powerline Champagne 3100mm 3000K Non Dim Suspension	1111,73	4.6
PLCH/3100/840/ND/S	Powerline Champagne 3100mm 4000K Non Dim Suspension	1111,73	4.6
PLCH/3100/827/A/S	Powerline Champagne 3100mm 2700K 1-10V Dim Suspension	1377,27	4.6
PLCH/3100/830/A/S	Powerline Champagne 3100mm 3000K 1-10V Dim Suspension	1377,27	4.6
PLCH/3100/840/A/S	Powerline Champagne 3100mm 4000K 1-10V Dim Suspension	1377,27	4.6
PLCH/3100/827/DA/S	Powerline Champagne 3100mm 2700K DALI Dim Suspension	1230,30	4.6
PLCH/3100/830/DA/S	Powerline Champagne 3100mm 3000K DALI Dim Suspension	1230,30	4.6
PLCH/3100/840/DA/S	Powerline Champagne 3100mm 4000K DALI Dim Suspension	1230,30	4.6
PLBR/3380/827/ND/O	Powerline Bronze 3380mm 2700K Non Dim On	1119,59	4.6
PLBR/3380/830/ND/O	Powerline Bronze 3380mm 3000K Non Dim On	1119,59	4.6
PLBR/3380/840/ND/O	Powerline Bronze 3380mm 4000K Non Dim On	1119,59	4.6
PLBR/3380/827/A/O	Powerline Bronze 3380mm 2700K 1-10V Dim On	1460,09	4.6
PLBR/3380/830/A/O	Powerline Bronze 3380mm 3000K 1-10V Dim On	1460,09	4.6
PLBR/3380/840/A/O	Powerline Bronze 3380mm 4000K 1-10V Dim On	1460,09	4.6
PLBR/3380/827/DA/O	Powerline Bronze 3380mm 2700K DALI Dim On	1219,36	4.6
PLBR/3380/830/DA/O	Powerline Bronze 3380mm 3000K DALI Dim On	1219,36	4.6
PLBR/3380/840/DA/O	Powerline Bronze 3380mm 4000K DALI Dim On	1219,36	4.6
PLGM/3380/827/ND/O	Powerline Gun Metal Bronze 3380mm 2700K Non Dim On	1119,59	4.6
PLGM/3380/830/ND/O	Powerline Gun Metal Bronze 3380mm 3000K Non Dim On	1119,59	4.6
PLGM/3380/840/ND/O	Powerline Gun Metal Bronze 3380mm 4000K Non Dim On	1119,59	4.6
PLGM/3380/827/A/O	Powerline Gun Metal Bronze 3380mm 2700K 1-10V Dim On	1460,09	4.6
PLGM/3380/830/A/O	Powerline Gun Metal Bronze 3380mm 3000K 1-10V Dim On	1460,09	4.6
PLGM/3380/840/A/O	Powerline Gun Metal Bronze 3380mm 4000K 1-10V Dim On	1460,09	4.6
PLGM/3380/827/DA/O	Powerline Gun Metal Bronze 3380mm 2700K DALI Dim On	1219,36	4.6
PLGM/3380/830/DA/O	Powerline Gun Metal Bronze 3380mm 3000K DALI Dim On	1219,36	4.6
PLGM/3380/840/DA/O	Powerline Gun Metal Bronze 3380mm 4000K DALI Dim On	1219,36	4.6
PLCH/3380/827/ND/O	Powerline Champagne 3380mm 2700K Non Dim On	1119,59	4.6
PLCH/3380/830/ND/O	Powerline Champagne 3380mm 3000K Non Dim On	1119,59	4.6
PLCH/3380/840/ND/O	Powerline Champagne 3380mm 4000K Non Dim On	1119,59	4.6
PLCH/3380/827/A/O	Powerline Champagne 3380mm 2700K 1-10V Dim On	1460,09	4.6
PLCH/3380/830/A/O	Powerline Champagne 3380mm 3000K 1-10V Dim On	1460,09	4.6
PLCH/3380/840/A/O	Powerline Champagne 3380mm 4000K 1-10V Dim On	1460,09	4.6
PLCH/3380/827/DA/O	Powerline Champagne 3380mm 2700K DALI Dim On	1219,36	4.6
PLCH/3380/830/DA/O	Powerline Champagne 3380mm 3000K DALI Dim On	1219,36	4.6
PLCH/3380/840/DA/O	Powerline Champagne 3380mm 4000K DALI Dim On	1219,36	4.6
PLBR/3380/827/ND/S	Powerline Bronze 3380mm 2700K Non Dim Suspension	1188,26	4.6
PLBR/3380/830/ND/S	Powerline Bronze 3380mm 3000K Non Dim Suspension	1188,26	4.6
PLBR/3380/840/ND/S	Powerline Bronze 3380mm 4000K Non Dim Suspension	1188,26	4.6
PLBR/3380/827/A/S	Powerline Bronze 3380mm 2700K 1-10V Dim Suspension	1470,77	4.6
PLBR/3380/830/A/S	Powerline Bronze 3380mm 3000K 1-10V Dim Suspension	1470,77	4.6
PLBR/3380/840/A/S	Powerline Bronze 3380mm 4000K 1-10V Dim Suspension	1470,77	4.6
PLBR/3380/827/DA/S	Powerline Bronze 3380mm 2700K DALI Dim Suspension	1310,71	4.6
PLBR/3380/830/DA/S	Powerline Bronze 3380mm 3000K DALI Dim Suspension	1310,71	4.6
PLBR/3380/840/DA/S	Powerline Bronze 3380mm 4000K DALI Dim Suspension	1310,71	4.6
PLGM/3380/827/ND/S	Powerline Gun Metal Bronze 3380mm 2700K Non Dim Suspension	1188,26	4.6
PLGM/3380/830/ND/S	Powerline Gun Metal Bronze 3380mm 3000K Non Dim Suspension	1188,26	4.6
PLGM/3380/840/ND/S	Powerline Gun Metal Bronze 3380mm 4000K Non Dim Suspension	1188,26	4.6
PLGM/3380/827/A/S	Powerline Gun Metal Bronze 3380mm 2700K 1-10V Dim Suspension	1470,77	4.6
PLGM/3380/830/A/S	Powerline Gun Metal Bronze 3380mm 3000K 1-10V Dim Suspension	1470,77	4.6
PLGM/3380/840/A/S	Powerline Gun Metal Bronze 3380mm 4000K 1-10V Dim Suspension	1470,77	4.6
PLGM/3380/827/DA/S	Powerline Gun Metal Bronze 3380mm 2700K DALI Dim Suspension	1310,71	4.6
PLGM/3380/830/DA/S	Powerline Gun Metal Bronze 3380mm 3000K DALI Dim Suspension	1310,71	4.6
PLGM/3380/840/DA/S	Powerline Gun Metal Bronze 3380mm 4000K DALI Dim Suspension	1310,71	4.6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

PLCH/3380/827/ND/S	Powerline Champagne 3380mm 2700K Non Dim Suspension	1188,26	4.6
PLCH/3380/830/ND/S	Powerline Champagne 3380mm 3000K Non Dim Suspension	1188,26	4.6
PLCH/3380/840/ND/S	Powerline Champagne 3380mm 4000K Non Dim Suspension	1188,26	4.6
PLCH/3380/827/A/S	Powerline Champagne 3380mm 2700K 1-10V Dim Suspension	1470,77	4.6
PLCH/3380/830/A/S	Powerline Champagne 3380mm 3000K 1-10V Dim Suspension	1470,77	4.6
PLCH/3380/840/A/S	Powerline Champagne 3380mm 4000K 1-10V Dim Suspension	1470,77	4.6
PLCH/3380/827/DA/S	Powerline Champagne 3380mm 2700K DALI Dim Suspension	1310,71	4.6
PLCH/3380/830/DA/S	Powerline Champagne 3380mm 3000K DALI Dim Suspension	1310,71	4.6
PLCH/3380/840/DA/S	Powerline Champagne 3380mm 4000K DALI Dim Suspension	1310,71	4.6
PLBR/3660/827/ND/O	Powerline Bronze 3660mm 2700K Non Dim On	1206,61	4.6
PLBR/3660/830/ND/O	Powerline Bronze 3660mm 3000K Non Dim On	1206,61	4.6
PLBR/3660/840/ND/O	Powerline Bronze 3660mm 4000K Non Dim On	1206,61	4.6
PLBR/3660/827/A/O	Powerline Bronze 3660mm 2700K 1-10V Dim On	1460,09	4.6
PLBR/3660/830/A/O	Powerline Bronze 3660mm 3000K 1-10V Dim On	1460,09	4.6
PLBR/3660/840/A/O	Powerline Bronze 3660mm 4000K 1-10V Dim On	1460,09	4.6
PLBR/3660/827/DA/O	Powerline Bronze 3660mm 2700K DALI Dim On	1300,43	4.6
PLBR/3660/830/DA/O	Powerline Bronze 3660mm 3000K DALI Dim On	1300,43	4.6
PLBR/3660/840/DA/O	Powerline Bronze 3660mm 4000K DALI Dim On	1300,43	4.6
PLGM/3660/827/ND/O	Powerline Gun Metal Bronze 3660mm 2700K Non Dim On	1206,61	4.6
PLGM/3660/830/ND/O	Powerline Gun Metal Bronze 3660mm 3000K Non Dim On	1206,61	4.6
PLGM/3660/840/ND/O	Powerline Gun Metal Bronze 3660mm 4000K Non Dim On	1206,61	4.6
PLGM/3660/827/A/O	Powerline Gun Metal Bronze 3660mm 2700K 1-10V Dim On	1460,09	4.6
PLGM/3660/830/A/O	Powerline Gun Metal Bronze 3660mm 3000K 1-10V Dim On	1460,09	4.6
PLGM/3660/840/A/O	Powerline Gun Metal Bronze 3660mm 4000K 1-10V Dim On	1460,09	4.6
PLGM/3660/827/DA/O	Powerline Gun Metal Bronze 3660mm 2700K DALI Dim On	1300,43	4.6
PLGM/3660/830/DA/O	Powerline Gun Metal Bronze 3660mm 3000K DALI Dim On	1300,43	4.6
PLGM/3660/840/DA/O	Powerline Gun Metal Bronze 3660mm 4000K DALI Dim On	1300,43	4.6
PLCH/3660/827/ND/O	Powerline Champagne 3660mm 2700K Non Dim On	1206,61	4.6
PLCH/3660/830/ND/O	Powerline Champagne 3660mm 3000K Non Dim On	1206,61	4.6
PLCH/3660/840/ND/O	Powerline Champagne 3660mm 4000K Non Dim On	1206,61	4.6
PLCH/3660/827/A/O	Powerline Champagne 3660mm 2700K 1-10V Dim On	1460,09	4.6
PLCH/3660/830/A/O	Powerline Champagne 3660mm 3000K 1-10V Dim On	1460,09	4.6
PLCH/3660/840/A/O	Powerline Champagne 3660mm 4000K 1-10V Dim On	1460,09	4.6
PLCH/3660/827/DA/O	Powerline Champagne 3660mm 2700K DALI Dim On	1300,43	4.6
PLCH/3660/830/DA/O	Powerline Champagne 3660mm 3000K DALI Dim On	1300,43	4.6
PLCH/3660/840/DA/O	Powerline Champagne 3660mm 4000K DALI Dim On	1300,43	4.6
PLBR/3660/827/ND/S	Powerline Bronze 3660mm 2700K Non Dim Suspension	1287,43	4.6
PLBR/3660/830/ND/S	Powerline Bronze 3660mm 3000K Non Dim Suspension	1287,43	4.6
PLBR/3660/840/ND/S	Powerline Bronze 3660mm 4000K Non Dim Suspension	1287,43	4.6
PLBR/3660/827/A/S	Powerline Bronze 3660mm 2700K 1-10V Dim Suspension	1563,59	4.6
PLBR/3660/830/A/S	Powerline Bronze 3660mm 3000K 1-10V Dim Suspension	1563,59	4.6
PLBR/3660/840/A/S	Powerline Bronze 3660mm 4000K 1-10V Dim Suspension	1563,59	4.6
PLBR/3660/827/DA/S	Powerline Bronze 3660mm 2700K DALI Dim Suspension	1403,93	4.6
PLBR/3660/830/DA/S	Powerline Bronze 3660mm 3000K DALI Dim Suspension	1403,93	4.6
PLBR/3660/840/DA/S	Powerline Bronze 3660mm 4000K DALI Dim Suspension	1403,93	4.6
PLGM/3660/827/ND/S	Powerline Gun Metal Bronze 3660mm 2700K Non Dim Suspension	1287,43	4.6
PLGM/3660/830/ND/S	Powerline Gun Metal Bronze 3660mm 3000K Non Dim Suspension	1287,43	4.6
PLGM/3660/840/ND/S	Powerline Gun Metal Bronze 3660mm 4000K Non Dim Suspension	1287,43	4.6
PLGM/3660/827/A/S	Powerline Gun Metal Bronze 3660mm 2700K 1-10V Dim Suspension	1563,59	4.6
PLGM/3660/830/A/S	Powerline Gun Metal Bronze 3660mm 3000K 1-10V Dim Suspension	1563,59	4.6
PLGM/3660/840/A/S	Powerline Gun Metal Bronze 3660mm 4000K 1-10V Dim Suspension	1563,59	4.6
PLGM/3660/827/DA/S	Powerline Gun Metal Bronze 3660mm 2700K DALI Dim Suspension	1403,93	4.6
PLGM/3660/830/DA/S	Powerline Gun Metal Bronze 3660mm 3000K DALI Dim Suspension	1403,93	4.6
PLGM/3660/840/DA/S	Powerline Gun Metal Bronze 3660mm 4000K DALI Dim Suspension	1403,93	4.6
PLCH/3660/827/ND/S	Powerline Champagne 3660mm 2700K Non Dim Suspension	1287,43	4.6
PLCH/3660/830/ND/S	Powerline Champagne 3660mm 3000K Non Dim Suspension	1287,43	4.6
PLCH/3660/840/ND/S	Powerline Champagne 3660mm 4000K Non Dim Suspension	1287,43	4.6
PLCH/3660/827/A/S	Powerline Champagne 3660mm 2700K 1-10V Dim Suspension	1563,59	4.6
PLCH/3660/830/A/S	Powerline Champagne 3660mm 3000K 1-10V Dim Suspension	1563,59	4.6
PLCH/3660/840/A/S	Powerline Champagne 3660mm 4000K 1-10V Dim Suspension	1563,59	4.6
PLCH/3660/827/DA/S	Powerline Champagne 3660mm 2700K DALI Dim Suspension	1403,93	4.6
PLCH/3660/830/DA/S	Powerline Champagne 3660mm 3000K DALI Dim Suspension	1403,93	4.6
PLCH/3660/840/DA/S	Powerline Champagne 3660mm 4000K DALI Dim Suspension	1403,93	4.6
PLBR/3940/827/ND/O	Powerline Bronze 3940mm 2700K Non Dim On	1262,86	4.6
PLBR/3940/830/ND/O	Powerline Bronze 3940mm 3000K Non Dim On	1262,86	4.6
PLBR/3940/840/ND/O	Powerline Bronze 3940mm 4000K Non Dim On	1262,86	4.6
PLBR/3940/827/A/O	Powerline Bronze 3940mm 2700K 1-10V Dim On	1522,69	4.6
PLBR/3940/830/A/O	Powerline Bronze 3940mm 3000K 1-10V Dim On	1522,69	4.6
PLBR/3940/840/A/O	Powerline Bronze 3940mm 4000K 1-10V Dim On	1522,69	4.6
PLBR/3940/827/DA/O	Powerline Bronze 3940mm 2700K DALI Dim On	1362,22	4.6
PLBR/3940/830/DA/O	Powerline Bronze 3940mm 3000K DALI Dim On	1362,22	4.6
PLBR/3940/840/DA/O	Powerline Bronze 3940mm 4000K DALI Dim On	1362,22	4.6
PLBGM/3940/827/ND/O	Powerline Gun Metal Bronze 3940mm 2700K Non Dim On	1262,86	4.6
PLBGM/3940/830/ND/O	Powerline Gun Metal Bronze 3940mm 3000K Non Dim On	1262,86	4.6
PLBGM/3940/840/ND/O	Powerline Gun Metal Bronze 3940mm 4000K Non Dim On	1262,86	4.6
PLBGM/3940/827/A/O	Powerline Gun Metal Bronze 3940mm 2700K 1-10V Dim On	1522,69	4.6
PLBGM/3940/830/A/O	Powerline Gun Metal Bronze 3940mm 3000K 1-10V Dim On	1522,69	4.6
PLBGM/3940/840/A/O	Powerline Gun Metal Bronze 3940mm 4000K 1-10V Dim On	1522,69	4.6
PLBGM/3940/827/DA/O	Powerline Gun Metal Bronze 3940mm 2700K DALI Dim On	1362,22	4.6
PLBGM/3940/830/DA/O	Powerline Gun Metal Bronze 3940mm 3000K DALI Dim On	1362,22	4.6
PLBGM/3940/840/DA/O	Powerline Gun Metal Bronze 3940mm 4000K DALI Dim On	1362,22	4.6
PLBCH/3940/827/ND/O	Powerline Champagne 3940mm 2700K Non Dim On	1262,86	4.6
PLBCH/3940/830/ND/O	Powerline Champagne 3940mm 3000K Non Dim On	1262,86	4.6
PLBCH/3940/840/ND/O	Powerline Champagne 3940mm 4000K Non Dim On	1262,86	4.6

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

PLBCH/3940/827/A/O	Powerline Champagne 3940mm 2700K 1-10V Dim On	1522,69	4.6
PLBCH/3940/830/A/O	Powerline Champagne 3940mm 3000K 1-10V Dim On	1522,69	4.6
PLBCH/3940/840/A/O	Powerline Champagne 3940mm 4000K 1-10V Dim On	1522,69	4.6
PLBCH/3940/827/DA/O	Powerline Champagne 3940mm 2700K DALI Dim On	1362,22	4.6
PLBCH/3940/830/DA/O	Powerline Champagne 3940mm 3000K DALI Dim On	1362,22	4.6
PLBCH/3940/840/DA/O	Powerline Champagne 3940mm 4000K DALI Dim On	1362,22	4.6
PLBR/3940/827/ND/S	Powerline Bronze 3940mm 2700K Non Dim Suspension	1343,68	4.6
PLBR/3940/830/ND/S	Powerline Bronze 3940mm 3000K Non Dim Suspension	1343,68	4.6
PLBR/3940/840/ND/S	Powerline Bronze 3940mm 4000K Non Dim Suspension	1343,68	4.6
PLBR/3940/827/A/S	Powerline Bronze 3940mm 2700K 1-10V Dim Suspension	1626,19	4.6
PLBR/3940/830/A/S	Powerline Bronze 3940mm 3000K 1-10V Dim Suspension	1626,19	4.6
PLBR/3940/840/A/S	Powerline Bronze 3940mm 4000K 1-10V Dim Suspension	1626,19	4.6
PLBR/3940/827/DA/S	Powerline Bronze 3940mm 2700K DALI Dim Suspension	1465,72	4.6
PLBR/3940/830/DA/S	Powerline Bronze 3940mm 3000K DALI Dim Suspension	1465,72	4.6
PLBR/3940/840/DA/S	Powerline Bronze 3940mm 4000K DALI Dim Suspension	1465,72	4.6
PLBGM/3940/827/ND/S	Powerline Gun Metal Bronze 3940mm 2700K Non Dim Suspension	1343,68	4.6
PLBGM/3940/830/ND/S	Powerline Gun Metal Bronze 3940mm 3000K Non Dim Suspension	1343,68	4.6
PLBGM/3940/840/ND/S	Powerline Gun Metal Bronze 3940mm 4000K Non Dim Suspension	1343,68	4.6
PLBGM/3940/827/A/S	Powerline Gun Metal Bronze 3940mm 2700K 1-10V Dim Suspension	1626,19	4.6
PLBGM/3940/830/A/S	Powerline Gun Metal Bronze 3940mm 3000K 1-10V Dim Suspension	1626,19	4.6
PLBGM/3940/840/A/S	Powerline Gun Metal Bronze 3940mm 4000K 1-10V Dim Suspension	1626,19	4.6
PLBGM/3940/827/DA/S	Powerline Gun Metal Bronze 3940mm 2700K DALI Dim Suspension	1465,72	4.6
PLBGM/3940/830/DA/S	Powerline Gun Metal Bronze 3940mm 3000K DALI Dim Suspension	1465,72	4.6
PLBGM/3940/840/DA/S	Powerline Gun Metal Bronze 3940mm 4000K DALI Dim Suspension	1465,72	4.6
PLBCH/3940/827/ND/S	Powerline Champagne 3940mm 2700K Non Dim Suspension	1343,68	4.6
PLBCH/3940/830/ND/S	Powerline Champagne 3940mm 3000K Non Dim Suspension	1343,68	4.6
PLBCH/3940/840/ND/S	Powerline Champagne 3940mm 4000K Non Dim Suspension	1343,68	4.6
PLBCH/3940/827/A/S	Powerline Champagne 3940mm 2700K 1-10V Dim Suspension	1626,19	4.6
PLBCH/3940/830/A/S	Powerline Champagne 3940mm 3000K 1-10V Dim Suspension	1626,19	4.6
PLBCH/3940/840/A/S	Powerline Champagne 3940mm 4000K 1-10V Dim Suspension	1626,19	4.6
PLBCH/3940/827/DA/S	Powerline Champagne 3940mm 2700K DALI Dim Suspension	1465,72	4.6
PLBCH/3940/830/DA/S	Powerline Champagne 3940mm 3000K DALI Dim Suspension	1465,72	4.6
PLBCH/3940/840/DA/S	Powerline Champagne 3940mm 4000K DALI Dim Suspension	1465,72	4.6
PLBR/4220/827/ND/O	Powerline Bronze 4220mm 2700K Non Dim On	1345,40	4.6
PLBR/4220/830/ND/O	Powerline Bronze 4220mm 3000K Non Dim On	1345,40	4.6
PLBR/4220/840/ND/O	Powerline Bronze 4220mm 4000K Non Dim On	1345,40	4.6
PLBR/4220/827/A/O	Powerline Bronze 4220mm 2700K 1-10V Dim On	1599,16	4.6
PLBR/4220/830/A/O	Powerline Bronze 4220mm 3000K 1-10V Dim On	1599,16	4.6
PLBR/4220/840/A/O	Powerline Bronze 4220mm 4000K 1-10V Dim On	1599,16	4.6
PLBR/4220/827/DA/O	Powerline Bronze 4220mm 2700K DALI Dim On	1439,09	4.6
PLBR/4220/830/DA/O	Powerline Bronze 4220mm 3000K DALI Dim On	1439,09	4.6
PLBR/4220/840/DA/O	Powerline Bronze 4220mm 4000K DALI Dim On	1439,09	4.6
PLBGM/4220/827/ND/O	Powerline Gun Metal Bronze 4220mm 2700K Non Dim On	1345,40	4.6
PLBGM/4220/830/ND/O	Powerline Gun Metal Bronze 4220mm 3000K Non Dim On	1345,40	4.6
PLBGM/4220/840/ND/O	Powerline Gun Metal Bronze 4220mm 4000K Non Dim On	1345,40	4.6
PLBGM/4220/827/A/O	Powerline Gun Metal Bronze 4220mm 2700K 1-10V Dim On	1599,16	4.6
PLBGM/4220/830/A/O	Powerline Gun Metal Bronze 4220mm 3000K 1-10V Dim On	1599,16	4.6
PLBGM/4220/840/A/O	Powerline Gun Metal Bronze 4220mm 4000K 1-10V Dim On	1599,16	4.6
PLBGM/4220/827/DA/O	Powerline Gun Metal Bronze 4220mm 2700K DALI Dim On	1439,09	4.6
PLBGM/4220/830/DA/O	Powerline Gun Metal Bronze 4220mm 3000K DALI Dim On	1439,09	4.6
PLBGM/4220/840/DA/O	Powerline Gun Metal Bronze 4220mm 4000K DALI Dim On	1439,09	4.6
PLBCH/4220/827/ND/O	Powerline Champagne 4220mm 2700K Non Dim On	1345,40	4.6
PLBCH/4220/830/ND/O	Powerline Champagne 4220mm 3000K Non Dim On	1345,40	4.6
PLBCH/4220/840/ND/O	Powerline Champagne 4220mm 4000K Non Dim On	1345,40	4.6
PLBCH/4220/827/A/O	Powerline Champagne 4220mm 2700K 1-10V Dim On	1599,16	4.6
PLBCH/4220/830/A/O	Powerline Champagne 4220mm 3000K 1-10V Dim On	1599,16	4.6
PLBCH/4220/840/A/O	Powerline Champagne 4220mm 4000K 1-10V Dim On	1599,16	4.6
PLBCH/4220/827/DA/O	Powerline Champagne 4220mm 2700K DALI Dim On	1439,09	4.6
PLBCH/4220/830/DA/O	Powerline Champagne 4220mm 3000K DALI Dim On	1439,09	4.6
PLBCH/4220/840/DA/O	Powerline Champagne 4220mm 4000K DALI Dim On	1439,09	4.6
PLBR/4220/827/ND/S	Powerline Bronze 4220mm 2700K Non Dim Suspension	1426,22	4.6
PLBR/4220/830/ND/S	Powerline Bronze 4220mm 3000K Non Dim Suspension	1426,22	4.6
PLBR/4220/840/ND/S	Powerline Bronze 4220mm 4000K Non Dim Suspension	1426,22	4.6
PLBR/4220/827/A/S	Powerline Bronze 4220mm 2700K 1-10V Dim Suspension	1702,66	4.6
PLBR/4220/830/A/S	Powerline Bronze 4220mm 3000K 1-10V Dim Suspension	1702,66	4.6
PLBR/4220/840/A/S	Powerline Bronze 4220mm 4000K 1-10V Dim Suspension	1702,66	4.6
PLBR/4220/827/DA/S	Powerline Bronze 4220mm 2700K DALI Dim Suspension	1542,59	4.6
PLBR/4220/830/DA/S	Powerline Bronze 4220mm 3000K DALI Dim Suspension	1542,59	4.6
PLBR/4220/840/DA/S	Powerline Bronze 4220mm 4000K DALI Dim Suspension	1542,59	4.6
PLBGM/4220/827/ND/S	Powerline Gun Metal Bronze 4220mm 2700K Non Dim Suspension	1426,22	4.6
PLBGM/4220/830/ND/S	Powerline Gun Metal Bronze 4220mm 3000K Non Dim Suspension	1426,22	4.6
PLBGM/4220/840/ND/S	Powerline Gun Metal Bronze 4220mm 4000K Non Dim Suspension	1426,22	4.6
PLBGM/4220/827/A/S	Powerline Gun Metal Bronze 4220mm 2700K 1-10V Dim Suspension	1702,66	4.6
PLBGM/4220/830/A/S	Powerline Gun Metal Bronze 4220mm 3000K 1-10V Dim Suspension	1702,66	4.6
PLBGM/4220/840/A/S	Powerline Gun Metal Bronze 4220mm 4000K 1-10V Dim Suspension	1702,66	4.6
PLBGM/4220/827/DA/S	Powerline Gun Metal Bronze 4220mm 2700K DALI Dim Suspension	1542,59	4.6
PLBGM/4220/830/DA/S	Powerline Gun Metal Bronze 4220mm 3000K DALI Dim Suspension	1542,59	4.6
PLBGM/4220/840/DA/S	Powerline Gun Metal Bronze 4220mm 4000K DALI Dim Suspension	1542,59	4.6
PLBCH/4220/827/ND/S	Powerline Champagne 4220mm 2700K Non Dim Suspension	1426,22	4.6
PLBCH/4220/830/ND/S	Powerline Champagne 4220mm 3000K Non Dim Suspension	1426,22	4.6
PLBCH/4220/840/ND/S	Powerline Champagne 4220mm 4000K Non Dim Suspension	1426,22	4.6
PLBCH/4220/827/A/S	Powerline Champagne 4220mm 2700K 1-10V Dim Suspension	1702,66	4.6
PLBCH/4220/830/A/S	Powerline Champagne 4220mm 3000K 1-10V Dim Suspension	1702,66	4.6
PLBCH/4220/840/A/S	Powerline Champagne 4220mm 4000K 1-10V Dim Suspension	1702,66	4.6

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

PLBCH/4220/827/DA/S	Powerline Champagne 4220mm 2700K DALI Dim Suspension	1542,59	4.6
PLBCH/4220/830/DA/S	Powerline Champagne 4220mm 3000K DALI Dim Suspension	1542,59	4.6
PLBCH/4220/840/DA/S	Powerline Champagne 4220mm 4000K DALI Dim Suspension	1542,59	4.6
PLBR/4500/827/ND/O	Powerline Bronze 4500mm 2700K Non Dim On	1412,30	4.6
PLBR/4500/830/ND/O	Powerline Bronze 4500mm 3000K Non Dim On	1412,30	4.6
PLBR/4500/840/ND/O	Powerline Bronze 4500mm 4000K Non Dim On	1412,30	4.6
PLBR/4500/827/A/O	Powerline Bronze 4500mm 2700K 1-10V Dim On	1672,40	4.6
PLBR/4500/830/A/O	Powerline Bronze 4500mm 3000K 1-10V Dim On	1672,40	4.6
PLBR/4500/840/A/O	Powerline Bronze 4500mm 4000K 1-10V Dim On	1672,40	4.6
PLBR/4500/827/DA/O	Powerline Bronze 4500mm 2700K DALI Dim On	1505,99	4.6
PLBR/4500/830/DA/O	Powerline Bronze 4500mm 3000K DALI Dim On	1505,99	4.6
PLBR/4500/840/DA/O	Powerline Bronze 4500mm 4000K DALI Dim On	1505,99	4.6
PLBGM/4500/827/ND/O	Powerline Gun Metal Bronze 4500mm 2700K Non Dim On	1412,30	4.6
PLBGM/4500/830/ND/O	Powerline Gun Metal Bronze 4500mm 3000K Non Dim On	1412,30	4.6
PLBGM/4500/840/ND/O	Powerline Gun Metal Bronze 4500mm 4000K Non Dim On	1412,30	4.6
PLBGM/4500/827/A/O	Powerline Gun Metal Bronze 4500mm 2700K 1-10V Dim On	1672,40	4.6
PLBGM/4500/830/A/O	Powerline Gun Metal Bronze 4500mm 3000K 1-10V Dim On	1672,40	4.6
PLBGM/4500/840/A/O	Powerline Gun Metal Bronze 4500mm 4000K 1-10V Dim On	1672,40	4.6
PLBGM/4500/827/DA/O	Powerline Gun Metal Bronze 4500mm 2700K DALI Dim On	1505,99	4.6
PLBGM/4500/830/DA/O	Powerline Gun Metal Bronze 4500mm 3000K DALI Dim On	1505,99	4.6
PLBGM/4500/840/DA/O	Powerline Gun Metal Bronze 4500mm 4000K DALI Dim On	1505,99	4.6
PLBCH/4500/827/ND/O	Powerline Champagne 4500mm 2700K Non Dim On	1412,30	4.6
PLBCH/4500/830/ND/O	Powerline Champagne 4500mm 3000K Non Dim On	1412,30	4.6
PLBCH/4500/840/ND/O	Powerline Champagne 4500mm 4000K Non Dim On	1412,30	4.6
PLBCH/4500/827/A/O	Powerline Champagne 4500mm 2700K 1-10V Dim On	1672,40	4.6
PLBCH/4500/830/A/O	Powerline Champagne 4500mm 3000K 1-10V Dim On	1672,40	4.6
PLBCH/4500/840/A/O	Powerline Champagne 4500mm 4000K 1-10V Dim On	1672,40	4.6
PLBCH/4500/827/DA/O	Powerline Champagne 4500mm 2700K DALI Dim On	1505,99	4.6
PLBCH/4500/830/DA/O	Powerline Champagne 4500mm 3000K DALI Dim On	1505,99	4.6
PLBCH/4500/840/DA/O	Powerline Champagne 4500mm 4000K DALI Dim On	1505,99	4.6
PLBR/4500/827/ND/S	Powerline Bronze 4500mm 2700K Non Dim Suspension	1493,12	4.6
PLBR/4500/830/ND/S	Powerline Bronze 4500mm 3000K Non Dim Suspension	1493,12	4.6
PLBR/4500/840/ND/S	Powerline Bronze 4500mm 4000K Non Dim Suspension	1493,12	4.6
PLBR/4500/827/A/S	Powerline Bronze 4500mm 2700K 1-10V Dim Suspension	1775,90	4.6
PLBR/4500/830/A/S	Powerline Bronze 4500mm 3000K 1-10V Dim Suspension	1775,90	4.6
PLBR/4500/840/A/S	Powerline Bronze 4500mm 4000K 1-10V Dim Suspension	1775,90	4.6
PLBR/4500/827/DA/S	Powerline Bronze 4500mm 2700K DALI Dim Suspension	1609,49	4.6
PLBR/4500/830/DA/S	Powerline Bronze 4500mm 3000K DALI Dim Suspension	1609,49	4.6
PLBR/4500/840/DA/S	Powerline Bronze 4500mm 4000K DALI Dim Suspension	1609,49	4.6
PLBGM/4500/827/ND/S	Powerline Gun Metal Bronze 4500mm 2700K Non Dim Suspension	1493,12	4.6
PLBGM/4500/830/ND/S	Powerline Gun Metal Bronze 4500mm 3000K Non Dim Suspension	1493,12	4.6
PLBGM/4500/840/ND/S	Powerline Gun Metal Bronze 4500mm 4000K Non Dim Suspension	1493,12	4.6
PLBGM/4500/827/A/S	Powerline Gun Metal Bronze 4500mm 2700K 1-10V Dim Suspension	1775,90	4.6
PLBGM/4500/830/A/S	Powerline Gun Metal Bronze 4500mm 3000K 1-10V Dim Suspension	1775,90	4.6
PLBGM/4500/840/A/S	Powerline Gun Metal Bronze 4500mm 4000K 1-10V Dim Suspension	1775,90	4.6
PLBGM/4500/827/DA/S	Powerline Gun Metal Bronze 4500mm 2700K DALI Dim Suspension	1609,49	4.6
PLBGM/4500/830/DA/S	Powerline Gun Metal Bronze 4500mm 3000K DALI Dim Suspension	1609,49	4.6
PLBGM/4500/840/DA/S	Powerline Gun Metal Bronze 4500mm 4000K DALI Dim Suspension	1609,49	4.6
PLBCH/4500/827/ND/S	Powerline Champagne 4500mm 2700K Non Dim Suspension	1493,12	4.6
PLBCH/4500/830/ND/S	Powerline Champagne 4500mm 3000K Non Dim Suspension	1493,12	4.6
PLBCH/4500/840/ND/S	Powerline Champagne 4500mm 4000K Non Dim Suspension	1493,12	4.6
PLBCH/4500/827/A/S	Powerline Champagne 4500mm 2700K 1-10V Dim Suspension	1775,90	4.6
PLBCH/4500/830/A/S	Powerline Champagne 4500mm 3000K 1-10V Dim Suspension	1775,90	4.6
PLBCH/4500/840/A/S	Powerline Champagne 4500mm 4000K 1-10V Dim Suspension	1775,90	4.6
PLBCH/4500/827/DA/S	Powerline Champagne 4500mm 2700K DALI Dim Suspension	1609,49	4.6
PLBCH/4500/830/DA/S	Powerline Champagne 4500mm 3000K DALI Dim Suspension	1609,49	4.6
PLBCH/4500/840/DA/S	Powerline Champagne 4500mm 4000K DALI Dim Suspension	1609,49	4.6
Nala Series			
NA1BR/I4/927/16	Nala I4 Bronze 927 16°	226,00	5.6
NA1BR/I4/927/36	Nala I4 Bronze 927 36°	226,00	5.6
NA1BR/I4/927/50	Nala I4 Bronze 927 50°	226,00	5.6
NA1BR/I4/930/16	Nala I4 Bronze 930 16°	226,00	5.6
NA1BR/I4/930/36	Nala I4 Bronze 930 36°	226,00	5.6
NA1BR/I4/930/50	Nala I4 Bronze 930 50°	226,00	5.6
NA1BR/O4/927/16	Nala O4 Bronze 927 16°	226,00	5.6
NA1BR/O4/927/36	Nala O4 Bronze 927 36°	226,00	5.6
NA1BR/O4/927/50	Nala O4 Bronze 927 50°	226,00	5.6
NA1BR/O4/930/16	Nala O4 Bronze 930 16°	226,00	5.6
NA1BR/O4/930/36	Nala O4 Bronze 930 36°	226,00	5.6
NA1BR/O4/930/50	Nala O4 Bronze 930 50°	226,00	5.6
NA1BR/I6/927/16	Nala I6 Bronze 927 16°	226,00	5.6
NA1BR/I6/927/36	Nala I6 Bronze 927 36°	226,00	5.6
NA1BR/I6/927/50	Nala I6 Bronze 927 50°	226,00	5.6
NA1BR/I6/930/16	Nala I6 Bronze 930 16°	226,00	5.6
NA1BR/I6/930/36	Nala I6 Bronze 930 36°	226,00	5.6
NA1BR/I6/930/50	Nala I6 Bronze 930 50°	226,00	5.6
NA1CH/I4/927/16	Nala I4 Champagne 927 16°	226,00	5.6
NA1CH/I4/927/36	Nala I4 Champagne 927 36°	226,00	5.6
NA1CH/I4/927/50	Nala I4 Champagne 927 50°	226,00	5.6
NA1CH/I4/930/16	Nala I4 Champagne 930 16°	226,00	5.6
NA1CH/I4/930/36	Nala I4 Champagne 930 36°	226,00	5.6
NA1CH/I4/930/50	Nala I4 Champagne 930 50°	226,00	5.6
NA1CH/O4/927/16	Nala O4 Champagne 927 16°	226,00	5.6
NA1CH/O4/927/36	Nala O4 Champagne 927 36°	226,00	5.6

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

NA1CH/O4/927/50	Nala O4 Champagne 927 50°	226,00	5,6
NA1CH/O4/930/16	Nala O4 Champagne 930 16°	226,00	5,6
NA1CH/O4/930/36	Nala O4 Champagne 930 36°	226,00	5,6
NA1CH/O4/930/50	Nala O4 Champagne 930 50°	226,00	5,6
NA1CH/I6/927/16	Nala I6 Champagne 927 16°	226,00	5,6
NA1CH/I6/927/36	Nala I6 Champagne 927 36°	226,00	5,6
NA1CH/I6/927/50	Nala I6 Champagne 927 50°	226,00	5,6
NA1CH/I6/930/16	Nala I6 Champagne 930 16°	226,00	5,6
NA1CH/I6/930/36	Nala I6 Champagne 930 36°	226,00	5,6
NA1CH/I6/930/50	Nala I6 Champagne 930 50°	226,00	5,6
NA1GM/I4/927/16	Nala I4 Gun Metal Bronze 927 16°	226,00	5,6
NA1GM/I4/927/36	Nala I4 Gun Metal Bronze 927 36°	226,00	5,6
NA1GM/I4/927/50	Nala I4 Gun Metal Bronze 927 50°	226,00	5,6
NA1GM/I4/930/16	Nala I4 Gun Metal Bronze 930 16°	226,00	5,6
NA1GM/I4/930/36	Nala I4 Gun Metal Bronze 930 36°	226,00	5,6
NA1GM/I4/930/50	Nala I4 Gun Metal Bronze 930 50°	226,00	5,6
NA1GM/O4/927/16	Nala O4 Gun Metal Bronze 927 16°	226,00	5,6
NA1GM/O4/927/36	Nala O4 Gun Metal Bronze 927 36°	226,00	5,6
NA1GM/O4/927/50	Nala O4 Gun Metal Bronze 927 50°	226,00	5,6
NA1GM/O4/930/16	Nala O4 Gun Metal Bronze 930 16°	226,00	5,6
NA1GM/O4/930/36	Nala O4 Gun Metal Bronze 930 36°	226,00	5,6
NA1GM/O4/930/50	Nala O4 Gun Metal Bronze 930 50°	226,00	5,6
NA1GM/I6/927/16	Nala I6 Gun Metal Bronze 927 16°	226,00	5,6
NA1GM/I6/927/36	Nala I6 Gun Metal Bronze 927 36°	226,00	5,6
NA1GM/I6/927/50	Nala I6 Gun Metal Bronze 927 50°	226,00	5,6
NA1GM/I6/930/16	Nala I6 Gun Metal Bronze 930 16°	226,00	5,6
NA1GM/I6/930/36	Nala I6 Gun Metal Bronze 930 36°	226,00	5,6
NA1GM/I6/930/50	Nala I6 Gun Metal Bronze 930 50°	226,00	5,6
NA1BL/I4/927/16	Nala I4 Black 927 16°	226,00	5,6
NA1BL/I4/927/36	Nala I4 Black 927 36°	226,00	5,6
NA1BL/I4/927/50	Nala I4 Black 927 50°	226,00	5,6
NA1BL/I4/930/16	Nala I4 Black 930 16°	226,00	5,6
NA1BL/I4/930/36	Nala I4 Black 930 36°	226,00	5,6
NA1BL/I4/930/50	Nala I4 Black 930 50°	226,00	5,6
NA1BL/O4/927/16	Nala O4 Black 927 16°	226,00	5,6
NA1BL/O4/927/36	Nala O4 Black 927 36°	226,00	5,6
NA1BL/O4/927/50	Nala O4 Black 927 50°	226,00	5,6
NA1BL/O4/930/16	Nala O4 Black 930 16°	226,00	5,6
NA1BL/O4/930/36	Nala O4 Black 930 36°	226,00	5,6
NA1BL/O4/930/50	Nala O4 Black 930 50°	226,00	5,6
NA1BL/I6/927/16	Nala I6 Black 927 16°	226,00	5,6
NA1BL/I6/927/36	Nala I6 Black 927 36°	226,00	5,6
NA1BL/I6/927/50	Nala I6 Black 927 50°	226,00	5,6
NA1BL/I6/930/16	Nala I6 Black 930 16°	226,00	5,6
NA1BL/I6/930/36	Nala I6 Black 930 36°	226,00	5,6
NA1BL/I6/930/50	Nala I6 Black 930 50°	226,00	5,6
NA1WH/I4/927/16	Nala I4 White 927 16°	226,00	5,6
NA1WH/I4/927/36	Nala I4 White 927 36°	226,00	5,6
NA1WH/I4/927/50	Nala I4 White 927 50°	226,00	5,6
NA1WH/I4/930/16	Nala I4 White 930 16°	226,00	5,6
NA1WH/I4/930/36	Nala I4 White 930 36°	226,00	5,6
NA1WH/I4/930/50	Nala I4 White 930 50°	226,00	5,6
NA1WH/O4/927/16	Nala O4 White 927 16°	226,00	5,6
NA1WH/O4/927/36	Nala O4 White 927 36°	226,00	5,6
NA1WH/O4/927/50	Nala O4 White 927 50°	226,00	5,6
NA1WH/O4/930/16	Nala O4 White 930 16°	226,00	5,6
NA1WH/O4/930/36	Nala O4 White 930 36°	226,00	5,6
NA1WH/O4/930/50	Nala O4 White 930 50°	226,00	5,6
NA1WH/I6/927/16	Nala I6 White 927 16°	226,00	5,6
NA1WH/I6/927/36	Nala I6 White 927 36°	226,00	5,6
NA1WH/I6/927/50	Nala I6 White 927 50°	226,00	5,6
NA1WH/I6/930/16	Nala I6 White 930 16°	226,00	5,6
NA1WH/I6/930/36	Nala I6 White 930 36°	226,00	5,6
NA1WH/I6/930/50	Nala I6 White 930 50°	226,00	5,6
NM1BR/IM4/927/16	Nala IM4 Bronze 927 16°	257,00	5,6
NM1BR/IM4/927/36	Nala IM4 Bronze 927 36°	257,00	5,6
NM1BR/IM4/927/50	Nala IM4 Bronze 927 50°	257,00	5,6
NM1BR/IM4/930/16	Nala IM4 Bronze 930 16°	257,00	5,6
NM1BR/IM4/930/36	Nala IM4 Bronze 930 36°	257,00	5,6
NM1BR/IM4/930/50	Nala IM4 Bronze 930 50°	257,00	5,6
NM1BR/IM6/927/16	Nala IM6 Bronze 927 16°	261,00	5,6
NM1BR/IM6/927/36	Nala IM6 Bronze 927 36°	261,00	5,6
NM1BR/IM6/927/50	Nala IM6 Bronze 927 50°	261,00	5,6
NM1BR/IM6/930/16	Nala IM6 Bronze 930 16°	261,00	5,6
NM1BR/IM6/930/36	Nala IM6 Bronze 930 36°	261,00	5,6
NM1BR/IM6/930/50	Nala IM6 Bronze 930 50°	261,00	5,6
NM1BR/IM9/927/16	Nala IM9 Bronze 927 16°	279,00	5,6
NM1BR/IM9/927/36	Nala IM9 Bronze 927 36°	279,00	5,6
NM1BR/IM9/927/50	Nala IM9 Bronze 927 50°	279,00	5,6
NM1BR/IM9/930/16	Nala IM9 Bronze 930 16°	279,00	5,6
NM1BR/IM9/930/36	Nala IM9 Bronze 930 36°	279,00	5,6
NM1BR/IM9/930/50	Nala IM9 Bronze 930 50°	279,00	5,6
NM1CH/IM4/927/16	Nala IM4 Champagne 927 16°	257,00	5,6
NM1CH/IM4/927/36	Nala IM4 Champagne 927 36°	257,00	5,6

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

NM1CH/IM4/927/50	Nala IM4 Champagne 927 50°	257,00	5.6
NM1CH/IM4/930/16	Nala IM4 Champagne 930 16°	257,00	5.6
NM1CH/IM4/930/36	Nala IM4 Champagne 930 36°	257,00	5.6
NM1CH/IM4/930/50	Nala IM4 Champagne 930 50°	257,00	5.6
NM1CH/IM6/927/16	Nala IM6 Champagne 927 16°	261,00	5.6
NM1CH/IM6/927/36	Nala IM6 Champagne 927 36°	261,00	5.6
NM1CH/IM6/927/50	Nala IM6 Champagne 927 50°	261,00	5.6
NM1CH/IM6/930/16	Nala IM6 Champagne 930 16°	261,00	5.6
NM1CH/IM6/930/36	Nala IM6 Champagne 930 36°	261,00	5.6
NM1CH/IM6/930/50	Nala IM6 Champagne 930 50°	261,00	5.6
NM1CH/IM9/927/16	Nala IM9 Champagne 927 16°	279,00	5.6
NM1CH/IM9/927/36	Nala IM9 Champagne 927 36°	279,00	5.6
NM1CH/IM9/927/50	Nala IM9 Champagne 927 50°	279,00	5.6
NM1CH/IM9/930/16	Nala IM9 Champagne 930 16°	279,00	5.6
NM1CH/IM9/930/36	Nala IM9 Champagne 930 36°	279,00	5.6
NM1CH/IM9/930/50	Nala IM9 Champagne 930 50°	279,00	5.6
NM1GM/IM4/927/16	Nala IM4 Gun Metal Bronze 927 16°	257,00	5.6
NM1GM/IM4/927/36	Nala IM4 Gun Metal Bronze 927 36°	257,00	5.6
NM1GM/IM4/927/50	Nala IM4 Gun Metal Bronze 927 50°	257,00	5.6
NM1GM/IM4/930/16	Nala IM4 Gun Metal Bronze 930 16°	257,00	5.6
NM1GM/IM4/930/36	Nala IM4 Gun Metal Bronze 930 36°	257,00	5.6
NM1GM/IM4/930/50	Nala IM4 Gun Metal Bronze 930 50°	257,00	5.6
NM1GM/IM6/927/16	Nala IM6 Gun Metal Bronze 927 16°	261,00	5.6
NM1GM/IM6/927/36	Nala IM6 Gun Metal Bronze 927 36°	261,00	5.6
NM1GM/IM6/927/50	Nala IM6 Gun Metal Bronze 927 50°	261,00	5.6
NM1GM/IM6/930/16	Nala IM6 Gun Metal Bronze 930 16°	261,00	5.6
NM1GM/IM6/930/36	Nala IM6 Gun Metal Bronze 930 36°	261,00	5.6
NM1GM/IM6/930/50	Nala IM6 Gun Metal Bronze 930 50°	261,00	5.6
NM1GM/IM9/927/16	Nala IM9 Gun Metal Bronze 927 16°	279,00	5.6
NM1GM/IM9/927/36	Nala IM9 Gun Metal Bronze 927 36°	279,00	5.6
NM1GM/IM9/927/50	Nala IM9 Gun Metal Bronze 927 50°	279,00	5.6
NM1GM/IM9/930/16	Nala IM9 Gun Metal Bronze 930 16°	279,00	5.6
NM1GM/IM9/930/36	Nala IM9 Gun Metal Bronze 930 36°	279,00	5.6
NM1GM/IM9/930/50	Nala IM9 Gun Metal Bronze 930 50°	279,00	5.6
NM1BL/IM4/927/16	Nala IM4 Black 927 16°	257,00	5.6
NM1BL/IM4/927/36	Nala IM4 Black 927 36°	257,00	5.6
NM1BL/IM4/927/50	Nala IM4 Black 927 50°	257,00	5.6
NM1BL/IM4/930/16	Nala IM4 Black 930 16°	257,00	5.6
NM1BL/IM4/930/36	Nala IM4 Black 930 36°	257,00	5.6
NM1BL/IM4/930/50	Nala IM4 Black 930 50°	257,00	5.6
NM1BL/IM6/927/16	Nala IM6 Black 927 16°	261,00	5.6
NM1BL/IM6/927/36	Nala IM6 Black 927 36°	261,00	5.6
NM1BL/IM6/927/50	Nala IM6 Black 927 50°	261,00	5.6
NM1BL/IM6/930/16	Nala IM6 Black 930 16°	261,00	5.6
NM1BL/IM6/930/36	Nala IM6 Black 930 36°	261,00	5.6
NM1BL/IM6/930/50	Nala IM6 Black 930 50°	261,00	5.6
NM1BL/IM9/927/16	Nala IM9 Black 927 16°	279,00	5.6
NM1BL/IM9/927/36	Nala IM9 Black 927 36°	279,00	5.6
NM1BL/IM9/927/50	Nala IM9 Black 927 50°	279,00	5.6
NM1BL/IM9/930/16	Nala IM9 Black 930 16°	279,00	5.6
NM1BL/IM9/930/36	Nala IM9 Black 930 36°	279,00	5.6
NM1BL/IM9/930/50	Nala IM9 Black 930 50°	279,00	5.6
NM1WH/IM4/927/16	Nala IM4 White 927 16°	257,00	5.6
NM1WH/IM4/927/36	Nala IM4 White 927 36°	257,00	5.6
NM1WH/IM4/927/50	Nala IM4 White 927 50°	257,00	5.6
NM1WH/IM4/930/16	Nala IM4 White 930 16°	257,00	5.6
NM1WH/IM4/930/36	Nala IM4 White 930 36°	257,00	5.6
NM1WH/IM4/930/50	Nala IM4 White 930 50°	257,00	5.6
NM1WH/IM6/927/16	Nala IM6 White 927 16°	261,00	5.6
NM1WH/IM6/927/36	Nala IM6 White 927 36°	261,00	5.6
NM1WH/IM6/927/50	Nala IM6 White 927 50°	261,00	5.6
NM1WH/IM6/930/16	Nala IM6 White 930 16°	261,00	5.6
NM1WH/IM6/930/36	Nala IM6 White 930 36°	261,00	5.6
NM1WH/IM6/930/50	Nala IM6 White 930 50°	261,00	5.6
NM1WH/IM9/927/16	Nala IM9 White 927 16°	279,00	5.6
NM1WH/IM9/927/36	Nala IM9 White 927 36°	279,00	5.6
NM1WH/IM9/927/50	Nala IM9 White 927 50°	279,00	5.6
NM1WH/IM9/930/16	Nala IM9 White 930 16°	279,00	5.6
NM1WH/IM9/930/36	Nala IM9 White 930 36°	279,00	5.6
NM1WH/IM9/930/50	Nala IM9 White 930 50°	279,00	5.6
NO1BR/927/16	Nala ON S Bronze 927 16°	193,00	5.6
NO1BR/927/36	Nala ON S Bronze 927 36°	193,00	5.6
NO1BR/927/50	Nala ON S Bronze 927 50°	193,00	5.6
NO1BR/930/16	Nala ON S Bronze 930 16°	193,00	5.6
NO1BR/930/36	Nala ON S Bronze 930 36°	193,00	5.6
NO1BR/930/50	Nala ON S Bronze 930 50°	193,00	5.6
NO2BR/927/16	Nala ON M Bronze 927 16°	216,00	5.6
NO2BR/927/36	Nala ON M Bronze 927 36°	216,00	5.6
NO2BR/927/50	Nala ON M Bronze 927 50°	216,00	5.6
NO2BR/930/16	Nala ON M Bronze 930 16°	216,00	5.6
NO2BR/930/36	Nala ON M Bronze 930 36°	216,00	5.6
NO2BR/930/50	Nala ON M Bronze 930 50°	216,00	5.6
NO3BR/927/16	Nala ON L Bronze 927 16°	229,00	5.6
NO3BR/927/36	Nala ON L Bronze 927 36°	229,00	5.6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

NO3BR/927/50	Nala ON L Bronze 927 50°	229,00	5.6
NO3BR/930/16	Nala ON L Bronze 930 16°	229,00	5.6
NO3BR/930/36	Nala ON L Bronze 930 36°	229,00	5.6
NO3BR/930/50	Nala ON L Bronze 930 50°	229,00	5.6
NO1CH/927/16	Nala ON S Champagne 927 16°	193,00	5.6
NO1CH/927/36	Nala ON S Champagne 927 36°	193,00	5.6
NO1CH/927/50	Nala ON S Champagne 927 50°	193,00	5.6
NO1CH/930/16	Nala ON S Champagne 930 16°	193,00	5.6
NO1CH/930/36	Nala ON S Champagne 930 36°	193,00	5.6
NO1CH/930/50	Nala ON S Champagne 930 50°	193,00	5.6
NO2CH/927/16	Nala ON M Champagne 927 16°	216,00	5.6
NO2CH/927/36	Nala ON M Champagne 927 36°	216,00	5.6
NO2CH/927/50	Nala ON M Champagne 927 50°	216,00	5.6
NO2CH/930/16	Nala ON M Champagne 930 16°	216,00	5.6
NO2CH/930/36	Nala ON M Champagne 930 36°	216,00	5.6
NO2CH/930/50	Nala ON M Champagne 930 50°	216,00	5.6
NO3CH/927/16	Nala ON L Champagne 927 16°	229,00	5.6
NO3CH/927/36	Nala ON L Champagne 927 36°	229,00	5.6
NO3CH/927/50	Nala ON L Champagne 927 50°	229,00	5.6
NO3CH/930/16	Nala ON L Champagne 930 16°	229,00	5.6
NO3CH/930/36	Nala ON L Champagne 930 36°	229,00	5.6
NO3CH/930/50	Nala ON L Champagne 930 50°	229,00	5.6
NO1GM/927/16	Nala ON S Gun Metal Bronze 927 16°	193,00	5.6
NO1GM/927/36	Nala ON S Gun Metal Bronze 927 36°	193,00	5.6
NO1GM/927/50	Nala ON S Gun Metal Bronze 927 50°	193,00	5.6
NO1GM/930/16	Nala ON S Gun Metal Bronze 930 16°	193,00	5.6
NO1GM/930/36	Nala ON S Gun Metal Bronze 930 36°	193,00	5.6
NO1GM/930/50	Nala ON S Gun Metal Bronze 930 50°	193,00	5.6
NO2GM/927/16	Nala ON M Gun Metal Bronze 927 16°	216,00	5.6
NO2GM/927/36	Nala ON M Gun Metal Bronze 927 36°	216,00	5.6
NO2GM/927/50	Nala ON M Gun Metal Bronze 927 50°	216,00	5.6
NO2GM/930/16	Nala ON M Gun Metal Bronze 930 16°	216,00	5.6
NO2GM/930/36	Nala ON M Gun Metal Bronze 930 36°	216,00	5.6
NO2GM/930/50	Nala ON M Gun Metal Bronze 930 50°	216,00	5.6
NO3GM/927/16	Nala ON L Gun Metal Bronze 927 16°	229,00	5.6
NO3GM/927/36	Nala ON L Gun Metal Bronze 927 36°	229,00	5.6
NO3GM/927/50	Nala ON L Gun Metal Bronze 927 50°	229,00	5.6
NO3GM/930/16	Nala ON L Gun Metal Bronze 930 16°	229,00	5.6
NO3GM/930/36	Nala ON L Gun Metal Bronze 930 36°	229,00	5.6
NO3GM/930/50	Nala ON L Gun Metal Bronze 930 50°	229,00	5.6
NO1BL/927/16	Nala ON S Black 927 16°	193,00	5.6
NO1BL/927/36	Nala ON S Black 927 36°	193,00	5.6
NO1BL/927/50	Nala ON S Black 927 50°	193,00	5.6
NO1BL/930/16	Nala ON S Black 930 16°	193,00	5.6
NO1BL/930/36	Nala ON S Black 930 36°	193,00	5.6
NO1BL/930/50	Nala ON S Black 930 50°	193,00	5.6
NO2BL/927/16	Nala ON M Black 927 16°	216,00	5.6
NO2BL/927/36	Nala ON M Black 927 36°	216,00	5.6
NO2BL/927/50	Nala ON M Black 927 50°	216,00	5.6
NO2BL/930/16	Nala ON M Black 930 16°	216,00	5.6
NO2BL/930/36	Nala ON M Black 930 36°	216,00	5.6
NO2BL/930/50	Nala ON M Black 930 50°	216,00	5.6
NO3BL/927/16	Nala ON L Black 927 16°	229,00	5.6
NO3BL/927/36	Nala ON L Black 927 36°	229,00	5.6
NO3BL/927/50	Nala ON L Black 927 50°	229,00	5.6
NO3BL/930/16	Nala ON L Black 930 16°	229,00	5.6
NO3BL/930/36	Nala ON L Black 930 36°	229,00	5.6
NO3BL/930/50	Nala ON L Black 930 50°	229,00	5.6
NO1WH/927/16	Nala ON S White 927 16°	193,00	5.6
NO1WH/927/36	Nala ON S White 927 36°	193,00	5.6
NO1WH/927/50	Nala ON S White 927 50°	193,00	5.6
NO1WH/930/16	Nala ON S White 930 16°	193,00	5.6
NO1WH/930/36	Nala ON S White 930 36°	193,00	5.6
NO1WH/930/50	Nala ON S White 930 50°	193,00	5.6
NO2WH/927/16	Nala ON M White 927 16°	216,00	5.6
NO2WH/927/36	Nala ON M White 927 36°	216,00	5.6
NO2WH/927/50	Nala ON M White 927 50°	216,00	5.6
NO2WH/930/16	Nala ON M White 930 16°	216,00	5.6
NO2WH/930/36	Nala ON M White 930 36°	216,00	5.6
NO2WH/930/50	Nala ON M White 930 50°	216,00	5.6
NO3WH/927/16	Nala ON L White 927 16°	229,00	5.6
NO3WH/927/36	Nala ON L White 927 36°	229,00	5.6
NO3WH/927/50	Nala ON L White 927 50°	229,00	5.6
NO3WH/930/16	Nala ON L White 930 16°	229,00	5.6
NO3WH/930/36	Nala ON L White 930 36°	229,00	5.6
NO3WH/930/50	Nala ON L White 930 50°	229,00	5.6
NS1BR/14/927/16	Nala Susp. I4 S Bronze 927 16°	260,00	5.6
NS1BR/14/927/36	Nala Susp. I4 S Bronze 927 36°	260,00	5.6
NS1BR/14/927/50	Nala Susp. I4 S Bronze 927 50°	260,00	5.6
NS1BR/14/930/16	Nala Susp. I4 S Bronze 930 16°	260,00	5.6
NS1BR/14/930/36	Nala Susp. I4 S Bronze 930 36°	260,00	5.6
NS1BR/14/930/50	Nala Susp. I4 S Bronze 930 50°	260,00	5.6
NS1BR/O4/927/16	Nala Susp. O4 S Bronze 927 16°	263,00	5.6
NS1BR/O4/927/36	Nala Susp. O4 S Bronze 927 36°	263,00	5.6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

NS1BR/04/927/50	Nala Susp. 04 S Bronze 927 50°	263,00	5.6
NS1BR/04/930/16	Nala Susp. 04 S Bronze 930 16°	263,00	5.6
NS1BR/04/930/36	Nala Susp. 04 S Bronze 930 36°	263,00	5.6
NS1BR/04/930/50	Nala Susp. 04 S Bronze 930 50°	263,00	5.6
NS1BR/16/927/16	Nala Susp. 16 S Bronze 927 16°	263,00	5.6
NS1BR/16/927/36	Nala Susp. 16 S Bronze 927 36°	263,00	5.6
NS1BR/16/927/50	Nala Susp. 16 S Bronze 927 50°	263,00	5.6
NS1BR/16/930/16	Nala Susp. 16 S Bronze 930 16°	263,00	5.6
NS1BR/16/930/36	Nala Susp. 16 S Bronze 930 36°	263,00	5.6
NS1BR/16/930/50	Nala Susp. 16 S Bronze 930 50°	263,00	5.6
NS1CH/14/927/16	Nala Susp. 14 S Champagne 927 16°	260,00	5.6
NS1CH/14/927/36	Nala Susp. 14 S Champagne 927 36°	260,00	5.6
NS1CH/14/927/50	Nala Susp. 14 S Champagne 927 50°	260,00	5.6
NS1CH/14/930/16	Nala Susp. 14 S Champagne 930 16°	260,00	5.6
NS1CH/14/930/36	Nala Susp. 14 S Champagne 930 36°	260,00	5.6
NS1CH/14/930/50	Nala Susp. 14 S Champagne 930 50°	260,00	5.6
NS1CH/04/927/16	Nala Susp. 04 S Champagne 927 16°	263,00	5.6
NS1CH/04/927/36	Nala Susp. 04 S Champagne 927 36°	263,00	5.6
NS1CH/04/927/50	Nala Susp. 04 S Champagne 927 50°	263,00	5.6
NS1CH/04/930/16	Nala Susp. 04 S Champagne 930 16°	263,00	5.6
NS1CH/04/930/36	Nala Susp. 04 S Champagne 930 36°	263,00	5.6
NS1CH/04/930/50	Nala Susp. 04 S Champagne 930 50°	263,00	5.6
NS1CH/16/927/16	Nala Susp. 16 S Champagne 927 16°	263,00	5.6
NS1CH/16/927/36	Nala Susp. 16 S Champagne 927 36°	263,00	5.6
NS1CH/16/927/50	Nala Susp. 16 S Champagne 927 50°	263,00	5.6
NS1CH/16/930/16	Nala Susp. 16 S Champagne 930 16°	263,00	5.6
NS1CH/16/930/36	Nala Susp. 16 S Champagne 930 36°	263,00	5.6
NS1CH/16/930/50	Nala Susp. 16 S Champagne 930 50°	263,00	5.6
NS1GM/14/927/16	Nala Susp. 14 S Gun Metal Bronze 927 16°	260,00	5.6
NS1GM/14/927/36	Nala Susp. 14 S Gun Metal Bronze 927 36°	260,00	5.6
NS1GM/14/927/50	Nala Susp. 14 S Gun Metal Bronze 927 50°	260,00	5.6
NS1GM/14/930/16	Nala Susp. 14 S Gun Metal Bronze 930 16°	260,00	5.6
NS1GM/14/930/36	Nala Susp. 14 S Gun Metal Bronze 930 36°	260,00	5.6
NS1GM/14/930/50	Nala Susp. 14 S Gun Metal Bronze 930 50°	260,00	5.6
NS1GM/04/927/16	Nala Susp. 04 S Gun Metal Bronze 927 16°	263,00	5.6
NS1GM/04/927/36	Nala Susp. 04 S Gun Metal Bronze 927 36°	263,00	5.6
NS1GM/04/927/50	Nala Susp. 04 S Gun Metal Bronze 927 50°	263,00	5.6
NS1GM/04/930/16	Nala Susp. 04 S Gun Metal Bronze 930 16°	263,00	5.6
NS1GM/04/930/36	Nala Susp. 04 S Gun Metal Bronze 930 36°	263,00	5.6
NS1GM/04/930/50	Nala Susp. 04 S Gun Metal Bronze 930 50°	263,00	5.6
NS1GM/16/927/16	Nala Susp. 16 S Gun Metal Bronze 927 16°	263,00	5.6
NS1GM/16/927/36	Nala Susp. 16 S Gun Metal Bronze 927 36°	263,00	5.6
NS1GM/16/927/50	Nala Susp. 16 S Gun Metal Bronze 927 50°	263,00	5.6
NS1GM/16/930/16	Nala Susp. 16 S Gun Metal Bronze 930 16°	263,00	5.6
NS1GM/16/930/36	Nala Susp. 16 S Gun Metal Bronze 930 36°	263,00	5.6
NS1GM/16/930/50	Nala Susp. 16 S Gun Metal Bronze 930 50°	263,00	5.6
NS1BL/14/927/16	Nala Susp. 14 S Black 927 16°	260,00	5.6
NS1BL/14/927/36	Nala Susp. 14 S Black 927 36°	260,00	5.6
NS1BL/14/927/50	Nala Susp. 14 S Black 927 50°	260,00	5.6
NS1BL/14/930/16	Nala Susp. 14 S Black 930 16°	260,00	5.6
NS1BL/14/930/36	Nala Susp. 14 S Black 930 36°	260,00	5.6
NS1BL/14/930/50	Nala Susp. 14 S Black 930 50°	260,00	5.6
NS1BL/04/927/16	Nala Susp. 04 S Black 927 16°	263,00	5.6
NS1BL/04/927/36	Nala Susp. 04 S Black 927 36°	263,00	5.6
NS1BL/04/927/50	Nala Susp. 04 S Black 927 50°	263,00	5.6
NS1BL/04/930/16	Nala Susp. 04 S Black 930 16°	263,00	5.6
NS1BL/04/930/36	Nala Susp. 04 S Black 930 36°	263,00	5.6
NS1BL/04/930/50	Nala Susp. 04 S Black 930 50°	263,00	5.6
NS1BL/16/927/16	Nala Susp. 16 S Black 927 16°	263,00	5.6
NS1BL/16/927/36	Nala Susp. 16 S Black 927 36°	263,00	5.6
NS1BL/16/927/50	Nala Susp. 16 S Black 927 50°	263,00	5.6
NS1BL/16/930/16	Nala Susp. 16 S Black 930 16°	263,00	5.6
NS1BL/16/930/36	Nala Susp. 16 S Black 930 36°	263,00	5.6
NS1BL/16/930/50	Nala Susp. 16 S Black 930 50°	263,00	5.6
NS1WH/14/927/16	Nala Susp. 14 S White 927 16°	260,00	5.6
NS1WH/14/927/36	Nala Susp. 14 S White 927 36°	260,00	5.6
NS1WH/14/927/50	Nala Susp. 14 S White 927 50°	260,00	5.6
NS1WH/14/930/16	Nala Susp. 14 S White 930 16°	260,00	5.6
NS1WH/14/930/36	Nala Susp. 14 S White 930 36°	260,00	5.6
NS1WH/14/930/50	Nala Susp. 14 S White 930 50°	260,00	5.6
NS1WH/04/927/16	Nala Susp. 04 S White 927 16°	263,00	5.6
NS1WH/04/927/36	Nala Susp. 04 S White 927 36°	263,00	5.6
NS1WH/04/927/50	Nala Susp. 04 S White 927 50°	263,00	5.6
NS1WH/04/930/16	Nala Susp. 04 S White 930 16°	263,00	5.6
NS1WH/04/930/36	Nala Susp. 04 S White 930 36°	263,00	5.6
NS1WH/04/930/50	Nala Susp. 04 S White 930 50°	263,00	5.6
NS1WH/16/927/16	Nala Susp. 16 S White 927 16°	263,00	5.6
NS1WH/16/927/36	Nala Susp. 16 S White 927 36°	263,00	5.6
NS1WH/16/927/50	Nala Susp. 16 S White 927 50°	263,00	5.6
NS1WH/16/930/16	Nala Susp. 16 S White 930 16°	263,00	5.6
NS1WH/16/930/36	Nala Susp. 16 S White 930 36°	263,00	5.6
NS1WH/16/930/50	Nala Susp. 16 S White 930 50°	263,00	5.6
NS2BR/14/927/16	Nala Susp. 14 M Bronze 927 16°	283,00	5.6
NS2BR/14/927/36	Nala Susp. 14 M Bronze 927 36°	283,00	5.6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

NS2BR/I4/927/50	Nala Susp. I4 M Bronze 927 50°	283,00	5,6
NS2BR/I4/930/16	Nala Susp. I4 M Bronze 930 16°	283,00	5,6
NS2BR/I4/930/36	Nala Susp. I4 M Bronze 930 36°	283,00	5,6
NS2BR/I4/930/50	Nala Susp. I4 M Bronze 930 50°	283,00	5,6
NS2BR/O4/927/16	Nala Susp. O4 M Bronze 927 16°	286,00	5,6
NS2BR/O4/927/36	Nala Susp. O4 M Bronze 927 36°	286,00	5,6
NS2BR/O4/927/50	Nala Susp. O4 M Bronze 927 50°	286,00	5,6
NS2BR/O4/930/16	Nala Susp. O4 M Bronze 930 16°	286,00	5,6
NS2BR/O4/930/36	Nala Susp. O4 M Bronze 930 36°	286,00	5,6
NS2BR/O4/930/50	Nala Susp. O4 M Bronze 930 50°	286,00	5,6
NS2BR/I6/927/16	Nala Susp. I6 M Bronze 927 16°	286,00	5,6
NS2BR/I6/927/36	Nala Susp. I6 M Bronze 927 36°	286,00	5,6
NS2BR/I6/927/50	Nala Susp. I6 M Bronze 927 50°	286,00	5,6
NS2BR/I6/930/16	Nala Susp. I6 M Bronze 930 16°	286,00	5,6
NS2BR/I6/930/36	Nala Susp. I6 M Bronze 930 36°	286,00	5,6
NS2BR/I6/930/50	Nala Susp. I6 M Bronze 930 50°	286,00	5,6
NS2CH/I4/927/16	Nala Susp. I4 M Champagne 927 16°	283,00	5,6
NS2CH/I4/927/36	Nala Susp. I4 M Champagne 927 36°	283,00	5,6
NS2CH/I4/927/50	Nala Susp. I4 M Champagne 927 50°	283,00	5,6
NS2CH/I4/930/16	Nala Susp. I4 M Champagne 930 16°	283,00	5,6
NS2CH/I4/930/36	Nala Susp. I4 M Champagne 930 36°	283,00	5,6
NS2CH/I4/930/50	Nala Susp. I4 M Champagne 930 50°	283,00	5,6
NS2CH/O4/927/16	Nala Susp. O4 M Champagne 927 16°	286,00	5,6
NS2CH/O4/927/36	Nala Susp. O4 M Champagne 927 36°	286,00	5,6
NS2CH/O4/927/50	Nala Susp. O4 M Champagne 927 50°	286,00	5,6
NS2CH/O4/930/16	Nala Susp. O4 M Champagne 930 16°	286,00	5,6
NS2CH/O4/930/36	Nala Susp. O4 M Champagne 930 36°	286,00	5,6
NS2CH/O4/930/50	Nala Susp. O4 M Champagne 930 50°	286,00	5,6
NS2CH/I6/927/16	Nala Susp. I6 M Champagne 927 16°	286,00	5,6
NS2CH/I6/927/36	Nala Susp. I6 M Champagne 927 36°	286,00	5,6
NS2CH/I6/927/50	Nala Susp. I6 M Champagne 927 50°	286,00	5,6
NS2CH/I6/930/16	Nala Susp. I6 M Champagne 930 16°	286,00	5,6
NS2CH/I6/930/36	Nala Susp. I6 M Champagne 930 36°	286,00	5,6
NS2CH/I6/930/50	Nala Susp. I6 M Champagne 930 50°	286,00	5,6
NS2GM/I4/927/16	Nala Susp. I4 M Gun Metal Bronze 927 16°	283,00	5,6
NS2GM/I4/927/36	Nala Susp. I4 M Gun Metal Bronze 927 36°	283,00	5,6
NS2GM/I4/927/50	Nala Susp. I4 M Gun Metal Bronze 927 50°	283,00	5,6
NS2GM/I4/930/16	Nala Susp. I4 M Gun Metal Bronze 930 16°	283,00	5,6
NS2GM/I4/930/36	Nala Susp. I4 M Gun Metal Bronze 930 36°	283,00	5,6
NS2GM/I4/930/50	Nala Susp. I4 M Gun Metal Bronze 930 50°	283,00	5,6
NS2GM/O4/927/16	Nala Susp. O4 M Gun Metal Bronze 927 16°	286,00	5,6
NS2GM/O4/927/36	Nala Susp. O4 M Gun Metal Bronze 927 36°	286,00	5,6
NS2GM/O4/927/50	Nala Susp. O4 M Gun Metal Bronze 927 50°	286,00	5,6
NS2GM/O4/930/16	Nala Susp. O4 M Gun Metal Bronze 930 16°	286,00	5,6
NS2GM/O4/930/36	Nala Susp. O4 M Gun Metal Bronze 930 36°	286,00	5,6
NS2GM/O4/930/50	Nala Susp. O4 M Gun Metal Bronze 930 50°	286,00	5,6
NS2GM/I6/927/16	Nala Susp. I6 M Gun Metal Bronze 927 16°	286,00	5,6
NS2GM/I6/927/36	Nala Susp. I6 M Gun Metal Bronze 927 36°	286,00	5,6
NS2GM/I6/927/50	Nala Susp. I6 M Gun Metal Bronze 927 50°	286,00	5,6
NS2GM/I6/930/16	Nala Susp. I6 M Gun Metal Bronze 930 16°	286,00	5,6
NS2GM/I6/930/36	Nala Susp. I6 M Gun Metal Bronze 930 36°	286,00	5,6
NS2GM/I6/930/50	Nala Susp. I6 M Gun Metal Bronze 930 50°	286,00	5,6
NS2BL/I4/927/16	Nala Susp. I4 M Black 927 16°	283,00	5,6
NS2BL/I4/927/36	Nala Susp. I4 M Black 927 36°	283,00	5,6
NS2BL/I4/927/50	Nala Susp. I4 M Black 927 50°	283,00	5,6
NS2BL/I4/930/16	Nala Susp. I4 M Black 930 16°	283,00	5,6
NS2BL/I4/930/36	Nala Susp. I4 M Black 930 36°	283,00	5,6
NS2BL/I4/930/50	Nala Susp. I4 M Black 930 50°	283,00	5,6
NS2BL/O4/927/16	Nala Susp. O4 M Black 927 16°	286,00	5,6
NS2BL/O4/927/36	Nala Susp. O4 M Black 927 36°	286,00	5,6
NS2BL/O4/927/50	Nala Susp. O4 M Black 927 50°	286,00	5,6
NS2BL/O4/930/16	Nala Susp. O4 M Black 930 16°	286,00	5,6
NS2BL/O4/930/36	Nala Susp. O4 M Black 930 36°	286,00	5,6
NS2BL/O4/930/50	Nala Susp. O4 M Black 930 50°	286,00	5,6
NS2BL/I6/927/16	Nala Susp. I6 M Black 927 16°	286,00	5,6
NS2BL/I6/927/36	Nala Susp. I6 M Black 927 36°	286,00	5,6
NS2BL/I6/927/50	Nala Susp. I6 M Black 927 50°	286,00	5,6
NS2BL/I6/930/16	Nala Susp. I6 M Black 930 16°	286,00	5,6
NS2BL/I6/930/36	Nala Susp. I6 M Black 930 36°	286,00	5,6
NS2BL/I6/930/50	Nala Susp. I6 M Black 930 50°	286,00	5,6
NS2WH/I4/927/16	Nala Susp. I4 M White 927 16°	283,00	5,6
NS2WH/I4/927/36	Nala Susp. I4 M White 927 36°	283,00	5,6
NS2WH/I4/927/50	Nala Susp. I4 M White 927 50°	283,00	5,6
NS2WH/I4/930/16	Nala Susp. I4 M White 930 16°	283,00	5,6
NS2WH/I4/930/36	Nala Susp. I4 M White 930 36°	283,00	5,6
NS2WH/I4/930/50	Nala Susp. I4 M White 930 50°	283,00	5,6
NS2WH/O4/927/16	Nala Susp. O4 M White 927 16°	286,00	5,6
NS2WH/O4/927/36	Nala Susp. O4 M White 927 36°	286,00	5,6
NS2WH/O4/927/50	Nala Susp. O4 M White 927 50°	286,00	5,6
NS2WH/O4/930/16	Nala Susp. O4 M White 930 16°	286,00	5,6
NS2WH/O4/930/36	Nala Susp. O4 M White 930 36°	286,00	5,6
NS2WH/O4/930/50	Nala Susp. O4 M White 930 50°	286,00	5,6
NS2WH/I6/927/16	Nala Susp. I6 M White 927 16°	286,00	5,6
NS2WH/I6/927/36	Nala Susp. I6 M White 927 36°	286,00	5,6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

NS2WH/16/927/50	Nala Susp. I6 M White 927 50°	286,00	5.6
NS2WH/16/930/16	Nala Susp. I6 M White 930 16°	286,00	5.6
NS2WH/16/930/36	Nala Susp. I6 M White 930 36°	286,00	5.6
NS2WH/16/930/50	Nala Susp. I6 M White 930 50°	286,00	5.6
NS3BR/14/927/16	Nala Susp. I4 L Bronze 927 16°	296,00	5.6
NS3BR/14/927/36	Nala Susp. I4 L Bronze 927 36°	296,00	5.6
NS3BR/14/927/50	Nala Susp. I4 L Bronze 927 50°	296,00	5.6
NS3BR/14/930/16	Nala Susp. I4 L Bronze 930 16°	296,00	5.6
NS3BR/14/930/36	Nala Susp. I4 L Bronze 930 36°	296,00	5.6
NS3BR/14/930/50	Nala Susp. I4 L Bronze 930 50°	296,00	5.6
NS3BR/04/927/16	Nala Susp. O4 L Bronze 927 16°	299,00	5.6
NS3BR/04/927/36	Nala Susp. O4 L Bronze 927 36°	299,00	5.6
NS3BR/04/927/50	Nala Susp. O4 L Bronze 927 50°	299,00	5.6
NS3BR/04/930/16	Nala Susp. O4 L Bronze 930 16°	299,00	5.6
NS3BR/04/930/36	Nala Susp. O4 L Bronze 930 36°	299,00	5.6
NS3BR/04/930/50	Nala Susp. O4 L Bronze 930 50°	299,00	5.6
NS3BR/16/927/16	Nala Susp. I6 L Bronze 927 16°	299,00	5.6
NS3BR/16/927/36	Nala Susp. I6 L Bronze 927 36°	299,00	5.6
NS3BR/16/927/50	Nala Susp. I6 L Bronze 927 50°	299,00	5.6
NS3BR/16/930/16	Nala Susp. I6 L Bronze 930 16°	299,00	5.6
NS3BR/16/930/36	Nala Susp. I6 L Bronze 930 36°	299,00	5.6
NS3BR/16/930/50	Nala Susp. I6 L Bronze 930 50°	299,00	5.6
NS3CH/14/927/16	Nala Susp. I4 L Champagne 927 16°	296,00	5.6
NS3CH/14/927/36	Nala Susp. I4 L Champagne 927 36°	296,00	5.6
NS3CH/14/927/50	Nala Susp. I4 L Champagne 927 50°	296,00	5.6
NS3CH/14/930/16	Nala Susp. I4 L Champagne 930 16°	296,00	5.6
NS3CH/14/930/36	Nala Susp. I4 L Champagne 930 36°	296,00	5.6
NS3CH/14/930/50	Nala Susp. I4 L Champagne 930 50°	296,00	5.6
NS3CH/04/927/16	Nala Susp. O4 L Champagne 927 16°	299,00	5.6
NS3CH/04/927/36	Nala Susp. O4 L Champagne 927 36°	299,00	5.6
NS3CH/04/927/50	Nala Susp. O4 L Champagne 927 50°	299,00	5.6
NS3CH/04/930/16	Nala Susp. O4 L Champagne 930 16°	299,00	5.6
NS3CH/04/930/36	Nala Susp. O4 L Champagne 930 36°	299,00	5.6
NS3CH/04/930/50	Nala Susp. O4 L Champagne 930 50°	299,00	5.6
NS3CH/16/927/16	Nala Susp. I6 L Champagne 927 16°	299,00	5.6
NS3CH/16/927/36	Nala Susp. I6 L Champagne 927 36°	299,00	5.6
NS3CH/16/927/50	Nala Susp. I6 L Champagne 927 50°	299,00	5.6
NS3CH/16/930/16	Nala Susp. I6 L Champagne 930 16°	299,00	5.6
NS3CH/16/930/36	Nala Susp. I6 L Champagne 930 36°	299,00	5.6
NS3CH/16/930/50	Nala Susp. I6 L Champagne 930 50°	299,00	5.6
NS3GM/14/927/16	Nala Susp. I4 L Gun Metal Bronze 927 16°	296,00	5.6
NS3GM/14/927/36	Nala Susp. I4 L Gun Metal Bronze 927 36°	296,00	5.6
NS3GM/14/927/50	Nala Susp. I4 L Gun Metal Bronze 927 50°	296,00	5.6
NS3GM/14/930/16	Nala Susp. I4 L Gun Metal Bronze 930 16°	296,00	5.6
NS3GM/14/930/36	Nala Susp. I4 L Gun Metal Bronze 930 36°	296,00	5.6
NS3GM/14/930/50	Nala Susp. I4 L Gun Metal Bronze 930 50°	296,00	5.6
NS3GM/04/927/16	Nala Susp. O4 L Gun Metal Bronze 927 16°	299,00	5.6
NS3GM/04/927/36	Nala Susp. O4 L Gun Metal Bronze 927 36°	299,00	5.6
NS3GM/04/927/50	Nala Susp. O4 L Gun Metal Bronze 927 50°	299,00	5.6
NS3GM/04/930/16	Nala Susp. O4 L Gun Metal Bronze 930 16°	299,00	5.6
NS3GM/04/930/36	Nala Susp. O4 L Gun Metal Bronze 930 36°	299,00	5.6
NS3GM/04/930/50	Nala Susp. O4 L Gun Metal Bronze 930 50°	299,00	5.6
NS3GM/16/927/16	Nala Susp. I6 L Gun Metal Bronze 927 16°	299,00	5.6
NS3GM/16/927/36	Nala Susp. I6 L Gun Metal Bronze 927 36°	299,00	5.6
NS3GM/16/927/50	Nala Susp. I6 L Gun Metal Bronze 927 50°	299,00	5.6
NS3GM/16/930/16	Nala Susp. I6 L Gun Metal Bronze 930 16°	299,00	5.6
NS3GM/16/930/36	Nala Susp. I6 L Gun Metal Bronze 930 36°	299,00	5.6
NS3GM/16/930/50	Nala Susp. I6 L Gun Metal Bronze 930 50°	299,00	5.6
NS3BL/14/927/16	Nala Susp. I4 L Black 927 16°	296,00	5.6
NS3BL/14/927/36	Nala Susp. I4 L Black 927 36°	296,00	5.6
NS3BL/14/927/50	Nala Susp. I4 L Black 927 50°	296,00	5.6
NS3BL/14/930/16	Nala Susp. I4 L Black 930 16°	296,00	5.6
NS3BL/14/930/36	Nala Susp. I4 L Black 930 36°	296,00	5.6
NS3BL/14/930/50	Nala Susp. I4 L Black 930 50°	296,00	5.6
NS3BL/04/927/16	Nala Susp. O4 L Black 927 16°	299,00	5.6
NS3BL/04/927/36	Nala Susp. O4 L Black 927 36°	299,00	5.6
NS3BL/04/927/50	Nala Susp. O4 L Black 927 50°	299,00	5.6
NS3BL/04/930/16	Nala Susp. O4 L Black 930 16°	299,00	5.6
NS3BL/04/930/36	Nala Susp. O4 L Black 930 36°	299,00	5.6
NS3BL/04/930/50	Nala Susp. O4 L Black 930 50°	299,00	5.6
NS3BL/16/927/16	Nala Susp. I6 L Black 927 16°	299,00	5.6
NS3BL/16/927/36	Nala Susp. I6 L Black 927 36°	299,00	5.6
NS3BL/16/927/50	Nala Susp. I6 L Black 927 50°	299,00	5.6
NS3BL/16/930/16	Nala Susp. I6 L Black 930 16°	299,00	5.6
NS3BL/16/930/36	Nala Susp. I6 L Black 930 36°	299,00	5.6
NS3BL/16/930/50	Nala Susp. I6 L Black 930 50°	299,00	5.6
NS3WH/14/927/16	Nala Susp. I4 L White 927 16°	296,00	5.6
NS3WH/14/927/36	Nala Susp. I4 L White 927 36°	296,00	5.6
NS3WH/14/927/50	Nala Susp. I4 L White 927 50°	296,00	5.6
NS3WH/14/930/16	Nala Susp. I4 L White 930 16°	296,00	5.6
NS3WH/14/930/36	Nala Susp. I4 L White 930 36°	296,00	5.6
NS3WH/14/930/50	Nala Susp. I4 L White 930 50°	296,00	5.6
NS3WH/04/927/16	Nala Susp. O4 L White 927 16°	299,00	5.6
NS3WH/04/927/36	Nala Susp. O4 L White 927 36°	299,00	5.6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

NS3WH/04/927/50	Nala Susp. 04 L White 927 50°	299,00	5.6
NS3WH/04/930/16	Nala Susp. 04 L White 930 16°	299,00	5.6
NS3WH/04/930/36	Nala Susp. 04 L White 930 36°	299,00	5.6
NS3WH/04/930/50	Nala Susp. 04 L White 930 50°	299,00	5.6
NS3WH/16/927/16	Nala Susp. 16 L White 927 16°	299,00	5.6
NS3WH/16/927/36	Nala Susp. 16 L White 927 36°	299,00	5.6
NS3WH/16/927/50	Nala Susp. 16 L White 927 50°	299,00	5.6
NS3WH/16/930/16	Nala Susp. 16 L White 930 16°	299,00	5.6
NS3WH/16/930/36	Nala Susp. 16 L White 930 36°	299,00	5.6
NS3WH/16/930/50	Nala Susp. 16 L White 930 50°	299,00	5.6
ATN1BR/927/16/A	Nala AT Bronze 927 16° 1-10V	311,00	5.6
ATN1BR/927/36/A	Nala AT Bronze 927 36° 1-10V	311,00	5.6
ATN1BR/927/50/A	Nala AT Bronze 927 50° 1-10V	311,00	5.6
ATN1BR/930/16/A	Nala AT Bronze 930 16° 1-10V	311,00	5.6
ATN1BR/930/36/A	Nala AT Bronze 930 36° 1-10V	311,00	5.6
ATN1BR/930/50/A	Nala AT Bronze 930 50° 1-10V	311,00	5.6
ATN1CH/927/16/A	Nala AT Champagne 927 16° 1-10V	311,00	5.6
ATN1CH/927/36/A	Nala AT Champagne 927 36° 1-10V	311,00	5.6
ATN1CH/927/50/A	Nala AT Champagne 927 50° 1-10V	311,00	5.6
ATN1CH/930/16/A	Nala AT Champagne 930 16° 1-10V	311,00	5.6
ATN1CH/930/36/A	Nala AT Champagne 930 36° 1-10V	311,00	5.6
ATN1CH/930/50/A	Nala AT Champagne 930 50° 1-10V	311,00	5.6
ATN1GM/927/16/A	Nala AT Gun Metal Bronze 927 16° 1-10V	311,00	5.6
ATN1GM/927/36/A	Nala AT Gun Metal Bronze 927 36° 1-10V	311,00	5.6
ATN1GM/927/50/A	Nala AT Gun Metal Bronze 927 50° 1-10V	311,00	5.6
ATN1GM/930/16/A	Nala AT Gun Metal Bronze 930 16° 1-10V	311,00	5.6
ATN1GM/930/36/A	Nala AT Gun Metal Bronze 930 36° 1-10V	311,00	5.6
ATN1GM/930/50/A	Nala AT Gun Metal Bronze 930 50° 1-10V	311,00	5.6
ATN1BL/927/16/A	Nala AT Black 927 16° 1-10V	311,00	5.6
ATN1BL/927/36/A	Nala AT Black 927 36° 1-10V	311,00	5.6
ATN1BL/927/50/A	Nala AT Black 927 50° 1-10V	311,00	5.6
ATN1BL/930/16/A	Nala AT Black 930 16° 1-10V	311,00	5.6
ATN1BL/930/36/A	Nala AT Black 930 36° 1-10V	311,00	5.6
ATN1BL/930/50/A	Nala AT Black 930 50° 1-10V	311,00	5.6
ATN1WH/927/16/A	Nala AT White 927 16° 1-10V	311,00	5.6
ATN1WH/927/36/A	Nala AT White 927 36° 1-10V	311,00	5.6
ATN1WH/927/50/A	Nala AT White 927 50° 1-10V	311,00	5.6
ATN1WH/930/16/A	Nala AT White 930 16° 1-10V	311,00	5.6
ATN1WH/930/36/A	Nala AT White 930 36° 1-10V	311,00	5.6
ATN1WH/930/50/A	Nala AT White 930 50° 1-10V	311,00	5.6
ATN1BR/927/16/D	Nala AT Bronze 927 16° Dali	311,00	5.6
ATN1BR/927/36/D	Nala AT Bronze 927 36° Dali	311,00	5.6
ATN1BR/927/50/D	Nala AT Bronze 927 50° Dali	311,00	5.6
ATN1BR/930/16/D	Nala AT Bronze 930 16° Dali	311,00	5.6
ATN1BR/930/36/D	Nala AT Bronze 930 36° Dali	311,00	5.6
ATN1BR/930/50/D	Nala AT Bronze 930 50° Dali	311,00	5.6
ATN1CH/927/16/D	Nala AT Champagne 927 16° Dali	311,00	5.6
ATN1CH/927/36/D	Nala AT Champagne 927 36° Dali	311,00	5.6
ATN1CH/927/50/D	Nala AT Champagne 927 50° Dali	311,00	5.6
ATN1CH/930/16/D	Nala AT Champagne 930 16° Dali	311,00	5.6
ATN1CH/930/36/D	Nala AT Champagne 930 36° Dali	311,00	5.6
ATN1CH/930/50/D	Nala AT Champagne 930 50° Dali	311,00	5.6
ATN1GM/927/16/D	Nala AT Gun Metal Bronze 927 16° Dali	311,00	5.6
ATN1GM/927/36/D	Nala AT Gun Metal Bronze 927 36° Dali	311,00	5.6
ATN1GM/927/50/D	Nala AT Gun Metal Bronze 927 50° Dali	311,00	5.6
ATN1GM/930/16/D	Nala AT Gun Metal Bronze 930 16° Dali	311,00	5.6
ATN1GM/930/36/D	Nala AT Gun Metal Bronze 930 36° Dali	311,00	5.6
ATN1GM/930/50/D	Nala AT Gun Metal Bronze 930 50° Dali	311,00	5.6
ATN1BL/927/16/D	Nala AT Black 927 16° Dali	311,00	5.6
ATN1BL/927/36/D	Nala AT Black 927 36° Dali	311,00	5.6
ATN1BL/927/50/D	Nala AT Black 927 50° Dali	311,00	5.6
ATN1BL/930/16/D	Nala AT Black 930 16° Dali	311,00	5.6
ATN1BL/930/36/D	Nala AT Black 930 36° Dali	311,00	5.6
ATN1BL/930/50/D	Nala AT Black 930 50° Dali	311,00	5.6
ATN1WH/927/16/D	Nala AT White 927 16° Dali	311,00	5.6
ATN1WH/927/36/D	Nala AT White 927 36° Dali	311,00	5.6
ATN1WH/927/50/D	Nala AT White 927 50° Dali	311,00	5.6
ATN1WH/930/16/D	Nala AT White 930 16° Dali	311,00	5.6
ATN1WH/930/36/D	Nala AT White 930 36° Dali	311,00	5.6
ATN1WH/930/50/D	Nala AT White 930 50° Dali	311,00	5.6
ATN2BR/927/16/A	Nala 2 AT Bronze 927 16° 1-10V	495,00	5.6
ATN2BR/927/36/A	Nala 2 AT Bronze 927 36° 1-10V	495,00	5.6
ATN2BR/927/50/A	Nala 2 AT Bronze 927 50° 1-10V	495,00	5.6
ATN2BR/930/16/A	Nala 2 AT Bronze 930 16° 1-10V	495,00	5.6
ATN2BR/930/36/A	Nala 2 AT Bronze 930 36° 1-10V	495,00	5.6
ATN2BR/930/50/A	Nala 2 AT Bronze 930 50° 1-10V	495,00	5.6
ATN2CH/927/16/A	Nala 2 AT Champagne 927 16° 1-10V	495,00	5.6
ATN2CH/927/36/A	Nala 2 AT Champagne 927 36° 1-10V	495,00	5.6
ATN2CH/927/50/A	Nala 2 AT Champagne 927 50° 1-10V	495,00	5.6
ATN2CH/930/16/A	Nala 2 AT Champagne 930 16° 1-10V	495,00	5.6
ATN2CH/930/36/A	Nala 2 AT Champagne 930 36° 1-10V	495,00	5.6
ATN2CH/930/50/A	Nala 2 AT Champagne 930 50° 1-10V	495,00	5.6
ATN2GM/927/16/A	Nala 2 AT Gun Metal Bronze 927 16° 1-10V	495,00	5.6
ATN2GM/927/36/A	Nala 2 AT Gun Metal Bronze 927 36° 1-10V	495,00	5.6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

ATN2GM/927/50/A	Nala 2 AT Gun Metal Bronze 927 50° 1-10V	495,00	5.6
ATN2GM/930/16/A	Nala 2 AT Gun Metal Bronze 930 16° 1-10V	495,00	5.6
ATN2GM/930/36/A	Nala 2 AT Gun Metal Bronze 930 36° 1-10V	495,00	5.6
ATN2GM/930/50/A	Nala 2 AT Gun Metal Bronze 930 50° 1-10V	495,00	5.6
ATN2BL/927/16/A	Nala 2 AT Black 927 16° 1-10V	495,00	5.6
ATN2BL/927/36/A	Nala 2 AT Black 927 36° 1-10V	495,00	5.6
ATN2BL/927/50/A	Nala 2 AT Black 927 50° 1-10V	495,00	5.6
ATN2BL/930/16/A	Nala 2 AT Black 930 16° 1-10V	495,00	5.6
ATN2BL/930/36/A	Nala 2 AT Black 930 36° 1-10V	495,00	5.6
ATN2BL/930/50/A	Nala 2 AT Black 930 50° 1-10V	495,00	5.6
ATN2WH/927/16/A	Nala 2 AT White 927 16° 1-10V	495,00	5.6
ATN2WH/927/36/A	Nala 2 AT White 927 36° 1-10V	495,00	5.6
ATN2WH/927/50/A	Nala 2 AT White 927 50° 1-10V	495,00	5.6
ATN2WH/930/16/A	Nala 2 AT White 930 16° 1-10V	495,00	5.6
ATN2WH/930/36/A	Nala 2 AT White 930 36° 1-10V	495,00	5.6
ATN2WH/930/50/A	Nala 2 AT White 930 50° 1-10V	495,00	5.6
ATN2BR/927/16/D	Nala 2 AT Bronze 927 16° Dali	495,00	5.6
ATN2BR/927/36/D	Nala 2 AT Bronze 927 36° Dali	495,00	5.6
ATN2BR/927/50/D	Nala 2 AT Bronze 927 50° Dali	495,00	5.6
ATN2BR/930/16/D	Nala 2 AT Bronze 930 16° Dali	495,00	5.6
ATN2BR/930/36/D	Nala 2 AT Bronze 930 36° Dali	495,00	5.6
ATN2BR/930/50/D	Nala 2 AT Bronze 930 50° Dali	495,00	5.6
ATN2CH/927/16/D	Nala 2 AT Champagne 927 16° Dali	495,00	5.6
ATN2CH/927/36/D	Nala 2 AT Champagne 927 36° Dali	495,00	5.6
ATN2CH/927/50/D	Nala 2 AT Champagne 927 50° Dali	495,00	5.6
ATN2CH/930/16/D	Nala 2 AT Champagne 930 16° Dali	495,00	5.6
ATN2CH/930/36/D	Nala 2 AT Champagne 930 36° Dali	495,00	5.6
ATN2CH/930/50/D	Nala 2 AT Champagne 930 50° Dali	495,00	5.6
ATN2GM/927/16/D	Nala 2 AT Gun Metal Bronze 927 16° Dali	495,00	5.6
ATN2GM/927/36/D	Nala 2 AT Gun Metal Bronze 927 36° Dali	495,00	5.6
ATN2GM/927/50/D	Nala 2 AT Gun Metal Bronze 927 50° Dali	495,00	5.6
ATN2GM/930/16/D	Nala 2 AT Gun Metal Bronze 930 16° Dali	495,00	5.6
ATN2GM/930/36/D	Nala 2 AT Gun Metal Bronze 930 36° Dali	495,00	5.6
ATN2GM/930/50/D	Nala 2 AT Gun Metal Bronze 930 50° Dali	495,00	5.6
ATN2BL/927/16/D	Nala 2 AT Black 927 16° Dali	495,00	5.6
ATN2BL/927/36/D	Nala 2 AT Black 927 36° Dali	495,00	5.6
ATN2BL/927/50/D	Nala 2 AT Black 927 50° Dali	495,00	5.6
ATN2BL/930/16/D	Nala 2 AT Black 930 16° Dali	495,00	5.6
ATN2BL/930/36/D	Nala 2 AT Black 930 36° Dali	495,00	5.6
ATN2BL/930/50/D	Nala 2 AT Black 930 50° Dali	495,00	5.6
ATN2WH/927/16/D	Nala 2 AT White 927 16° Dali	495,00	5.6
ATN2WH/927/36/D	Nala 2 AT White 927 36° Dali	495,00	5.6
ATN2WH/927/50/D	Nala 2 AT White 927 50° Dali	495,00	5.6
ATN2WH/930/16/D	Nala 2 AT White 930 16° Dali	495,00	5.6
ATN2WH/930/36/D	Nala 2 AT White 930 36° Dali	495,00	5.6
ATN2WH/930/50/D	Nala 2 AT White 930 50° Dali	495,00	5.6
ATNS1BR/927/16/A	Nala AT Susp. S Bronze 927 16° 1-10V	348,00	5.6
ATNS1BR/927/36/A	Nala AT Susp. S Bronze 927 36° 1-10V	348,00	5.6
ATNS1BR/927/50/A	Nala AT Susp. S Bronze 927 50° 1-10V	348,00	5.6
ATNS1BR/930/16/A	Nala AT Susp. S Bronze 930 16° 1-10V	348,00	5.6
ATNS1BR/930/36/A	Nala AT Susp. S Bronze 930 36° 1-10V	348,00	5.6
ATNS1BR/930/50/A	Nala AT Susp. S Bronze 930 50° 1-10V	348,00	5.6
ATNS1CH/927/16/A	Nala AT Susp. S Champagne 927 16° 1-10V	348,00	5.6
ATNS1CH/927/36/A	Nala AT Susp. S Champagne 927 36° 1-10V	348,00	5.6
ATNS1CH/927/50/A	Nala AT Susp. S Champagne 927 50° 1-10V	348,00	5.6
ATNS1CH/930/16/A	Nala AT Susp. S Champagne 930 16° 1-10V	348,00	5.6
ATNS1CH/930/36/A	Nala AT Susp. S Champagne 930 36° 1-10V	348,00	5.6
ATNS1CH/930/50/A	Nala AT Susp. S Champagne 930 50° 1-10V	348,00	5.6
ATNS1GM/927/16/A	Nala AT Susp. S Gun Metal Bronze 927 16° 1-10V	348,00	5.6
ATNS1GM/927/36/A	Nala AT Susp. S Gun Metal Bronze 927 36° 1-10V	348,00	5.6
ATNS1GM/927/50/A	Nala AT Susp. S Gun Metal Bronze 927 50° 1-10V	348,00	5.6
ATNS1GM/930/16/A	Nala AT Susp. S Gun Metal Bronze 930 16° 1-10V	348,00	5.6
ATNS1GM/930/36/A	Nala AT Susp. S Gun Metal Bronze 930 36° 1-10V	348,00	5.6
ATNS1GM/930/50/A	Nala AT Susp. S Gun Metal Bronze 930 50° 1-10V	348,00	5.6
ATNS1BL/927/16/A	Nala AT Susp. S Black 927 16° 1-10V	348,00	5.6
ATNS1BL/927/36/A	Nala AT Susp. S Black 927 36° 1-10V	348,00	5.6
ATNS1BL/927/50/A	Nala AT Susp. S Black 927 50° 1-10V	348,00	5.6
ATNS1BL/930/16/A	Nala AT Susp. S Black 930 16° 1-10V	348,00	5.6
ATNS1BL/930/36/A	Nala AT Susp. S Black 930 36° 1-10V	348,00	5.6
ATNS1BL/930/50/A	Nala AT Susp. S Black 930 50° 1-10V	348,00	5.6
ATNS1WH/927/16/A	Nala AT Susp. S White 927 16° 1-10V	348,00	5.6
ATNS1WH/927/36/A	Nala AT Susp. S White 927 36° 1-10V	348,00	5.6
ATNS1WH/927/50/A	Nala AT Susp. S White 927 50° 1-10V	348,00	5.6
ATNS1WH/930/16/A	Nala AT Susp. S White 930 16° 1-10V	348,00	5.6
ATNS1WH/930/36/A	Nala AT Susp. S White 930 36° 1-10V	348,00	5.6
ATNS1WH/930/50/A	Nala AT Susp. S White 930 50° 1-10V	348,00	5.6
ATNS1BR/927/16/D	Nala AT Susp. S Bronze 927 16° Dali	348,00	5.6
ATNS1BR/927/36/D	Nala AT Susp. S Bronze 927 36° Dali	348,00	5.6
ATNS1BR/927/50/D	Nala AT Susp. S Bronze 927 50° Dali	348,00	5.6
ATNS1BR/930/16/D	Nala AT Susp. S Bronze 930 16° Dali	348,00	5.6
ATNS1BR/930/36/D	Nala AT Susp. S Bronze 930 36° Dali	348,00	5.6
ATNS1BR/930/50/D	Nala AT Susp. S Bronze 930 50° Dali	348,00	5.6
ATNS1CH/927/16/D	Nala AT Susp. S Champagne 927 16° Dali	348,00	5.6
ATNS1CH/927/36/D	Nala AT Susp. S Champagne 927 36° Dali	348,00	5.6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

ATNS1CH/927/50/D	Nala AT Susp. S Champagne 927 50° Dali	348,00	5.6
ATNS1CH/930/16/D	Nala AT Susp. S Champagne 930 16° Dali	348,00	5.6
ATNS1CH/930/36/D	Nala AT Susp. S Champagne 930 36° Dali	348,00	5.6
ATNS1CH/930/50/D	Nala AT Susp. S Champagne 930 50° Dali	348,00	5.6
ATNS1GM/927/16/D	Nala AT Susp. S Gun Metal Bronze 927 16° Dali	348,00	5.6
ATNS1GM/927/36/D	Nala AT Susp. S Gun Metal Bronze 927 36° Dali	348,00	5.6
ATNS1GM/927/50/D	Nala AT Susp. S Gun Metal Bronze 927 50° Dali	348,00	5.6
ATNS1GM/930/16/D	Nala AT Susp. S Gun Metal Bronze 930 16° Dali	348,00	5.6
ATNS1GM/930/36/D	Nala AT Susp. S Gun Metal Bronze 930 36° Dali	348,00	5.6
ATNS1GM/930/50/D	Nala AT Susp. S Gun Metal Bronze 930 50° Dali	348,00	5.6
ATNS1BL/927/16/D	Nala AT Susp. S Black 927 16° Dali	348,00	5.6
ATNS1BL/927/36/D	Nala AT Susp. S Black 927 36° Dali	348,00	5.6
ATNS1BL/927/50/D	Nala AT Susp. S Black 927 50° Dali	348,00	5.6
ATNS1BL/930/16/D	Nala AT Susp. S Black 930 16° Dali	348,00	5.6
ATNS1BL/930/36/D	Nala AT Susp. S Black 930 36° Dali	348,00	5.6
ATNS1BL/930/50/D	Nala AT Susp. S Black 930 50° Dali	348,00	5.6
ATNS1WH/927/16/D	Nala AT Susp. S White 927 16° Dali	348,00	5.6
ATNS1WH/927/36/D	Nala AT Susp. S White 927 36° Dali	348,00	5.6
ATNS1WH/927/50/D	Nala AT Susp. S White 927 50° Dali	348,00	5.6
ATNS1WH/930/16/D	Nala AT Susp. S White 930 16° Dali	348,00	5.6
ATNS1WH/930/36/D	Nala AT Susp. S White 930 36° Dali	348,00	5.6
ATNS1WH/930/50/D	Nala AT Susp. S White 930 50° Dali	348,00	5.6
ATNS2BR/927/16/A	Nala AT Susp. M Bronze 927 16° 1-10V	371,00	5.6
ATNS2BR/927/36/A	Nala AT Susp. M Bronze 927 36° 1-10V	371,00	5.6
ATNS2BR/927/50/A	Nala AT Susp. M Bronze 927 50° 1-10V	371,00	5.6
ATNS2BR/930/16/A	Nala AT Susp. M Bronze 930 16° 1-10V	371,00	5.6
ATNS2BR/930/36/A	Nala AT Susp. M Bronze 930 36° 1-10V	371,00	5.6
ATNS2BR/930/50/A	Nala AT Susp. M Bronze 930 50° 1-10V	371,00	5.6
ATNS2CH/927/16/A	Nala AT Susp. M Champagne 927 16° 1-10V	371,00	5.6
ATNS2CH/927/36/A	Nala AT Susp. M Champagne 927 36° 1-10V	371,00	5.6
ATNS2CH/927/50/A	Nala AT Susp. M Champagne 927 50° 1-10V	371,00	5.6
ATNS2CH/930/16/A	Nala AT Susp. M Champagne 930 16° 1-10V	371,00	5.6
ATNS2CH/930/36/A	Nala AT Susp. M Champagne 930 36° 1-10V	371,00	5.6
ATNS2CH/930/50/A	Nala AT Susp. M Champagne 930 50° 1-10V	371,00	5.6
ATNS2GM/927/16/A	Nala AT Susp. M Gun Metal Bronze 927 16° 1-10V	371,00	5.6
ATNS2GM/927/36/A	Nala AT Susp. M Gun Metal Bronze 927 36° 1-10V	371,00	5.6
ATNS2GM/927/50/A	Nala AT Susp. M Gun Metal Bronze 927 50° 1-10V	371,00	5.6
ATNS2GM/930/16/A	Nala AT Susp. M Gun Metal Bronze 930 16° 1-10V	371,00	5.6
ATNS2GM/930/36/A	Nala AT Susp. M Gun Metal Bronze 930 36° 1-10V	371,00	5.6
ATNS2GM/930/50/A	Nala AT Susp. M Gun Metal Bronze 930 50° 1-10V	371,00	5.6
ATNS2BL/927/16/A	Nala AT Susp. M Black 927 16° 1-10V	371,00	5.6
ATNS2BL/927/36/A	Nala AT Susp. M Black 927 36° 1-10V	371,00	5.6
ATNS2BL/927/50/A	Nala AT Susp. M Black 927 50° 1-10V	371,00	5.6
ATNS2BL/930/16/A	Nala AT Susp. M Black 930 16° 1-10V	371,00	5.6
ATNS2BL/930/36/A	Nala AT Susp. M Black 930 36° 1-10V	371,00	5.6
ATNS2BL/930/50/A	Nala AT Susp. M Black 930 50° 1-10V	371,00	5.6
ATNS2WH/927/16/A	Nala AT Susp. M White 927 16° 1-10V	371,00	5.6
ATNS2WH/927/36/A	Nala AT Susp. M White 927 36° 1-10V	371,00	5.6
ATNS2WH/927/50/A	Nala AT Susp. M White 927 50° 1-10V	371,00	5.6
ATNS2WH/930/16/A	Nala AT Susp. M White 930 16° 1-10V	371,00	5.6
ATNS2WH/930/36/A	Nala AT Susp. M White 930 36° 1-10V	371,00	5.6
ATNS2WH/930/50/A	Nala AT Susp. M White 930 50° 1-10V	371,00	5.6
ATNS2BR/927/16/D	Nala AT Susp. M Bronze 927 16° Dali	371,00	5.6
ATNS2BR/927/36/D	Nala AT Susp. M Bronze 927 36° Dali	371,00	5.6
ATNS2BR/927/50/D	Nala AT Susp. M Bronze 927 50° Dali	371,00	5.6
ATNS2BR/930/16/D	Nala AT Susp. M Bronze 930 16° Dali	371,00	5.6
ATNS2BR/930/36/D	Nala AT Susp. M Bronze 930 36° Dali	371,00	5.6
ATNS2BR/930/50/D	Nala AT Susp. M Bronze 930 50° Dali	371,00	5.6
ATNS2CH/927/16/D	Nala AT Susp. M Champagne 927 16° Dali	371,00	5.6
ATNS2CH/927/36/D	Nala AT Susp. M Champagne 927 36° Dali	371,00	5.6
ATNS2CH/927/50/D	Nala AT Susp. M Champagne 927 50° Dali	371,00	5.6
ATNS2CH/930/16/D	Nala AT Susp. M Champagne 930 16° Dali	371,00	5.6
ATNS2CH/930/36/D	Nala AT Susp. M Champagne 930 36° Dali	371,00	5.6
ATNS2CH/930/50/D	Nala AT Susp. M Champagne 930 50° Dali	371,00	5.6
ATNS2GM/927/16/D	Nala AT Susp. M Gun Metal Bronze 927 16° Dali	371,00	5.6
ATNS2GM/927/36/D	Nala AT Susp. M Gun Metal Bronze 927 36° Dali	371,00	5.6
ATNS2GM/927/50/D	Nala AT Susp. M Gun Metal Bronze 927 50° Dali	371,00	5.6
ATNS2GM/930/16/D	Nala AT Susp. M Gun Metal Bronze 930 16° Dali	371,00	5.6
ATNS2GM/930/36/D	Nala AT Susp. M Gun Metal Bronze 930 36° Dali	371,00	5.6
ATNS2GM/930/50/D	Nala AT Susp. M Gun Metal Bronze 930 50° Dali	371,00	5.6
ATNS2BL/927/16/D	Nala AT Susp. M Black 927 16° Dali	371,00	5.6
ATNS2BL/927/36/D	Nala AT Susp. M Black 927 36° Dali	371,00	5.6
ATNS2BL/927/50/D	Nala AT Susp. M Black 927 50° Dali	371,00	5.6
ATNS2BL/930/16/D	Nala AT Susp. M Black 930 16° Dali	371,00	5.6
ATNS2BL/930/36/D	Nala AT Susp. M Black 930 36° Dali	371,00	5.6
ATNS2BL/930/50/D	Nala AT Susp. M Black 930 50° Dali	371,00	5.6
ATNS2WH/927/16/D	Nala AT Susp. M White 927 16° Dali	371,00	5.6
ATNS2WH/927/36/D	Nala AT Susp. M White 927 36° Dali	371,00	5.6
ATNS2WH/927/50/D	Nala AT Susp. M White 927 50° Dali	371,00	5.6
ATNS2WH/930/16/D	Nala AT Susp. M White 930 16° Dali	371,00	5.6
ATNS2WH/930/36/D	Nala AT Susp. M White 930 36° Dali	371,00	5.6
ATNS2WH/930/50/D	Nala AT Susp. M White 930 50° Dali	371,00	5.6
ATNS3BR/927/16/A	Nala AT Susp. L Bronze 927 16° 1-10V	384,00	5.6
ATNS3BR/927/36/A	Nala AT Susp. L Bronze 927 36° 1-10V	384,00	5.6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

ATNS3BR/927/50/A	Nala AT Susp. L Bronze 927 50° 1-10V	384,00	5.6
ATNS3BR/930/16/A	Nala AT Susp. L Bronze 930 16° 1-10V	384,00	5.6
ATNS3BR/930/36/A	Nala AT Susp. L Bronze 930 36° 1-10V	384,00	5.6
ATNS3BR/930/50/A	Nala AT Susp. L Bronze 930 50° 1-10V	384,00	5.6
ATNS3CH/927/16/A	Nala AT Susp. L Champagne 927 16° 1-10V	384,00	5.6
ATNS3CH/927/36/A	Nala AT Susp. L Champagne 927 36° 1-10V	384,00	5.6
ATNS3CH/927/50/A	Nala AT Susp. L Champagne 927 50° 1-10V	384,00	5.6
ATNS3CH/930/16/A	Nala AT Susp. L Champagne 930 16° 1-10V	384,00	5.6
ATNS3CH/930/36/A	Nala AT Susp. L Champagne 930 36° 1-10V	384,00	5.6
ATNS3CH/930/50/A	Nala AT Susp. L Champagne 930 50° 1-10V	384,00	5.6
ATNS3GM/927/16/A	Nala AT Susp. L Gun Metal Bronze 927 16° 1-10V	384,00	5.6
ATNS3GM/927/36/A	Nala AT Susp. L Gun Metal Bronze 927 36° 1-10V	384,00	5.6
ATNS3GM/927/50/A	Nala AT Susp. L Gun Metal Bronze 927 50° 1-10V	384,00	5.6
ATNS3GM/930/16/A	Nala AT Susp. L Gun Metal Bronze 930 16° 1-10V	384,00	5.6
ATNS3GM/930/36/A	Nala AT Susp. L Gun Metal Bronze 930 36° 1-10V	384,00	5.6
ATNS3GM/930/50/A	Nala AT Susp. L Gun Metal Bronze 930 50° 1-10V	384,00	5.6
ATNS3BL/927/16/A	Nala AT Susp. L Black 927 16° 1-10V	384,00	5.6
ATNS3BL/927/36/A	Nala AT Susp. L Black 927 36° 1-10V	384,00	5.6
ATNS3BL/927/50/A	Nala AT Susp. L Black 927 50° 1-10V	384,00	5.6
ATNS3BL/930/16/A	Nala AT Susp. L Black 930 16° 1-10V	384,00	5.6
ATNS3BL/930/36/A	Nala AT Susp. L Black 930 36° 1-10V	384,00	5.6
ATNS3BL/930/50/A	Nala AT Susp. L Black 930 50° 1-10V	384,00	5.6
ATNS3WH/927/16/A	Nala AT Susp. L White 927 16° 1-10V	384,00	5.6
ATNS3WH/927/36/A	Nala AT Susp. L White 927 36° 1-10V	384,00	5.6
ATNS3WH/927/50/A	Nala AT Susp. L White 927 50° 1-10V	384,00	5.6
ATNS3WH/930/16/A	Nala AT Susp. L White 930 16° 1-10V	384,00	5.6
ATNS3WH/930/36/A	Nala AT Susp. L White 930 36° 1-10V	384,00	5.6
ATNS3WH/930/50/A	Nala AT Susp. L White 930 50° 1-10V	384,00	5.6
ATNS3BR/927/16/D	Nala AT Susp. L Bronze 927 16° Dali	384,00	5.6
ATNS3BR/927/36/D	Nala AT Susp. L Bronze 927 36° Dali	384,00	5.6
ATNS3BR/927/50/D	Nala AT Susp. L Bronze 927 50° Dali	384,00	5.6
ATNS3BR/930/16/D	Nala AT Susp. L Bronze 930 16° Dali	384,00	5.6
ATNS3BR/930/36/D	Nala AT Susp. L Bronze 930 36° Dali	384,00	5.6
ATNS3BR/930/50/D	Nala AT Susp. L Bronze 930 50° Dali	384,00	5.6
ATNS3CH/927/16/D	Nala AT Susp. L Champagne 927 16° Dali	384,00	5.6
ATNS3CH/927/36/D	Nala AT Susp. L Champagne 927 36° Dali	384,00	5.6
ATNS3CH/927/50/D	Nala AT Susp. L Champagne 927 50° Dali	384,00	5.6
ATNS3CH/930/16/D	Nala AT Susp. L Champagne 930 16° Dali	384,00	5.6
ATNS3CH/930/36/D	Nala AT Susp. L Champagne 930 36° Dali	384,00	5.6
ATNS3CH/930/50/D	Nala AT Susp. L Champagne 930 50° Dali	384,00	5.6
ATNS3GM/927/16/D	Nala AT Susp. L Gun Metal Bronze 927 16° Dali	384,00	5.6
ATNS3GM/927/36/D	Nala AT Susp. L Gun Metal Bronze 927 36° Dali	384,00	5.6
ATNS3GM/927/50/D	Nala AT Susp. L Gun Metal Bronze 927 50° Dali	384,00	5.6
ATNS3GM/930/16/D	Nala AT Susp. L Gun Metal Bronze 930 16° Dali	384,00	5.6
ATNS3GM/930/36/D	Nala AT Susp. L Gun Metal Bronze 930 36° Dali	384,00	5.6
ATNS3GM/930/50/D	Nala AT Susp. L Gun Metal Bronze 930 50° Dali	384,00	5.6
ATNS3BL/927/16/D	Nala AT Susp. L Black 927 16° Dali	384,00	5.6
ATNS3BL/927/36/D	Nala AT Susp. L Black 927 36° Dali	384,00	5.6
ATNS3BL/927/50/D	Nala AT Susp. L Black 927 50° Dali	384,00	5.6
ATNS3BL/930/16/D	Nala AT Susp. L Black 930 16° Dali	384,00	5.6
ATNS3BL/930/36/D	Nala AT Susp. L Black 930 36° Dali	384,00	5.6
ATNS3BL/930/50/D	Nala AT Susp. L Black 930 50° Dali	384,00	5.6
ATNS3WH/927/16/D	Nala AT Susp. L White 927 16° Dali	384,00	5.6
ATNS3WH/927/36/D	Nala AT Susp. L White 927 36° Dali	384,00	5.6
ATNS3WH/927/50/D	Nala AT Susp. L White 927 50° Dali	384,00	5.6
ATNS3WH/930/16/D	Nala AT Susp. L White 930 16° Dali	384,00	5.6
ATNS3WH/930/36/D	Nala AT Susp. L White 930 36° Dali	384,00	5.6
ATNS3WH/930/50/D	Nala AT Susp. L White 930 50° Dali	384,00	5.6
Wally series			
WBR/14/927/16	Wally I4 Bronze 927 16°	226,00	5.6
WBR/14/927/36	Wally I4 Bronze 927 36°	226,00	5.6
WBR/14/927/50	Wally I4 Bronze 927 50°	226,00	5.6
WBR/14/930/16	Wally I4 Bronze 930 16°	226,00	5.6
WBR/14/930/36	Wally I4 Bronze 930 36°	226,00	5.6
WBR/14/930/50	Wally I4 Bronze 930 50°	226,00	5.6
WBR/04/927/16	Wally O4 Bronze 927 16°	226,00	5.6
WBR/04/927/36	Wally O4 Bronze 927 36°	226,00	5.6
WBR/04/927/50	Wally O4 Bronze 927 50°	226,00	5.6
WBR/04/930/16	Wally O4 Bronze 930 16°	226,00	5.6
WBR/04/930/36	Wally O4 Bronze 930 36°	226,00	5.6
WBR/04/930/50	Wally O4 Bronze 930 50°	226,00	5.6
WBR/16/927/16	Wally I6 Bronze 927 16°	226,00	5.6
WBR/16/927/36	Wally I6 Bronze 927 36°	226,00	5.6
WBR/16/927/50	Wally I6 Bronze 927 50°	226,00	5.6
WBR/16/930/16	Wally I6 Bronze 930 16°	226,00	5.6
WBR/16/930/36	Wally I6 Bronze 930 36°	226,00	5.6
WBR/16/930/50	Wally I6 Bronze 930 50°	226,00	5.6
WCH/14/927/16	Wally I4 Champagne 927 16°	226,00	5.6
WCH/14/927/36	Wally I4 Champagne 927 36°	226,00	5.6
WCH/14/927/50	Wally I4 Champagne 927 50°	226,00	5.6
WCH/14/930/16	Wally I4 Champagne 930 16°	226,00	5.6
WCH/14/930/36	Wally I4 Champagne 930 36°	226,00	5.6
WCH/14/930/50	Wally I4 Champagne 930 50°	226,00	5.6
WCH/04/927/16	Wally O4 Champagne 927 16°	226,00	5.6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

WCH/O4/927/36	Wally O4 Champagne 927 36°	226,00	5,6
WCH/O4/927/50	Wally O4 Champagne 927 50°	226,00	5,6
WCH/O4/930/16	Wally O4 Champagne 930 16°	226,00	5,6
WCH/O4/930/36	Wally O4 Champagne 930 36°	226,00	5,6
WCH/O4/930/50	Wally O4 Champagne 930 50°	226,00	5,6
WCH/I6/927/16	Wally I6 Champagne 927 16°	226,00	5,6
WCH/I6/927/36	Wally I6 Champagne 927 36°	226,00	5,6
WCH/I6/927/50	Wally I6 Champagne 927 50°	226,00	5,6
WCH/I6/930/16	Wally I6 Champagne 930 16°	226,00	5,6
WCH/I6/930/36	Wally I6 Champagne 930 36°	226,00	5,6
WCH/I6/930/50	Wally I6 Champagne 930 50°	226,00	5,6
WGM/I4/927/16	Wally I4 Gun Metal Bronze 927 16°	226,00	5,6
WGM/I4/927/36	Wally I4 Gun Metal Bronze 927 36°	226,00	5,6
WGM/I4/927/50	Wally I4 Gun Metal Bronze 927 50°	226,00	5,6
WGM/I4/930/16	Wally I4 Gun Metal Bronze 930 16°	226,00	5,6
WGM/I4/930/36	Wally I4 Gun Metal Bronze 930 36°	226,00	5,6
WGM/I4/930/50	Wally I4 Gun Metal Bronze 930 50°	226,00	5,6
WGM/O4/927/16	Wally O4 Gun Metal Bronze 927 16°	226,00	5,6
WGM/O4/927/36	Wally O4 Gun Metal Bronze 927 36°	226,00	5,6
WGM/O4/927/50	Wally O4 Gun Metal Bronze 927 50°	226,00	5,6
WGM/O4/930/16	Wally O4 Gun Metal Bronze 930 16°	226,00	5,6
WGM/O4/930/36	Wally O4 Gun Metal Bronze 930 36°	226,00	5,6
WGM/O4/930/50	Wally O4 Gun Metal Bronze 930 50°	226,00	5,6
WGM/I6/927/16	Wally I6 Gun Metal Bronze 927 16°	226,00	5,6
WGM/I6/927/36	Wally I6 Gun Metal Bronze 927 36°	226,00	5,6
WGM/I6/927/50	Wally I6 Gun Metal Bronze 927 50°	226,00	5,6
WGM/I6/930/16	Wally I6 Gun Metal Bronze 930 16°	226,00	5,6
WGM/I6/930/36	Wally I6 Gun Metal Bronze 930 36°	226,00	5,6
WGM/I6/930/50	Wally I6 Gun Metal Bronze 930 50°	226,00	5,6
WWH/I4/927/16	Wally I4 White 927 16°	226,00	5,6
WWH/I4/927/36	Wally I4 White 927 36°	226,00	5,6
WWH/I4/927/50	Wally I4 White 927 50°	226,00	5,6
WWH/I4/930/16	Wally I4 White 930 16°	226,00	5,6
WWH/I4/930/36	Wally I4 White 930 36°	226,00	5,6
WWH/I4/930/50	Wally I4 White 930 50°	226,00	5,6
WWH/O4/927/16	Wally O4 White 927 16°	226,00	5,6
WWH/O4/927/36	Wally O4 White 927 36°	226,00	5,6
WWH/O4/927/50	Wally O4 White 927 50°	226,00	5,6
WWH/O4/930/16	Wally O4 White 930 16°	226,00	5,6
WWH/O4/930/36	Wally O4 White 930 36°	226,00	5,6
WWH/O4/930/50	Wally O4 White 930 50°	226,00	5,6
WWH/I6/927/16	Wally I6 White 927 16°	226,00	5,6
WWH/I6/927/36	Wally I6 White 927 36°	226,00	5,6
WWH/I6/927/50	Wally I6 White 927 50°	226,00	5,6
WWH/I6/930/16	Wally I6 White 930 16°	226,00	5,6
WWH/I6/930/36	Wally I6 White 930 36°	226,00	5,6
WWH/I6/930/50	Wally I6 White 930 50°	226,00	5,6
WBL/I4/927/16	Wally I4 Black 927 16°	226,00	5,6
WBL/I4/927/36	Wally I4 Black 927 36°	226,00	5,6
WBL/I4/927/50	Wally I4 Black 927 50°	226,00	5,6
WBL/I4/930/16	Wally I4 Black 930 16°	226,00	5,6
WBL/I4/930/36	Wally I4 Black 930 36°	226,00	5,6
WBL/I4/930/50	Wally I4 Black 930 50°	226,00	5,6
WBL/O4/927/16	Wally O4 Black 927 16°	226,00	5,6
WBL/O4/927/36	Wally O4 Black 927 36°	226,00	5,6
WBL/O4/927/50	Wally O4 Black 927 50°	226,00	5,6
WBL/O4/930/16	Wally O4 Black 930 16°	226,00	5,6
WBL/O4/930/36	Wally O4 Black 930 36°	226,00	5,6
WBL/O4/930/50	Wally O4 Black 930 50°	226,00	5,6
WBL/I6/927/16	Wally I6 Black 927 16°	226,00	5,6
WBL/I6/927/36	Wally I6 Black 927 36°	226,00	5,6
WBL/I6/927/50	Wally I6 Black 927 50°	226,00	5,6
WBL/I6/930/16	Wally I6 Black 930 16°	226,00	5,6
WBL/I6/930/36	Wally I6 Black 930 36°	226,00	5,6
WBL/I6/930/50	Wally I6 Black 930 50°	226,00	5,6
WOBR/I6/927/16	Wally ON I6 Bronze 927 16°	216,00	5,6
WOBR/I6/927/36	Wally ON I6 Bronze 927 36°	216,00	5,6
WOBR/I6/927/50	Wally ON I6 Bronze 927 50°	216,00	5,6
WOBR/I6/930/16	Wally ON I6 Bronze 930 16°	216,00	5,6
WOBR/I6/930/36	Wally ON I6 Bronze 930 36°	216,00	5,6
WOBR/I6/930/50	Wally ON I6 Bronze 930 50°	216,00	5,6
WOCH/I6/927/16	Wally ON I6 Champagne 927 16°	216,00	5,6
WOCH/I6/927/36	Wally ON I6 Champagne 927 36°	216,00	5,6
WOCH/I6/927/50	Wally ON I6 Champagne 927 50°	216,00	5,6
WOCH/I6/930/16	Wally ON I6 Champagne 930 16°	216,00	5,6
WOCH/I6/930/36	Wally ON I6 Champagne 930 36°	216,00	5,6
WOCH/I6/930/50	Wally ON I6 Champagne 930 50°	216,00	5,6
WOGM/I6/927/16	Wally ON I6 Gun Metal Bronze 927 16°	216,00	5,6
WOGM/I6/927/36	Wally ON I6 Gun Metal Bronze 927 36°	216,00	5,6
WOGM/I6/927/50	Wally ON I6 Gun Metal Bronze 927 50°	216,00	5,6
WOGM/I6/930/16	Wally ON I6 Gun Metal Bronze 930 16°	216,00	5,6
WOGM/I6/930/36	Wally ON I6 Gun Metal Bronze 930 36°	216,00	5,6
WOGM/I6/930/50	Wally ON I6 Gun Metal Bronze 930 50°	216,00	5,6
WOWH/I6/927/16	Wally ON I6 White 927 16°	216,00	5,6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

WOWH/16/927/36	Wally ON I6 White 927 36°	216,00	5,6
WOWH/16/927/50	Wally ON I6 White 927 50°	216,00	5,6
WOWH/16/930/16	Wally ON I6 White 930 16°	216,00	5,6
WOWH/16/930/36	Wally ON I6 White 930 36°	216,00	5,6
WOWH/16/930/50	Wally ON I6 White 930 50°	216,00	5,6
WOBL/16/927/16	Wally ON I6 Black 927 16°	216,00	5,6
WOBL/16/927/36	Wally ON I6 Black 927 36°	216,00	5,6
WOBL/16/927/50	Wally ON I6 Black 927 50°	216,00	5,6
WOBL/16/930/16	Wally ON I6 Black 930 16°	216,00	5,6
WOBL/16/930/36	Wally ON I6 Black 930 36°	216,00	5,6
WOBL/16/930/50	Wally ON I6 Black 930 50°	216,00	5,6
WSBR/14/927/16	Wally Susp. I4 Bronze 927 16°	260,00	5,6
WSBR/14/927/36	Wally Susp. I4 Bronze 927 36°	260,00	5,6
WSBR/14/927/50	Wally Susp. I4 Bronze 927 50°	260,00	5,6
WSBR/14/930/16	Wally Susp. I4 Bronze 930 16°	260,00	5,6
WSBR/14/930/36	Wally Susp. I4 Bronze 930 36°	260,00	5,6
WSBR/14/930/50	Wally Susp. I4 Bronze 930 50°	260,00	5,6
WSBR/04/927/16	Wally Susp. O4 Bronze 927 16°	260,00	5,6
WSBR/04/927/36	Wally Susp. O4 Bronze 927 36°	260,00	5,6
WSBR/04/927/50	Wally Susp. O4 Bronze 927 50°	260,00	5,6
WSBR/04/930/16	Wally Susp. O4 Bronze 930 16°	260,00	5,6
WSBR/04/930/36	Wally Susp. O4 Bronze 930 36°	260,00	5,6
WSBR/04/930/50	Wally Susp. O4 Bronze 930 50°	260,00	5,6
WSBR/16/927/16	Wally Susp. I6 Bronze 927 16°	260,00	5,6
WSBR/16/927/36	Wally Susp. I6 Bronze 927 36°	260,00	5,6
WSBR/16/927/50	Wally Susp. I6 Bronze 927 50°	260,00	5,6
WSBR/16/930/16	Wally Susp. I6 Bronze 930 16°	260,00	5,6
WSBR/16/930/36	Wally Susp. I6 Bronze 930 36°	260,00	5,6
WSBR/16/930/50	Wally Susp. I6 Bronze 930 50°	260,00	5,6
WSCH/14/927/16	Wally Susp. I4 Champagne 927 16°	260,00	5,6
WSCH/14/927/36	Wally Susp. I4 Champagne 927 36°	260,00	5,6
WSCH/14/927/50	Wally Susp. I4 Champagne 927 50°	260,00	5,6
WSCH/14/930/16	Wally Susp. I4 Champagne 930 16°	260,00	5,6
WSCH/14/930/36	Wally Susp. I4 Champagne 930 36°	260,00	5,6
WSCH/14/930/50	Wally Susp. I4 Champagne 930 50°	260,00	5,6
WSCH/04/927/16	Wally Susp. O4 Champagne 927 16°	260,00	5,6
WSCH/04/927/36	Wally Susp. O4 Champagne 927 36°	260,00	5,6
WSCH/04/927/50	Wally Susp. O4 Champagne 927 50°	260,00	5,6
WSCH/04/930/16	Wally Susp. O4 Champagne 930 16°	260,00	5,6
WSCH/04/930/36	Wally Susp. O4 Champagne 930 36°	260,00	5,6
WSCH/04/930/50	Wally Susp. O4 Champagne 930 50°	260,00	5,6
WSCH/16/927/16	Wally Susp. I6 Champagne 927 16°	260,00	5,6
WSCH/16/927/36	Wally Susp. I6 Champagne 927 36°	260,00	5,6
WSCH/16/927/50	Wally Susp. I6 Champagne 927 50°	260,00	5,6
WSCH/16/930/16	Wally Susp. I6 Champagne 930 16°	260,00	5,6
WSCH/16/930/36	Wally Susp. I6 Champagne 930 36°	260,00	5,6
WSCH/16/930/50	Wally Susp. I6 Champagne 930 50°	260,00	5,6
WSGM/14/927/16	Wally Susp. I4 Gun Metal Bronze 927 16°	260,00	5,6
WSGM/14/927/36	Wally Susp. I4 Gun Metal Bronze 927 36°	260,00	5,6
WSGM/14/927/50	Wally Susp. I4 Gun Metal Bronze 927 50°	260,00	5,6
WSGM/14/930/16	Wally Susp. I4 Gun Metal Bronze 930 16°	260,00	5,6
WSGM/14/930/36	Wally Susp. I4 Gun Metal Bronze 930 36°	260,00	5,6
WSGM/14/930/50	Wally Susp. I4 Gun Metal Bronze 930 50°	260,00	5,6
WSGM/04/927/16	Wally Susp. O4 Gun Metal Bronze 927 16°	260,00	5,6
WSGM/04/927/36	Wally Susp. O4 Gun Metal Bronze 927 36°	260,00	5,6
WSGM/04/927/50	Wally Susp. O4 Gun Metal Bronze 927 50°	260,00	5,6
WSGM/04/930/16	Wally Susp. O4 Gun Metal Bronze 930 16°	260,00	5,6
WSGM/04/930/36	Wally Susp. O4 Gun Metal Bronze 930 36°	260,00	5,6
WSGM/04/930/50	Wally Susp. O4 Gun Metal Bronze 930 50°	260,00	5,6
WSGM/16/927/16	Wally Susp. I6 Gun Metal Bronze 927 16°	260,00	5,6
WSGM/16/927/36	Wally Susp. I6 Gun Metal Bronze 927 36°	260,00	5,6
WSGM/16/927/50	Wally Susp. I6 Gun Metal Bronze 927 50°	260,00	5,6
WSGM/16/930/16	Wally Susp. I6 Gun Metal Bronze 930 16°	260,00	5,6
WSGM/16/930/36	Wally Susp. I6 Gun Metal Bronze 930 36°	260,00	5,6
WSGM/16/930/50	Wally Susp. I6 Gun Metal Bronze 930 50°	260,00	5,6
WSWH/14/927/16	Wally Susp. I4 White 927 16°	260,00	5,6
WSWH/14/927/36	Wally Susp. I4 White 927 36°	260,00	5,6
WSWH/14/927/50	Wally Susp. I4 White 927 50°	260,00	5,6
WSWH/14/930/16	Wally Susp. I4 White 930 16°	260,00	5,6
WSWH/14/930/36	Wally Susp. I4 White 930 36°	260,00	5,6
WSWH/14/930/50	Wally Susp. I4 White 930 50°	260,00	5,6
WSWH/04/927/16	Wally Susp. O4 White 927 16°	260,00	5,6
WSWH/04/927/36	Wally Susp. O4 White 927 36°	260,00	5,6
WSWH/04/927/50	Wally Susp. O4 White 927 50°	260,00	5,6
WSWH/04/930/16	Wally Susp. O4 White 930 16°	260,00	5,6
WSWH/04/930/36	Wally Susp. O4 White 930 36°	260,00	5,6
WSWH/04/930/50	Wally Susp. O4 White 930 50°	260,00	5,6
WSWH/16/927/16	Wally Susp. I6 White 927 16°	260,00	5,6
WSWH/16/927/36	Wally Susp. I6 White 927 36°	260,00	5,6
WSWH/16/927/50	Wally Susp. I6 White 927 50°	260,00	5,6
WSWH/16/930/16	Wally Susp. I6 White 930 16°	260,00	5,6
WSWH/16/930/36	Wally Susp. I6 White 930 36°	260,00	5,6
WSWH/16/930/50	Wally Susp. I6 White 930 50°	260,00	5,6
WSBL/14/927/16	Wally Susp. I4 Black 927 16°	260,00	5,6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

WSBL/I4/927/36	Wally Susp. I4 Black 927 36°	260,00	5.6
WSBL/I4/927/50	Wally Susp. I4 Black 927 50°	260,00	5.6
WSBL/I4/930/16	Wally Susp. I4 Black 930 16°	260,00	5.6
WSBL/I4/930/36	Wally Susp. I4 Black 930 36°	260,00	5.6
WSBL/I4/930/50	Wally Susp. I4 Black 930 50°	260,00	5.6
WSBL/O4/927/16	Wally Susp. O4 Black 927 16°	260,00	5.6
WSBL/O4/927/36	Wally Susp. O4 Black 927 36°	260,00	5.6
WSBL/O4/927/50	Wally Susp. O4 Black 927 50°	260,00	5.6
WSBL/O4/930/16	Wally Susp. O4 Black 930 16°	260,00	5.6
WSBL/O4/930/36	Wally Susp. O4 Black 930 36°	260,00	5.6
WSBL/O4/930/50	Wally Susp. O4 Black 930 50°	260,00	5.6
WSBL/I6/927/16	Wally Susp. I6 Black 927 16°	260,00	5.6
WSBL/I6/927/36	Wally Susp. I6 Black 927 36°	260,00	5.6
WSBL/I6/927/50	Wally Susp. I6 Black 927 50°	260,00	5.6
WSBL/I6/930/16	Wally Susp. I6 Black 930 16°	260,00	5.6
WSBL/I6/930/36	Wally Susp. I6 Black 930 36°	260,00	5.6
WSBL/I6/930/50	Wally Susp. I6 Black 930 50°	260,00	5.6
ATWBR/927/16/A	Wally AT Bronze 927 16° 1-10V	311,00	5.6
ATWBR/927/36/A	Wally AT Bronze 927 36° 1-10V	311,00	5.6
ATWBR/927/50/A	Wally AT Bronze 927 50° 1-10V	311,00	5.6
ATWBR/930/16/A	Wally AT Bronze 930 16° 1-10V	311,00	5.6
ATWBR/930/36/A	Wally AT Bronze 930 36° 1-10V	311,00	5.6
ATWBR/930/50/A	Wally AT Bronze 930 50° 1-10V	311,00	5.6
ATWCH/927/16/A	Wally AT Champagne 927 16° 1-10V	311,00	5.6
ATWCH/927/36/A	Wally AT Champagne 927 36° 1-10V	311,00	5.6
ATWCH/927/50/A	Wally AT Champagne 927 50° 1-10V	311,00	5.6
ATWCH/930/16/A	Wally AT Champagne 930 16° 1-10V	311,00	5.6
ATWCH/930/36/A	Wally AT Champagne 930 36° 1-10V	311,00	5.6
ATWCH/930/50/A	Wally AT Champagne 930 50° 1-10V	311,00	5.6
ATWGM/927/16/A	Wally AT Gun Metal Bronze 927 16° 1-10V	311,00	5.6
ATWGM/927/36/A	Wally AT Gun Metal Bronze 927 36° 1-10V	311,00	5.6
ATWGM/927/50/A	Wally AT Gun Metal Bronze 927 50° 1-10V	311,00	5.6
ATWGM/930/16/A	Wally AT Gun Metal Bronze 930 16° 1-10V	311,00	5.6
ATWGM/930/36/A	Wally AT Gun Metal Bronze 930 36° 1-10V	311,00	5.6
ATWGM/930/50/A	Wally AT Gun Metal Bronze 930 50° 1-10V	311,00	5.6
ATWWH/927/16/A	Wally AT White 927 16° 1-10V	311,00	5.6
ATWWH/927/36/A	Wally AT White 927 36° 1-10V	311,00	5.6
ATWWH/927/50/A	Wally AT White 927 50° 1-10V	311,00	5.6
ATWWH/930/16/A	Wally AT White 930 16° 1-10V	311,00	5.6
ATWWH/930/36/A	Wally AT White 930 36° 1-10V	311,00	5.6
ATWWH/930/50/A	Wally AT White 930 50° 1-10V	311,00	5.6
ATWBL/927/16/A	Wally AT Black 927 16° 1-10V	311,00	5.6
ATWBL/927/36/A	Wally AT Black 927 36° 1-10V	311,00	5.6
ATWBL/927/50/A	Wally AT Black 927 50° 1-10V	311,00	5.6
ATWBL/930/16/A	Wally AT Black 930 16° 1-10V	311,00	5.6
ATWBL/930/36/A	Wally AT Black 930 36° 1-10V	311,00	5.6
ATWBL/930/50/A	Wally AT Black 930 50° 1-10V	311,00	5.6
ATWBR/927/16/D	Wally AT Bronze 927 16° Dali	311,00	5.6
ATWBR/927/36/D	Wally AT Bronze 927 36° Dali	311,00	5.6
ATWBR/927/50/D	Wally AT Bronze 927 50° Dali	311,00	5.6
ATWBR/930/16/D	Wally AT Bronze 930 16° Dali	311,00	5.6
ATWBR/930/36/D	Wally AT Bronze 930 36° Dali	311,00	5.6
ATWBR/930/50/D	Wally AT Bronze 930 50° Dali	311,00	5.6
ATWCH/927/16/D	Wally AT Champagne 927 16° Dali	311,00	5.6
ATWCH/927/36/D	Wally AT Champagne 927 36° Dali	311,00	5.6
ATWCH/927/50/D	Wally AT Champagne 927 50° Dali	311,00	5.6
ATWCH/930/16/D	Wally AT Champagne 930 16° Dali	311,00	5.6
ATWCH/930/36/D	Wally AT Champagne 930 36° Dali	311,00	5.6
ATWCH/930/50/D	Wally AT Champagne 930 50° Dali	311,00	5.6
ATWGM/927/16/D	Wally AT Gun Metal Bronze 927 16° Dali	311,00	5.6
ATWGM/927/36/D	Wally AT Gun Metal Bronze 927 36° Dali	311,00	5.6
ATWGM/927/50/D	Wally AT Gun Metal Bronze 927 50° Dali	311,00	5.6
ATWGM/930/16/D	Wally AT Gun Metal Bronze 930 16° Dali	311,00	5.6
ATWGM/930/36/D	Wally AT Gun Metal Bronze 930 36° Dali	311,00	5.6
ATWGM/930/50/D	Wally AT Gun Metal Bronze 930 50° Dali	311,00	5.6
ATWWH/927/16/D	Wally AT White 927 16° Dali	311,00	5.6
ATWWH/927/36/D	Wally AT White 927 36° Dali	311,00	5.6
ATWWH/927/50/D	Wally AT White 927 50° Dali	311,00	5.6
ATWWH/930/16/D	Wally AT White 930 16° Dali	311,00	5.6
ATWWH/930/36/D	Wally AT White 930 36° Dali	311,00	5.6
ATWWH/930/50/D	Wally AT White 930 50° Dali	311,00	5.6
ATWBL/927/16/D	Wally AT Black 927 16° Dali	311,00	5.6
ATWBL/927/36/D	Wally AT Black 927 36° Dali	311,00	5.6
ATWBL/927/50/D	Wally AT Black 927 50° Dali	311,00	5.6
ATWBL/930/16/D	Wally AT Black 930 16° Dali	311,00	5.6
ATWBL/930/36/D	Wally AT Black 930 36° Dali	311,00	5.6
ATWBL/930/50/D	Wally AT Black 930 50° Dali	311,00	5.6
ATW2BR/927/16/A	Wally 2 AT Bronze 927 16° 1-10V	495,00	5.6
ATW2BR/927/36/A	Wally 2 AT Bronze 927 36° 1-10V	495,00	5.6
ATW2BR/927/50/A	Wally 2 AT Bronze 927 50° 1-10V	495,00	5.6
ATW2BR/930/16/A	Wally 2 AT Bronze 930 16° 1-10V	495,00	5.6
ATW2BR/930/36/A	Wally 2 AT Bronze 930 36° 1-10V	495,00	5.6
ATW2BR/930/50/A	Wally 2 AT Bronze 930 50° 1-10V	495,00	5.6
ATW2CH/927/16/A	Wally 2 AT Champagne 927 16° 1-10V	495,00	5.6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

ATW2CH/927/36/A	Wally 2 AT Champagne 927 36° 1-10V	495,00	5.6
ATW2CH/927/50/A	Wally 2 AT Champagne 927 50° 1-10V	495,00	5.6
ATW2CH/930/16/A	Wally 2 AT Champagne 930 16° 1-10V	495,00	5.6
ATW2CH/930/36/A	Wally 2 AT Champagne 930 36° 1-10V	495,00	5.6
ATW2CH/930/50/A	Wally 2 AT Champagne 930 50° 1-10V	495,00	5.6
ATW2GM/927/16/A	Wally 2 AT Gun Metal Bronze 927 16° 1-10V	495,00	5.6
ATW2GM/927/36/A	Wally 2 AT Gun Metal Bronze 927 36° 1-10V	495,00	5.6
ATW2GM/927/50/A	Wally 2 AT Gun Metal Bronze 927 50° 1-10V	495,00	5.6
ATW2GM/930/16/A	Wally 2 AT Gun Metal Bronze 930 16° 1-10V	495,00	5.6
ATW2GM/930/36/A	Wally 2 AT Gun Metal Bronze 930 36° 1-10V	495,00	5.6
ATW2GM/930/50/A	Wally 2 AT Gun Metal Bronze 930 50° 1-10V	495,00	5.6
ATW2WH/927/16/A	Wally 2 AT White 927 16° 1-10V	495,00	5.6
ATW2WH/927/36/A	Wally 2 AT White 927 36° 1-10V	495,00	5.6
ATW2WH/927/50/A	Wally 2 AT White 927 50° 1-10V	495,00	5.6
ATW2WH/930/16/A	Wally 2 AT White 930 16° 1-10V	495,00	5.6
ATW2WH/930/36/A	Wally 2 AT White 930 36° 1-10V	495,00	5.6
ATW2WH/930/50/A	Wally 2 AT White 930 50° 1-10V	495,00	5.6
ATW2BL/927/16/A	Wally 2 AT Black 927 16° 1-10V	495,00	5.6
ATW2BL/927/36/A	Wally 2 AT Black 927 36° 1-10V	495,00	5.6
ATW2BL/927/50/A	Wally 2 AT Black 927 50° 1-10V	495,00	5.6
ATW2BL/930/16/A	Wally 2 AT Black 930 16° 1-10V	495,00	5.6
ATW2BL/930/36/A	Wally 2 AT Black 930 36° 1-10V	495,00	5.6
ATW2BL/930/50/A	Wally 2 AT Black 930 50° 1-10V	495,00	5.6
ATW2BR/927/16/D	Wally 2 AT Bronze 927 16° Dali	495,00	5.6
ATW2BR/927/36/D	Wally 2 AT Bronze 927 36° Dali	495,00	5.6
ATW2BR/927/50/D	Wally 2 AT Bronze 927 50° Dali	495,00	5.6
ATW2BR/930/16/D	Wally 2 AT Bronze 930 16° Dali	495,00	5.6
ATW2BR/930/36/D	Wally 2 AT Bronze 930 36° Dali	495,00	5.6
ATW2BR/930/50/D	Wally 2 AT Bronze 930 50° Dali	495,00	5.6
ATW2CH/927/16/D	Wally 2 AT Champagne 927 16° Dali	495,00	5.6
ATW2CH/927/36/D	Wally 2 AT Champagne 927 36° Dali	495,00	5.6
ATW2CH/927/50/D	Wally 2 AT Champagne 927 50° Dali	495,00	5.6
ATW2CH/930/16/D	Wally 2 AT Champagne 930 16° Dali	495,00	5.6
ATW2CH/930/36/D	Wally 2 AT Champagne 930 36° Dali	495,00	5.6
ATW2CH/930/50/D	Wally 2 AT Champagne 930 50° Dali	495,00	5.6
ATW2GM/927/16/D	Wally 2 AT Gun Metal Bronze 927 16° Dali	495,00	5.6
ATW2GM/927/36/D	Wally 2 AT Gun Metal Bronze 927 36° Dali	495,00	5.6
ATW2GM/927/50/D	Wally 2 AT Gun Metal Bronze 927 50° Dali	495,00	5.6
ATW2GM/930/16/D	Wally 2 AT Gun Metal Bronze 930 16° Dali	495,00	5.6
ATW2GM/930/36/D	Wally 2 AT Gun Metal Bronze 930 36° Dali	495,00	5.6
ATW2GM/930/50/D	Wally 2 AT Gun Metal Bronze 930 50° Dali	495,00	5.6
ATW2WH/927/16/D	Wally 2 AT White 927 16° Dali	495,00	5.6
ATW2WH/927/36/D	Wally 2 AT White 927 36° Dali	495,00	5.6
ATW2WH/927/50/D	Wally 2 AT White 927 50° Dali	495,00	5.6
ATW2WH/930/16/D	Wally 2 AT White 930 16° Dali	495,00	5.6
ATW2WH/930/36/D	Wally 2 AT White 930 36° Dali	495,00	5.6
ATW2WH/930/50/D	Wally 2 AT White 930 50° Dali	495,00	5.6
ATW2BL/927/16/D	Wally 2 AT Black 927 16° Dali	495,00	5.6
ATW2BL/927/36/D	Wally 2 AT Black 927 36° Dali	495,00	5.6
ATW2BL/927/50/D	Wally 2 AT Black 927 50° Dali	495,00	5.6
ATW2BL/930/16/D	Wally 2 AT Black 930 16° Dali	495,00	5.6
ATW2BL/930/36/D	Wally 2 AT Black 930 36° Dali	495,00	5.6
ATW2BL/930/50/D	Wally 2 AT Black 930 50° Dali	495,00	5.6
ATWOBR/927/16/A	Wally AT H ON Bronze 927 16° 1-10V	311,00	5.6
ATWOBR/927/36/A	Wally AT H ON Bronze 927 36° 1-10V	311,00	5.6
ATWOBR/927/50/A	Wally AT H ON Bronze 927 50° 1-10V	311,00	5.6
ATWOBR/930/16/A	Wally AT H ON Bronze 930 16° 1-10V	311,00	5.6
ATWOBR/930/36/A	Wally AT H ON Bronze 930 36° 1-10V	311,00	5.6
ATWOBR/930/50/A	Wally AT H ON Bronze 930 50° 1-10V	311,00	5.6
ATWOCH/927/16/A	Wally AT H ON Champagne 927 16° 1-10V	311,00	5.6
ATWOCH/927/36/A	Wally AT H ON Champagne 927 36° 1-10V	311,00	5.6
ATWOCH/927/50/A	Wally AT H ON Champagne 927 50° 1-10V	311,00	5.6
ATWOCH/930/16/A	Wally AT H ON Champagne 930 16° 1-10V	311,00	5.6
ATWOCH/930/36/A	Wally AT H ON Champagne 930 36° 1-10V	311,00	5.6
ATWOCH/930/50/A	Wally AT H ON Champagne 930 50° 1-10V	311,00	5.6
ATWOGM/927/16/A	Wally AT H ON Gun Metal Bronze 927 16° 1-10V	311,00	5.6
ATWOGM/927/36/A	Wally AT H ON Gun Metal Bronze 927 36° 1-10V	311,00	5.6
ATWOGM/927/50/A	Wally AT H ON Gun Metal Bronze 927 50° 1-10V	311,00	5.6
ATWOGM/930/16/A	Wally AT H ON Gun Metal Bronze 930 16° 1-10V	311,00	5.6
ATWOGM/930/36/A	Wally AT H ON Gun Metal Bronze 930 36° 1-10V	311,00	5.6
ATWOGM/930/50/A	Wally AT H ON Gun Metal Bronze 930 50° 1-10V	311,00	5.6
ATWOWH/927/16/A	Wally AT H ON White 927 16° 1-10V	311,00	5.6
ATWOWH/927/36/A	Wally AT H ON White 927 36° 1-10V	311,00	5.6
ATWOWH/927/50/A	Wally AT H ON White 927 50° 1-10V	311,00	5.6
ATWOWH/930/16/A	Wally AT H ON White 930 16° 1-10V	311,00	5.6
ATWOWH/930/36/A	Wally AT H ON White 930 36° 1-10V	311,00	5.6
ATWOWH/930/50/A	Wally AT H ON White 930 50° 1-10V	311,00	5.6
ATWOBL/927/16/A	Wally AT H ON Black 927 16° 1-10V	311,00	5.6
ATWOBL/927/36/A	Wally AT H ON Black 927 36° 1-10V	311,00	5.6
ATWOBL/927/50/A	Wally AT H ON Black 927 50° 1-10V	311,00	5.6
ATWOBL/930/16/A	Wally AT H ON Black 930 16° 1-10V	311,00	5.6
ATWOBL/930/36/A	Wally AT H ON Black 930 36° 1-10V	311,00	5.6
ATWOBL/930/50/A	Wally AT H ON Black 930 50° 1-10V	311,00	5.6
ATWOBR/927/16/D	Wally AT H ON Bronze 927 16° Dali	311,00	5.6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

ATWOBR/927/36/D	Wally AT H ON Bronze 927 36° Dali	311,00	5.6
ATWOBR/927/50/D	Wally AT H ON Bronze 927 50° Dali	311,00	5.6
ATWOBR/930/16/D	Wally AT H ON Bronze 930 16° Dali	311,00	5.6
ATWOBR/930/36/D	Wally AT H ON Bronze 930 36° Dali	311,00	5.6
ATWOBR/930/50/D	Wally AT H ON Bronze 930 50° Dali	311,00	5.6
ATWOCH/927/16/D	Wally AT H ON Champagne 927 16° Dali	311,00	5.6
ATWOCH/927/36/D	Wally AT H ON Champagne 927 36° Dali	311,00	5.6
ATWOCH/927/50/D	Wally AT H ON Champagne 927 50° Dali	311,00	5.6
ATWOCH/930/16/D	Wally AT H ON Champagne 930 16° Dali	311,00	5.6
ATWOCH/930/36/D	Wally AT H ON Champagne 930 36° Dali	311,00	5.6
ATWOCH/930/50/D	Wally AT H ON Champagne 930 50° Dali	311,00	5.6
ATWOGM/927/16/D	Wally AT H ON Gun Metal Bronze 927 16° Dali	311,00	5.6
ATWOGM/927/36/D	Wally AT H ON Gun Metal Bronze 927 36° Dali	311,00	5.6
ATWOGM/927/50/D	Wally AT H ON Gun Metal Bronze 927 50° Dali	311,00	5.6
ATWOGM/930/16/D	Wally AT H ON Gun Metal Bronze 930 16° Dali	311,00	5.6
ATWOGM/930/36/D	Wally AT H ON Gun Metal Bronze 930 36° Dali	311,00	5.6
ATWOGM/930/50/D	Wally AT H ON Gun Metal Bronze 930 50° Dali	311,00	5.6
ATWOWH/927/16/D	Wally AT H ON White 927 16° Dali	311,00	5.6
ATWOWH/927/36/D	Wally AT H ON White 927 36° Dali	311,00	5.6
ATWOWH/927/50/D	Wally AT H ON White 927 50° Dali	311,00	5.6
ATWOWH/930/16/D	Wally AT H ON White 930 16° Dali	311,00	5.6
ATWOWH/930/36/D	Wally AT H ON White 930 36° Dali	311,00	5.6
ATWOWH/930/50/D	Wally AT H ON White 930 50° Dali	311,00	5.6
ATWOBL/927/16/D	Wally AT H ON Black 927 16° Dali	311,00	5.6
ATWOBL/927/36/D	Wally AT H ON Black 927 36° Dali	311,00	5.6
ATWOBL/927/50/D	Wally AT H ON Black 927 50° Dali	311,00	5.6
ATWOBL/930/16/D	Wally AT H ON Black 930 16° Dali	311,00	5.6
ATWOBL/930/36/D	Wally AT H ON Black 930 36° Dali	311,00	5.6
ATWOBL/930/50/D	Wally AT H ON Black 930 50° Dali	311,00	5.6
ATWO2BR/927/16/A	Wally 2 AT H ON Bronze 927 16° 1-10V	495,00	5.6
ATWO2BR/927/36/A	Wally 2 AT H ON Bronze 927 36° 1-10V	495,00	5.6
ATWO2BR/927/50/A	Wally 2 AT H ON Bronze 927 50° 1-10V	495,00	5.6
ATWO2BR/930/16/A	Wally 2 AT H ON Bronze 930 16° 1-10V	495,00	5.6
ATWO2BR/930/36/A	Wally 2 AT H ON Bronze 930 36° 1-10V	495,00	5.6
ATWO2BR/930/50/A	Wally 2 AT H ON Bronze 930 50° 1-10V	495,00	5.6
ATWO2CH/927/16/A	Wally 2 AT H ON Champagne 927 16° 1-10V	495,00	5.6
ATWO2CH/927/36/A	Wally 2 AT H ON Champagne 927 36° 1-10V	495,00	5.6
ATWO2CH/927/50/A	Wally 2 AT H ON Champagne 927 50° 1-10V	495,00	5.6
ATWO2CH/930/16/A	Wally 2 AT H ON Champagne 930 16° 1-10V	495,00	5.6
ATWO2CH/930/36/A	Wally 2 AT H ON Champagne 930 36° 1-10V	495,00	5.6
ATWO2CH/930/50/A	Wally 2 AT H ON Champagne 930 50° 1-10V	495,00	5.6
ATWO2GM/927/16/A	Wally 2 AT H ON Gun Metal Bronze 927 16° 1-10V	495,00	5.6
ATWO2GM/927/36/A	Wally 2 AT H ON Gun Metal Bronze 927 36° 1-10V	495,00	5.6
ATWO2GM/927/50/A	Wally 2 AT H ON Gun Metal Bronze 927 50° 1-10V	495,00	5.6
ATWO2GM/930/16/A	Wally 2 AT H ON Gun Metal Bronze 930 16° 1-10V	495,00	5.6
ATWO2GM/930/36/A	Wally 2 AT H ON Gun Metal Bronze 930 36° 1-10V	495,00	5.6
ATWO2GM/930/50/A	Wally 2 AT H ON Gun Metal Bronze 930 50° 1-10V	495,00	5.6
ATWO2WH/927/16/A	Wally 2 AT H ON White 927 16° 1-10V	495,00	5.6
ATWO2WH/927/36/A	Wally 2 AT H ON White 927 36° 1-10V	495,00	5.6
ATWO2WH/927/50/A	Wally 2 AT H ON White 927 50° 1-10V	495,00	5.6
ATWO2WH/930/16/A	Wally 2 AT H ON White 930 16° 1-10V	495,00	5.6
ATWO2WH/930/36/A	Wally 2 AT H ON White 930 36° 1-10V	495,00	5.6
ATWO2WH/930/50/A	Wally 2 AT H ON White 930 50° 1-10V	495,00	5.6
ATWO2BL/927/16/A	Wally 2 AT H ON Black 927 16° 1-10V	495,00	5.6
ATWO2BL/927/36/A	Wally 2 AT H ON Black 927 36° 1-10V	495,00	5.6
ATWO2BL/927/50/A	Wally 2 AT H ON Black 927 50° 1-10V	495,00	5.6
ATWO2BL/930/16/A	Wally 2 AT H ON Black 930 16° 1-10V	495,00	5.6
ATWO2BL/930/36/A	Wally 2 AT H ON Black 930 36° 1-10V	495,00	5.6
ATWO2BL/930/50/A	Wally 2 AT H ON Black 930 50° 1-10V	495,00	5.6
ATWO2BR/927/16/D	Wally 2 AT H ON Bronze 927 16° Dali	495,00	5.6
ATWO2BR/927/36/D	Wally 2 AT H ON Bronze 927 36° Dali	495,00	5.6
ATWO2BR/927/50/D	Wally 2 AT H ON Bronze 927 50° Dali	495,00	5.6
ATWO2BR/930/16/D	Wally 2 AT H ON Bronze 930 16° Dali	495,00	5.6
ATWO2BR/930/36/D	Wally 2 AT H ON Bronze 930 36° Dali	495,00	5.6
ATWO2BR/930/50/D	Wally 2 AT H ON Bronze 930 50° Dali	495,00	5.6
ATWO2CH/927/16/D	Wally 2 AT H ON Champagne 927 16° Dali	495,00	5.6
ATWO2CH/927/36/D	Wally 2 AT H ON Champagne 927 36° Dali	495,00	5.6
ATWO2CH/927/50/D	Wally 2 AT H ON Champagne 927 50° Dali	495,00	5.6
ATWO2CH/930/16/D	Wally 2 AT H ON Champagne 930 16° Dali	495,00	5.6
ATWO2CH/930/36/D	Wally 2 AT H ON Champagne 930 36° Dali	495,00	5.6
ATWO2CH/930/50/D	Wally 2 AT H ON Champagne 930 50° Dali	495,00	5.6
ATWO2GM/927/16/D	Wally 2 AT H ON Gun Metal Bronze 927 16° Dali	495,00	5.6
ATWO2GM/927/36/D	Wally 2 AT H ON Gun Metal Bronze 927 36° Dali	495,00	5.6
ATWO2GM/927/50/D	Wally 2 AT H ON Gun Metal Bronze 927 50° Dali	495,00	5.6
ATWO2GM/930/16/D	Wally 2 AT H ON Gun Metal Bronze 930 16° Dali	495,00	5.6
ATWO2GM/930/36/D	Wally 2 AT H ON Gun Metal Bronze 930 36° Dali	495,00	5.6
ATWO2GM/930/50/D	Wally 2 AT H ON Gun Metal Bronze 930 50° Dali	495,00	5.6
ATWO2WH/927/16/D	Wally 2 AT H ON White 927 16° Dali	495,00	5.6
ATWO2WH/927/36/D	Wally 2 AT H ON White 927 36° Dali	495,00	5.6
ATWO2WH/927/50/D	Wally 2 AT H ON White 927 50° Dali	495,00	5.6
ATWO2WH/930/16/D	Wally 2 AT H ON White 930 16° Dali	495,00	5.6
ATWO2WH/930/36/D	Wally 2 AT H ON White 930 36° Dali	495,00	5.6
ATWO2WH/930/50/D	Wally 2 AT H ON White 930 50° Dali	495,00	5.6
ATWO2BL/927/16/D	Wally 2 AT H ON Black 927 16° Dali	495,00	5.6

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

ATWO2BL/927/36/D	Wally 2 AT H ON Black 927 36° Dali	495,00	5.6
ATWO2BL/927/50/D	Wally 2 AT H ON Black 927 50° Dali	495,00	5.6
ATWO2BL/930/16/D	Wally 2 AT H ON Black 930 16° Dali	495,00	5.6
ATWO2BL/930/36/D	Wally 2 AT H ON Black 930 36° Dali	495,00	5.6
ATWO2BL/930/50/D	Wally 2 AT H ON Black 930 50° Dali	495,00	5.6
ATLWOBR/927/16/A	Wally AT L ON Bronze 927 16° 1-10V	301,00	5.6
ATLWOBR/927/36/A	Wally AT L ON Bronze 927 36° 1-10V	301,00	5.6
ATLWOBR/927/50/A	Wally AT L ON Bronze 927 50° 1-10V	301,00	5.6
ATLWOBR/930/16/A	Wally AT L ON Bronze 930 16° 1-10V	301,00	5.6
ATLWOBR/930/36/A	Wally AT L ON Bronze 930 36° 1-10V	301,00	5.6
ATLWOBR/930/50/A	Wally AT L ON Bronze 930 50° 1-10V	301,00	5.6
ATLWOCH/927/16/A	Wally AT L ON Champagne 927 16° 1-10V	301,00	5.6
ATLWOCH/927/36/A	Wally AT L ON Champagne 927 36° 1-10V	301,00	5.6
ATLWOCH/927/50/A	Wally AT L ON Champagne 927 50° 1-10V	301,00	5.6
ATLWOCH/930/16/A	Wally AT L ON Champagne 930 16° 1-10V	301,00	5.6
ATLWOCH/930/36/A	Wally AT L ON Champagne 930 36° 1-10V	301,00	5.6
ATLWOCH/930/50/A	Wally AT L ON Champagne 930 50° 1-10V	301,00	5.6
ATLWOGM/927/16/A	Wally AT L ON Gun Metal Bronze 927 16° 1-10V	301,00	5.6
ATLWOGM/927/36/A	Wally AT L ON Gun Metal Bronze 927 36° 1-10V	301,00	5.6
ATLWOGM/927/50/A	Wally AT L ON Gun Metal Bronze 927 50° 1-10V	301,00	5.6
ATLWOGM/930/16/A	Wally AT L ON Gun Metal Bronze 930 16° 1-10V	301,00	5.6
ATLWOGM/930/36/A	Wally AT L ON Gun Metal Bronze 930 36° 1-10V	301,00	5.6
ATLWOGM/930/50/A	Wally AT L ON Gun Metal Bronze 930 50° 1-10V	301,00	5.6
ATLWOWH/927/16/A	Wally AT L ON White 927 16° 1-10V	301,00	5.6
ATLWOWH/927/36/A	Wally AT L ON White 927 36° 1-10V	301,00	5.6
ATLWOWH/927/50/A	Wally AT L ON White 927 50° 1-10V	301,00	5.6
ATLWOWH/930/16/A	Wally AT L ON White 930 16° 1-10V	301,00	5.6
ATLWOWH/930/36/A	Wally AT L ON White 930 36° 1-10V	301,00	5.6
ATLWOWH/930/50/A	Wally AT L ON White 930 50° 1-10V	301,00	5.6
ATLWOBL/927/16/A	Wally AT L ON Black 927 16° 1-10V	301,00	5.6
ATLWOBL/927/36/A	Wally AT L ON Black 927 36° 1-10V	301,00	5.6
ATLWOBL/927/50/A	Wally AT L ON Black 927 50° 1-10V	301,00	5.6
ATLWOBL/930/16/A	Wally AT L ON Black 930 16° 1-10V	301,00	5.6
ATLWOBL/930/36/A	Wally AT L ON Black 930 36° 1-10V	301,00	5.6
ATLWOBL/930/50/A	Wally AT L ON Black 930 50° 1-10V	301,00	5.6
ATLWOBR/927/16/D	Wally AT L ON Bronze 927 16° Dali	301,00	5.6
ATLWOBR/927/36/D	Wally AT L ON Bronze 927 36° Dali	301,00	5.6
ATLWOBR/927/50/D	Wally AT L ON Bronze 927 50° Dali	301,00	5.6
ATLWOBR/930/16/D	Wally AT L ON Bronze 930 16° Dali	301,00	5.6
ATLWOBR/930/36/D	Wally AT L ON Bronze 930 36° Dali	301,00	5.6
ATLWOBR/930/50/D	Wally AT L ON Bronze 930 50° Dali	301,00	5.6
ATLWOCH/927/16/D	Wally AT L ON Champagne 927 16° Dali	301,00	5.6
ATLWOCH/927/36/D	Wally AT L ON Champagne 927 36° Dali	301,00	5.6
ATLWOCH/927/50/D	Wally AT L ON Champagne 927 50° Dali	301,00	5.6
ATLWOCH/930/16/D	Wally AT L ON Champagne 930 16° Dali	301,00	5.6
ATLWOCH/930/36/D	Wally AT L ON Champagne 930 36° Dali	301,00	5.6
ATLWOCH/930/50/D	Wally AT L ON Champagne 930 50° Dali	301,00	5.6
ATLWOGM/927/16/D	Wally AT L ON Gun Metal Bronze 927 16° Dali	301,00	5.6
ATLWOGM/927/36/D	Wally AT L ON Gun Metal Bronze 927 36° Dali	301,00	5.6
ATLWOGM/927/50/D	Wally AT L ON Gun Metal Bronze 927 50° Dali	301,00	5.6
ATLWOGM/930/16/D	Wally AT L ON Gun Metal Bronze 930 16° Dali	301,00	5.6
ATLWOGM/930/36/D	Wally AT L ON Gun Metal Bronze 930 36° Dali	301,00	5.6
ATLWOGM/930/50/D	Wally AT L ON Gun Metal Bronze 930 50° Dali	301,00	5.6
ATLWOWH/927/16/D	Wally AT L ON White 927 16° Dali	301,00	5.6
ATLWOWH/927/36/D	Wally AT L ON White 927 36° Dali	301,00	5.6
ATLWOWH/927/50/D	Wally AT L ON White 927 50° Dali	301,00	5.6
ATLWOWH/930/16/D	Wally AT L ON White 930 16° Dali	301,00	5.6
ATLWOWH/930/36/D	Wally AT L ON White 930 36° Dali	301,00	5.6
ATLWOWH/930/50/D	Wally AT L ON White 930 50° Dali	301,00	5.6
ATLWOBL/927/16/D	Wally AT L ON Black 927 16° Dali	301,00	5.6
ATLWOBL/927/36/D	Wally AT L ON Black 927 36° Dali	301,00	5.6
ATLWOBL/927/50/D	Wally AT L ON Black 927 50° Dali	301,00	5.6
ATLWOBL/930/16/D	Wally AT L ON Black 930 16° Dali	301,00	5.6
ATLWOBL/930/36/D	Wally AT L ON Black 930 36° Dali	301,00	5.6
ATLWOBL/930/50/D	Wally AT L ON Black 930 50° Dali	301,00	5.6
ATLWO2BR/927/16/A	Wally 2 AT L ON Bronze 927 16° 1-10V	485,00	5.6
ATLWO2BR/927/36/A	Wally 2 AT L ON Bronze 927 36° 1-10V	485,00	5.6
ATLWO2BR/927/50/A	Wally 2 AT L ON Bronze 927 50° 1-10V	485,00	5.6
ATLWO2BR/930/16/A	Wally 2 AT L ON Bronze 930 16° 1-10V	485,00	5.6
ATLWO2BR/930/36/A	Wally 2 AT L ON Bronze 930 36° 1-10V	485,00	5.6
ATLWO2BR/930/50/A	Wally 2 AT L ON Bronze 930 50° 1-10V	485,00	5.6
ATLWO2CH/927/16/A	Wally 2 AT L ON Champagne 927 16° 1-10V	485,00	5.6
ATLWO2CH/927/36/A	Wally 2 AT L ON Champagne 927 36° 1-10V	485,00	5.6
ATLWO2CH/927/50/A	Wally 2 AT L ON Champagne 927 50° 1-10V	485,00	5.6
ATLWO2CH/930/16/A	Wally 2 AT L ON Champagne 930 16° 1-10V	485,00	5.6
ATLWO2CH/930/36/A	Wally 2 AT L ON Champagne 930 36° 1-10V	485,00	5.6
ATLWO2CH/930/50/A	Wally 2 AT L ON Champagne 930 50° 1-10V	485,00	5.6
ATLWO2GM/927/16/A	Wally 2 AT L ON Gun Metal Bronze 927 16° 1-10V	485,00	5.6
ATLWO2GM/927/36/A	Wally 2 AT L ON Gun Metal Bronze 927 36° 1-10V	485,00	5.6
ATLWO2GM/927/50/A	Wally 2 AT L ON Gun Metal Bronze 927 50° 1-10V	485,00	5.6
ATLWO2GM/930/16/A	Wally 2 AT L ON Gun Metal Bronze 930 16° 1-10V	485,00	5.6
ATLWO2GM/930/36/A	Wally 2 AT L ON Gun Metal Bronze 930 36° 1-10V	485,00	5.6
ATLWO2GM/930/50/A	Wally 2 AT L ON Gun Metal Bronze 930 50° 1-10V	485,00	5.6
ATLWO2WH/927/16/A	Wally 2 AT L ON White 927 16° 1-10V	485,00	5.6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

ATLWO2WH/927/36/A	Wally 2 AT L ON White 927 36° 1-10V	485,00	5,6
ATLWO2WH/927/50/A	Wally 2 AT L ON White 927 50° 1-10V	485,00	5,6
ATLWO2WH/930/16/A	Wally 2 AT L ON White 930 16° 1-10V	485,00	5,6
ATLWO2WH/930/36/A	Wally 2 AT L ON White 930 36° 1-10V	485,00	5,6
ATLWO2WH/930/50/A	Wally 2 AT L ON White 930 50° 1-10V	485,00	5,6
ATLWO2BL/927/16/A	Wally 2 AT L ON Black 927 16° 1-10V	485,00	5,6
ATLWO2BL/927/36/A	Wally 2 AT L ON Black 927 36° 1-10V	485,00	5,6
ATLWO2BL/927/50/A	Wally 2 AT L ON Black 927 50° 1-10V	485,00	5,6
ATLWO2BL/930/16/A	Wally 2 AT L ON Black 930 16° 1-10V	485,00	5,6
ATLWO2BL/930/36/A	Wally 2 AT L ON Black 930 36° 1-10V	485,00	5,6
ATLWO2BL/930/50/A	Wally 2 AT L ON Black 930 50° 1-10V	485,00	5,6
ATLWO2BR/927/16/D	Wally 2 AT L ON Bronze 927 16° Dali	485,00	5,6
ATLWO2BR/927/36/D	Wally 2 AT L ON Bronze 927 36° Dali	485,00	5,6
ATLWO2BR/927/50/D	Wally 2 AT L ON Bronze 927 50° Dali	485,00	5,6
ATLWO2BR/930/16/D	Wally 2 AT L ON Bronze 930 16° Dali	485,00	5,6
ATLWO2BR/930/36/D	Wally 2 AT L ON Bronze 930 36° Dali	485,00	5,6
ATLWO2BR/930/50/D	Wally 2 AT L ON Bronze 930 50° Dali	485,00	5,6
ATLWO2CH/927/16/D	Wally 2 AT L ON Champagne 927 16° Dali	485,00	5,6
ATLWO2CH/927/36/D	Wally 2 AT L ON Champagne 927 36° Dali	485,00	5,6
ATLWO2CH/927/50/D	Wally 2 AT L ON Champagne 927 50° Dali	485,00	5,6
ATLWO2CH/930/16/D	Wally 2 AT L ON Champagne 930 16° Dali	485,00	5,6
ATLWO2CH/930/36/D	Wally 2 AT L ON Champagne 930 36° Dali	485,00	5,6
ATLWO2CH/930/50/D	Wally 2 AT L ON Champagne 930 50° Dali	485,00	5,6
ATLWO2GM/927/16/D	Wally 2 AT L ON Gun Metal Bronze 927 16° Dali	485,00	5,6
ATLWO2GM/927/36/D	Wally 2 AT L ON Gun Metal Bronze 927 36° Dali	485,00	5,6
ATLWO2GM/927/50/D	Wally 2 AT L ON Gun Metal Bronze 927 50° Dali	485,00	5,6
ATLWO2GM/930/16/D	Wally 2 AT L ON Gun Metal Bronze 930 16° Dali	485,00	5,6
ATLWO2GM/930/36/D	Wally 2 AT L ON Gun Metal Bronze 930 36° Dali	485,00	5,6
ATLWO2GM/930/50/D	Wally 2 AT L ON Gun Metal Bronze 930 50° Dali	485,00	5,6
ATLWO2WH/927/16/D	Wally 2 AT L ON White 927 16° Dali	485,00	5,6
ATLWO2WH/927/36/D	Wally 2 AT L ON White 927 36° Dali	485,00	5,6
ATLWO2WH/927/50/D	Wally 2 AT L ON White 927 50° Dali	485,00	5,6
ATLWO2WH/930/16/D	Wally 2 AT L ON White 930 16° Dali	485,00	5,6
ATLWO2WH/930/36/D	Wally 2 AT L ON White 930 36° Dali	485,00	5,6
ATLWO2WH/930/50/D	Wally 2 AT L ON White 930 50° Dali	485,00	5,6
ATLWO2BL/927/16/D	Wally 2 AT L ON Black 927 16° Dali	485,00	5,6
ATLWO2BL/927/36/D	Wally 2 AT L ON Black 927 36° Dali	485,00	5,6
ATLWO2BL/927/50/D	Wally 2 AT L ON Black 927 50° Dali	485,00	5,6
ATLWO2BL/930/16/D	Wally 2 AT L ON Black 930 16° Dali	485,00	5,6
ATLWO2BL/930/36/D	Wally 2 AT L ON Black 930 36° Dali	485,00	5,6
ATLWO2BL/930/50/D	Wally 2 AT L ON Black 930 50° Dali	485,00	5,6
ATWSBR/927/16/A	Wally AT Susp. Bronze 927 16° 1-10V	348,00	5,6
ATWSBR/927/36/A	Wally AT Susp. Bronze 927 36° 1-10V	348,00	5,6
ATWSBR/927/50/A	Wally AT Susp. Bronze 927 50° 1-10V	348,00	5,6
ATWSBR/930/16/A	Wally AT Susp. Bronze 930 16° 1-10V	348,00	5,6
ATWSBR/930/36/A	Wally AT Susp. Bronze 930 36° 1-10V	348,00	5,6
ATWSBR/930/50/A	Wally AT Susp. Bronze 930 50° 1-10V	348,00	5,6
ATWSCH/927/16/A	Wally AT Susp. Champagne 927 16° 1-10V	348,00	5,6
ATWSCH/927/36/A	Wally AT Susp. Champagne 927 36° 1-10V	348,00	5,6
ATWSCH/927/50/A	Wally AT Susp. Champagne 927 50° 1-10V	348,00	5,6
ATWSCH/930/16/A	Wally AT Susp. Champagne 930 16° 1-10V	348,00	5,6
ATWSCH/930/36/A	Wally AT Susp. Champagne 930 36° 1-10V	348,00	5,6
ATWSCH/930/50/A	Wally AT Susp. Champagne 930 50° 1-10V	348,00	5,6
ATWSGM/927/16/A	Wally AT Susp. Gun Metal Bronze 927 16° 1-10V	348,00	5,6
ATWSGM/927/36/A	Wally AT Susp. Gun Metal Bronze 927 36° 1-10V	348,00	5,6
ATWSGM/927/50/A	Wally AT Susp. Gun Metal Bronze 927 50° 1-10V	348,00	5,6
ATWSGM/930/16/A	Wally AT Susp. Gun Metal Bronze 930 16° 1-10V	348,00	5,6
ATWSGM/930/36/A	Wally AT Susp. Gun Metal Bronze 930 36° 1-10V	348,00	5,6
ATWSGM/930/50/A	Wally AT Susp. Gun Metal Bronze 930 50° 1-10V	348,00	5,6
ATWSWH/927/16/A	Wally AT Susp. White 927 16° 1-10V	348,00	5,6
ATWSWH/927/36/A	Wally AT Susp. White 927 36° 1-10V	348,00	5,6
ATWSWH/927/50/A	Wally AT Susp. White 927 50° 1-10V	348,00	5,6
ATWSWH/930/16/A	Wally AT Susp. White 930 16° 1-10V	348,00	5,6
ATWSWH/930/36/A	Wally AT Susp. White 930 36° 1-10V	348,00	5,6
ATWSWH/930/50/A	Wally AT Susp. White 930 50° 1-10V	348,00	5,6
ATWSBL/927/16/A	Wally AT Susp. Black 927 16° 1-10V	348,00	5,6
ATWSBL/927/36/A	Wally AT Susp. Black 927 36° 1-10V	348,00	5,6
ATWSBL/927/50/A	Wally AT Susp. Black 927 50° 1-10V	348,00	5,6
ATWSBL/930/16/A	Wally AT Susp. Black 930 16° 1-10V	348,00	5,6
ATWSBL/930/36/A	Wally AT Susp. Black 930 36° 1-10V	348,00	5,6
ATWSBL/930/50/A	Wally AT Susp. Black 930 50° 1-10V	348,00	5,6
ATWSBR/927/16/D	Wally AT Susp. Bronze 927 16° Dali	348,00	5,6
ATWSBR/927/36/D	Wally AT Susp. Bronze 927 36° Dali	348,00	5,6
ATWSBR/927/50/D	Wally AT Susp. Bronze 927 50° Dali	348,00	5,6
ATWSBR/930/16/D	Wally AT Susp. Bronze 930 16° Dali	348,00	5,6
ATWSBR/930/36/D	Wally AT Susp. Bronze 930 36° Dali	348,00	5,6
ATWSBR/930/50/D	Wally AT Susp. Bronze 930 50° Dali	348,00	5,6
ATWSCH/927/16/D	Wally AT Susp. Champagne 927 16° Dali	348,00	5,6
ATWSCH/927/36/D	Wally AT Susp. Champagne 927 36° Dali	348,00	5,6
ATWSCH/927/50/D	Wally AT Susp. Champagne 927 50° Dali	348,00	5,6
ATWSCH/930/16/D	Wally AT Susp. Champagne 930 16° Dali	348,00	5,6
ATWSCH/930/36/D	Wally AT Susp. Champagne 930 36° Dali	348,00	5,6
ATWSCH/930/50/D	Wally AT Susp. Champagne 930 50° Dali	348,00	5,6
ATWSGM/927/16/D	Wally AT Susp. Gun Metal Bronze 927 16° Dali	348,00	5,6

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

ATWSGM/927/36/D	Wally AT Susp. Gun Metal Bronze 927 36° Dali	348,00	5.6
ATWSGM/927/50/D	Wally AT Susp. Gun Metal Bronze 927 50° Dali	348,00	5.6
ATWSGM/930/16/D	Wally AT Susp. Gun Metal Bronze 930 16° Dali	348,00	5.6
ATWSGM/930/36/D	Wally AT Susp. Gun Metal Bronze 930 36° Dali	348,00	5.6
ATWSGM/930/50/D	Wally AT Susp. Gun Metal Bronze 930 50° Dali	348,00	5.6
ATWSWH/927/16/D	Wally AT Susp. White 927 16° Dali	348,00	5.6
ATWSWH/927/36/D	Wally AT Susp. White 927 36° Dali	348,00	5.6
ATWSWH/927/50/D	Wally AT Susp. White 927 50° Dali	348,00	5.6
ATWSWH/930/16/D	Wally AT Susp. White 930 16° Dali	348,00	5.6
ATWSWH/930/36/D	Wally AT Susp. White 930 36° Dali	348,00	5.6
ATWSWH/930/50/D	Wally AT Susp. White 930 50° Dali	348,00	5.6
ATWSBL/927/16/D	Wally AT Susp. Black 927 16° Dali	348,00	5.6
ATWSBL/927/36/D	Wally AT Susp. Black 927 36° Dali	348,00	5.6
ATWSBL/927/50/D	Wally AT Susp. Black 927 50° Dali	348,00	5.6
ATWSBL/930/16/D	Wally AT Susp. Black 930 16° Dali	348,00	5.6
ATWSBL/930/36/D	Wally AT Susp. Black 930 36° Dali	348,00	5.6
ATWSBL/930/50/D	Wally AT Susp. Black 930 50° Dali	348,00	5.6
DWBR/927/16/PD	Doxx Wally Bronze 927 16° Phase Dim	264,02	5.6
DWBR/927/36/PD	Doxx Wally Bronze 927 36° Phase Dim	264,02	5.6
DWBR/927/50/PD	Doxx Wally Bronze 927 50° Phase Dim	264,02	5.6
DWBR/930/16/PD	Doxx Wally Bronze 930 16° Phase Dim	264,02	5.6
DWBR/930/36/PD	Doxx Wally Bronze 930 36° Phase Dim	264,02	5.6
DWBR/930/50/PD	Doxx Wally Bronze 930 50° Phase Dim	264,02	5.6
DWCH/927/16/PD	Doxx Wally Champagne 927 16° Phase Dim	264,02	5.6
DWCH/927/36/PD	Doxx Wally Champagne 927 36° Phase Dim	264,02	5.6
DWCH/927/50/PD	Doxx Wally Champagne 927 50° Phase Dim	264,02	5.6
DWCH/930/16/PD	Doxx Wally Champagne 930 16° Phase Dim	264,02	5.6
DWCH/930/36/PD	Doxx Wally Champagne 930 36° Phase Dim	264,02	5.6
DWCH/930/50/PD	Doxx Wally Champagne 930 50° Phase Dim	264,02	5.6
DWGM/927/16/PD	Doxx Wally Gun Metal Bronze 927 16° Phase Dim	264,02	5.6
DWGM/927/36/PD	Doxx Wally Gun Metal Bronze 927 36° Phase Dim	264,02	5.6
DWGM/927/50/PD	Doxx Wally Gun Metal Bronze 927 50° Phase Dim	264,02	5.6
DWGM/930/16/PD	Doxx Wally Gun Metal Bronze 930 16° Phase Dim	264,02	5.6
DWGM/930/36/PD	Doxx Wally Gun Metal Bronze 930 36° Phase Dim	264,02	5.6
DWGM/930/50/PD	Doxx Wally Gun Metal Bronze 930 50° Phase Dim	264,02	5.6
DWWH/927/16/PD	Doxx Wally White 927 16° Phase Dim	264,02	5.6
DWWH/927/36/PD	Doxx Wally White 927 36° Phase Dim	264,02	5.6
DWWH/927/50/PD	Doxx Wally White 927 50° Phase Dim	264,02	5.6
DWWH/930/16/PD	Doxx Wally White 930 16° Phase Dim	264,02	5.6
DWWH/930/36/PD	Doxx Wally White 930 36° Phase Dim	264,02	5.6
DWWH/930/50/PD	Doxx Wally White 930 50° Phase Dim	264,02	5.6
DWBL/927/16/PD	Doxx Wally Black 927 16° Phase Dim	264,02	5.6
DWBL/927/36/PD	Doxx Wally Black 927 36° Phase Dim	264,02	5.6
DWBL/927/50/PD	Doxx Wally Black 927 50° Phase Dim	264,02	5.6
DWBL/930/16/PD	Doxx Wally Black 930 16° Phase Dim	264,02	5.6
DWBL/930/36/PD	Doxx Wally Black 930 36° Phase Dim	264,02	5.6
DWBL/930/50/PD	Doxx Wally Black 930 50° Phase Dim	264,02	5.6
DWBR/927/16/D	Doxx Wally Bronze 927 16° dali	308,60	5.6
DWBR/927/36/D	Doxx Wally Bronze 927 36° dali	308,60	5.6
DWBR/927/50/D	Doxx Wally Bronze 927 50° dali	308,60	5.6
DWBR/930/16/D	Doxx Wally Bronze 930 16° dali	308,60	5.6
DWBR/930/36/D	Doxx Wally Bronze 930 36° dali	308,60	5.6
DWBR/930/50/D	Doxx Wally Bronze 930 50° dali	308,60	5.6
DWCH/927/16/D	Doxx Wally Champagne 927 16° dali	308,60	5.6
DWCH/927/36/D	Doxx Wally Champagne 927 36° dali	308,60	5.6
DWCH/927/50/D	Doxx Wally Champagne 927 50° dali	308,60	5.6
DWCH/930/16/D	Doxx Wally Champagne 930 16° dali	308,60	5.6
DWCH/930/36/D	Doxx Wally Champagne 930 36° dali	308,60	5.6
DWCH/930/50/D	Doxx Wally Champagne 930 50° dali	308,60	5.6
DWGM/927/16/D	Doxx Wally Gun Metal Bronze 927 16° dali	308,60	5.6
DWGM/927/36/D	Doxx Wally Gun Metal Bronze 927 36° dali	308,60	5.6
DWGM/927/50/D	Doxx Wally Gun Metal Bronze 927 50° dali	308,60	5.6
DWGM/930/16/D	Doxx Wally Gun Metal Bronze 930 16° dali	308,60	5.6
DWGM/930/36/D	Doxx Wally Gun Metal Bronze 930 36° dali	308,60	5.6
DWGM/930/50/D	Doxx Wally Gun Metal Bronze 930 50° dali	308,60	5.6
DWWH/927/16/D	Doxx Wally White 927 16° dali	308,60	5.6
DWWH/927/36/D	Doxx Wally White 927 36° dali	308,60	5.6
DWWH/927/50/D	Doxx Wally White 927 50° dali	308,60	5.6
DWWH/930/16/D	Doxx Wally White 930 16° dali	308,60	5.6
DWWH/930/36/D	Doxx Wally White 930 36° dali	308,60	5.6
DWWH/930/50/D	Doxx Wally White 930 50° dali	308,60	5.6
DWBL/927/16/D	Doxx Wally Black 927 16° dali	308,60	5.6
DWBL/927/36/D	Doxx Wally Black 927 36° dali	308,60	5.6
DWBL/927/50/D	Doxx Wally Black 927 50° dali	308,60	5.6
DWBL/930/16/D	Doxx Wally Black 930 16° dali	308,60	5.6
DWBL/930/36/D	Doxx Wally Black 930 36° dali	308,60	5.6
DWBL/930/50/D	Doxx Wally Black 930 50° dali	308,60	5.6
DWOBR/927/16/PD	Doxx Wally ON Bronze 927 16° Phase Dim	256,52	5.6
DWOBR/927/36/PD	Doxx Wally ON Bronze 927 36° Phase Dim	256,52	5.6
DWOBR/927/50/PD	Doxx Wally ON Bronze 927 50° Phase Dim	256,52	5.6
DWOBR/930/16/PD	Doxx Wally ON Bronze 930 16° Phase Dim	256,52	5.6
DWOBR/930/36/PD	Doxx Wally ON Bronze 930 36° Phase Dim	256,52	5.6
DWOBR/930/50/PD	Doxx Wally ON Bronze 930 50° Phase Dim	256,52	5.6
DWOCH/927/16/PD	Doxx Wally ON Champagne 927 16° Phase Dim	256,52	5.6

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

DWOCH/927/36/PD	Doxx Wally ON Champagne 927 36° Phase Dim	256,52	5,6
DWOCH/927/50/PD	Doxx Wally ON Champagne 927 50° Phase Dim	256,52	5,6
DWOCH/930/16/PD	Doxx Wally ON Champagne 930 16° Phase Dim	256,52	5,6
DWOCH/930/36/PD	Doxx Wally ON Champagne 930 36° Phase Dim	256,52	5,6
DWOCH/930/50/PD	Doxx Wally ON Champagne 930 50° Phase Dim	256,52	5,6
DWOGM/927/16/PD	Doxx Wally ON Gun Metal Bronze 927 16° Phase Dim	256,52	5,6
DWOGM/927/36/PD	Doxx Wally ON Gun Metal Bronze 927 36° Phase Dim	256,52	5,6
DWOGM/927/50/PD	Doxx Wally ON Gun Metal Bronze 927 50° Phase Dim	256,52	5,6
DWOGM/930/16/PD	Doxx Wally ON Gun Metal Bronze 930 16° Phase Dim	256,52	5,6
DWOGM/930/36/PD	Doxx Wally ON Gun Metal Bronze 930 36° Phase Dim	256,52	5,6
DWOGM/930/50/PD	Doxx Wally ON Gun Metal Bronze 930 50° Phase Dim	256,52	5,6
DWOWH/927/16/PD	Doxx Wally ON White 927 16° Phase Dim	256,52	5,6
DWOWH/927/36/PD	Doxx Wally ON White 927 36° Phase Dim	256,52	5,6
DWOWH/927/50/PD	Doxx Wally ON White 927 50° Phase Dim	256,52	5,6
DWOWH/930/16/PD	Doxx Wally ON White 930 16° Phase Dim	256,52	5,6
DWOWH/930/36/PD	Doxx Wally ON White 930 36° Phase Dim	256,52	5,6
DWOWH/930/50/PD	Doxx Wally ON White 930 50° Phase Dim	256,52	5,6
DWOBL/927/16/PD	Doxx Wally ON Black 927 16° Phase Dim	256,52	5,6
DWOBL/927/36/PD	Doxx Wally ON Black 927 36° Phase Dim	256,52	5,6
DWOBL/927/50/PD	Doxx Wally ON Black 927 50° Phase Dim	256,52	5,6
DWOBL/930/16/PD	Doxx Wally ON Black 930 16° Phase Dim	256,52	5,6
DWOBL/930/36/PD	Doxx Wally ON Black 930 36° Phase Dim	256,52	5,6
DWOBL/930/50/PD	Doxx Wally ON Black 930 50° Phase Dim	256,52	5,6
DWOBR/927/16/D	Doxx Wally ON Bronze 927 16° Dali	301,10	5,6
DWOBR/927/36/D	Doxx Wally ON Bronze 927 36° Dali	301,10	5,6
DWOBR/927/50/D	Doxx Wally ON Bronze 927 50° Dali	301,10	5,6
DWOBR/930/16/D	Doxx Wally ON Bronze 930 16° Dali	301,10	5,6
DWOBR/930/36/D	Doxx Wally ON Bronze 930 36° Dali	301,10	5,6
DWOBR/930/50/D	Doxx Wally ON Bronze 930 50° Dali	301,10	5,6
DWOCH/927/16/D	Doxx Wally ON Champagne 927 16° Dali	301,10	5,6
DWOCH/927/36/D	Doxx Wally ON Champagne 927 36° Dali	301,10	5,6
DWOCH/927/50/D	Doxx Wally ON Champagne 927 50° Dali	301,10	5,6
DWOCH/930/16/D	Doxx Wally ON Champagne 930 16° Dali	301,10	5,6
DWOCH/930/36/D	Doxx Wally ON Champagne 930 36° Dali	301,10	5,6
DWOCH/930/50/D	Doxx Wally ON Champagne 930 50° Dali	301,10	5,6
DWOGM/927/16/D	Doxx Wally ON Gun Metal Bronze 927 16° Dali	301,10	5,6
DWOGM/927/36/D	Doxx Wally ON Gun Metal Bronze 927 36° Dali	301,10	5,6
DWOGM/927/50/D	Doxx Wally ON Gun Metal Bronze 927 50° Dali	301,10	5,6
DWOGM/930/16/D	Doxx Wally ON Gun Metal Bronze 930 16° Dali	301,10	5,6
DWOGM/930/36/D	Doxx Wally ON Gun Metal Bronze 930 36° Dali	301,10	5,6
DWOGM/930/50/D	Doxx Wally ON Gun Metal Bronze 930 50° Dali	301,10	5,6
DWOWH/927/16/D	Doxx Wally ON White 927 16° Dali	301,10	5,6
DWOWH/927/36/D	Doxx Wally ON White 927 36° Dali	301,10	5,6
DWOWH/927/50/D	Doxx Wally ON White 927 50° Dali	301,10	5,6
DWOWH/930/16/D	Doxx Wally ON White 930 16° Dali	301,10	5,6
DWOWH/930/36/D	Doxx Wally ON White 930 36° Dali	301,10	5,6
DWOWH/930/50/D	Doxx Wally ON White 930 50° Dali	301,10	5,6
DWOBL/927/16/D	Doxx Wally ON Black 927 16° Dali	301,10	5,6
DWOBL/927/36/D	Doxx Wally ON Black 927 36° Dali	301,10	5,6
DWOBL/927/50/D	Doxx Wally ON Black 927 50° Dali	301,10	5,6
DWOBL/930/16/D	Doxx Wally ON Black 930 16° Dali	301,10	5,6
DWOBL/930/36/D	Doxx Wally ON Black 930 36° Dali	301,10	5,6
DWOBL/930/50/D	Doxx Wally ON Black 930 50° Dali	301,10	5,6
DWSBR/927/16/PD	Doxx Wally Susp. Bronze 927 16° Phase Dim	302,45	5,6
DWSBR/927/36/PD	Doxx Wally Susp. Bronze 927 36° Phase Dim	302,45	5,6
DWSBR/927/50/PD	Doxx Wally Susp. Bronze 927 50° Phase Dim	302,45	5,6
DWSBR/930/16/PD	Doxx Wally Susp. Bronze 930 16° Phase Dim	302,45	5,6
DWSBR/930/36/PD	Doxx Wally Susp. Bronze 930 36° Phase Dim	302,45	5,6
DWSBR/930/50/PD	Doxx Wally Susp. Bronze 930 50° Phase Dim	302,45	5,6
DWSCH/927/16/PD	Doxx Wally Susp. Champagne 927 16° Phase Dim	302,45	5,6
DWSCH/927/36/PD	Doxx Wally Susp. Champagne 927 36° Phase Dim	302,45	5,6
DWSCH/927/50/PD	Doxx Wally Susp. Champagne 927 50° Phase Dim	302,45	5,6
DWSCH/930/16/PD	Doxx Wally Susp. Champagne 930 16° Phase Dim	302,45	5,6
DWSCH/930/36/PD	Doxx Wally Susp. Champagne 930 36° Phase Dim	302,45	5,6
DWSCH/930/50/PD	Doxx Wally Susp. Champagne 930 50° Phase Dim	302,45	5,6
DWSGM/927/16/PD	Doxx Wally Susp. Gun Metal Bronze 927 16° Phase Dim	302,45	5,6
DWSGM/927/36/PD	Doxx Wally Susp. Gun Metal Bronze 927 36° Phase Dim	302,45	5,6
DWSGM/927/50/PD	Doxx Wally Susp. Gun Metal Bronze 927 50° Phase Dim	302,45	5,6
DWSGM/930/16/PD	Doxx Wally Susp. Gun Metal Bronze 930 16° Phase Dim	302,45	5,6
DWSGM/930/36/PD	Doxx Wally Susp. Gun Metal Bronze 930 36° Phase Dim	302,45	5,6
DWSGM/930/50/PD	Doxx Wally Susp. Gun Metal Bronze 930 50° Phase Dim	302,45	5,6
DWSWH/927/16/PD	Doxx Wally Susp. White 927 16° Phase Dim	302,45	5,6
DWSWH/927/36/PD	Doxx Wally Susp. White 927 36° Phase Dim	302,45	5,6
DWSWH/927/50/PD	Doxx Wally Susp. White 927 50° Phase Dim	302,45	5,6
DWSWH/930/16/PD	Doxx Wally Susp. White 930 16° Phase Dim	302,45	5,6
DWSWH/930/36/PD	Doxx Wally Susp. White 930 36° Phase Dim	302,45	5,6
DWSWH/930/50/PD	Doxx Wally Susp. White 930 50° Phase Dim	302,45	5,6
DWSBL/927/16/PD	Doxx Wally Susp. Black 927 16° Phase Dim	302,45	5,6
DWSBL/927/36/PD	Doxx Wally Susp. Black 927 36° Phase Dim	302,45	5,6
DWSBL/927/50/PD	Doxx Wally Susp. Black 927 50° Phase Dim	302,45	5,6
DWSBL/930/16/PD	Doxx Wally Susp. Black 930 16° Phase Dim	302,45	5,6
DWSBL/930/36/PD	Doxx Wally Susp. Black 930 36° Phase Dim	302,45	5,6
DWSBL/930/50/PD	Doxx Wally Susp. Black 930 50° Phase Dim	302,45	5,6
DWSBR/927/16/D	Doxx Wally Susp. Bronze 927 16° Dali	347,04	5,6

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

DWSBR/927/36/D	Doxx Wally Susp. Bronze 927 36° Dali	347,04	5.6
DWSBR/927/50/D	Doxx Wally Susp. Bronze 927 50° Dali	347,04	5.6
DWSBR/930/16/D	Doxx Wally Susp. Bronze 930 16° Dali	347,04	5.6
DWSBR/930/36/D	Doxx Wally Susp. Bronze 930 36° Dali	347,04	5.6
DWSBR/930/50/D	Doxx Wally Susp. Bronze 930 50° Dali	347,04	5.6
DWSCH/927/16/D	Doxx Wally Susp. Champagne 927 16° Dali	347,04	5.6
DWSCH/927/36/D	Doxx Wally Susp. Champagne 927 36° Dali	347,04	5.6
DWSCH/927/50/D	Doxx Wally Susp. Champagne 927 50° Dali	347,04	5.6
DWSCH/930/16/D	Doxx Wally Susp. Champagne 930 16° Dali	347,04	5.6
DWSCH/930/36/D	Doxx Wally Susp. Champagne 930 36° Dali	347,04	5.6
DWSCH/930/50/D	Doxx Wally Susp. Champagne 930 50° Dali	347,04	5.6
DWSGM/927/16/D	Doxx Wally Susp. Gun Metal Bronze 927 16° Dali	347,04	5.6
DWSGM/927/36/D	Doxx Wally Susp. Gun Metal Bronze 927 36° Dali	347,04	5.6
DWSGM/927/50/D	Doxx Wally Susp. Gun Metal Bronze 927 50° Dali	347,04	5.6
DWSGM/930/16/D	Doxx Wally Susp. Gun Metal Bronze 930 16° Dali	347,04	5.6
DWSGM/930/36/D	Doxx Wally Susp. Gun Metal Bronze 930 36° Dali	347,04	5.6
DWSGM/930/50/D	Doxx Wally Susp. Gun Metal Bronze 930 50° Dali	347,04	5.6
DWSWH/927/16/D	Doxx Wally Susp. White 927 16° Dali	347,04	5.6
DWSWH/927/36/D	Doxx Wally Susp. White 927 36° Dali	347,04	5.6
DWSWH/927/50/D	Doxx Wally Susp. White 927 50° Dali	347,04	5.6
DWSWH/930/16/D	Doxx Wally Susp. White 930 16° Dali	347,04	5.6
DWSWH/930/36/D	Doxx Wally Susp. White 930 36° Dali	347,04	5.6
DWSWH/930/50/D	Doxx Wally Susp. White 930 50° Dali	347,04	5.6
DWSBL/927/16/D	Doxx Wally Susp. Black 927 16° Dali	347,04	5.6
DWSBL/927/36/D	Doxx Wally Susp. Black 927 36° Dali	347,04	5.6
DWSBL/927/50/D	Doxx Wally Susp. Black 927 50° Dali	347,04	5.6
DWSBL/930/16/D	Doxx Wally Susp. Black 930 16° Dali	347,04	5.6
DWSBL/930/36/D	Doxx Wally Susp. Black 930 36° Dali	347,04	5.6
DWSBL/930/50/D	Doxx Wally Susp. Black 930 50° Dali	347,04	5.6
PL/WBR/927/16/PD	PL Wally Bronze 927 16° Phase Dim	352,02	5.6
PL/WBR/927/36/PD	PL Wally Bronze 927 36° Phase Dim	352,02	5.6
PL/WBR/927/50/PD	PL Wally Bronze 927 50° Phase Dim	352,02	5.6
PL/WBR/930/16/PD	PL Wally Bronze 930 16° Phase Dim	352,02	5.6
PL/WBR/930/36/PD	PL Wally Bronze 930 36° Phase Dim	352,02	5.6
PL/WBR/930/50/PD	PL Wally Bronze 930 50° Phase Dim	352,02	5.6
PL/WCH/927/16/PD	PL Wally Champagne 927 16° Phase Dim	352,02	5.6
PL/WCH/927/36/PD	PL Wally Champagne 927 36° Phase Dim	352,02	5.6
PL/WCH/927/50/PD	PL Wally Champagne 927 50° Phase Dim	352,02	5.6
PL/WCH/930/16/PD	PL Wally Champagne 930 16° Phase Dim	352,02	5.6
PL/WCH/930/36/PD	PL Wally Champagne 930 36° Phase Dim	352,02	5.6
PL/WCH/930/50/PD	PL Wally Champagne 930 50° Phase Dim	352,02	5.6
PL/WGM/927/16/PD	PL Wally Gun Metal Bronze 927 16° Phase Dim	352,02	5.6
PL/WGM/927/36/PD	PL Wally Gun Metal Bronze 927 36° Phase Dim	352,02	5.6
PL/WGM/927/50/PD	PL Wally Gun Metal Bronze 927 50° Phase Dim	352,02	5.6
PL/WGM/930/16/PD	PL Wally Gun Metal Bronze 930 16° Phase Dim	352,02	5.6
PL/WGM/930/36/PD	PL Wally Gun Metal Bronze 930 36° Phase Dim	352,02	5.6
PL/WGM/930/50/PD	PL Wally Gun Metal Bronze 930 50° Phase Dim	352,02	5.6
PL/WWH/927/16/PD	PL Wally White 927 16° Phase Dim	352,02	5.6
PL/WWH/927/36/PD	PL Wally White 927 36° Phase Dim	352,02	5.6
PL/WWH/927/50/PD	PL Wally White 927 50° Phase Dim	352,02	5.6
PL/WWH/930/16/PD	PL Wally White 930 16° Phase Dim	352,02	5.6
PL/WWH/930/36/PD	PL Wally White 930 36° Phase Dim	352,02	5.6
PL/WWH/930/50/PD	PL Wally White 930 50° Phase Dim	352,02	5.6
PL/WBL/927/16/PD	PL Wally Black 927 16° Phase Dim	352,02	5.6
PL/WBL/927/36/PD	PL Wally Black 927 36° Phase Dim	352,02	5.6
PL/WBL/927/50/PD	PL Wally Black 927 50° Phase Dim	352,02	5.6
PL/WBL/930/16/PD	PL Wally Black 930 16° Phase Dim	352,02	5.6
PL/WBL/930/36/PD	PL Wally Black 930 36° Phase Dim	352,02	5.6
PL/WBL/930/50/PD	PL Wally Black 930 50° Phase Dim	352,02	5.6
PL/WBR/927/16/D	PL Wally Bronze 927 16° Dali	411,47	5.6
PL/WBR/927/36/D	PL Wally Bronze 927 36° Dali	411,47	5.6
PL/WBR/927/50/D	PL Wally Bronze 927 50° Dali	411,47	5.6
PL/WBR/930/16/D	PL Wally Bronze 930 16° Dali	411,47	5.6
PL/WBR/930/36/D	PL Wally Bronze 930 36° Dali	411,47	5.6
PL/WBR/930/50/D	PL Wally Bronze 930 50° Dali	411,47	5.6
PL/WCH/927/16/D	PL Wally Champagne 927 16° Dali	411,47	5.6
PL/WCH/927/36/D	PL Wally Champagne 927 36° Dali	411,47	5.6
PL/WCH/927/50/D	PL Wally Champagne 927 50° Dali	411,47	5.6
PL/WCH/930/16/D	PL Wally Champagne 930 16° Dali	411,47	5.6
PL/WCH/930/36/D	PL Wally Champagne 930 36° Dali	411,47	5.6
PL/WCH/930/50/D	PL Wally Champagne 930 50° Dali	411,47	5.6
PL/WGM/927/16/D	PL Wally Gun Metal Bronze 927 16° Dali	411,47	5.6
PL/WGM/927/36/D	PL Wally Gun Metal Bronze 927 36° Dali	411,47	5.6
PL/WGM/927/50/D	PL Wally Gun Metal Bronze 927 50° Dali	411,47	5.6
PL/WGM/930/16/D	PL Wally Gun Metal Bronze 930 16° Dali	411,47	5.6
PL/WGM/930/36/D	PL Wally Gun Metal Bronze 930 36° Dali	411,47	5.6
PL/WGM/930/50/D	PL Wally Gun Metal Bronze 930 50° Dali	411,47	5.6
PL/WWH/927/16/D	PL Wally White 927 16° Dali	411,47	5.6
PL/WWH/927/36/D	PL Wally White 927 36° Dali	411,47	5.6
PL/WWH/927/50/D	PL Wally White 927 50° Dali	411,47	5.6
PL/WWH/930/16/D	PL Wally White 930 16° Dali	411,47	5.6
PL/WWH/930/36/D	PL Wally White 930 36° Dali	411,47	5.6
PL/WWH/930/50/D	PL Wally White 930 50° Dali	411,47	5.6
PL/WBL/927/16/D	PL Wally Black 927 16° Dali	411,47	5.6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

PL/WBL/927/36/D	PL Wally Black 927 36° Dali	411,47	5.6
PL/WBL/927/50/D	PL Wally Black 927 50° Dali	411,47	5.6
PL/WBL/930/16/D	PL Wally Black 930 16° Dali	411,47	5.6
PL/WBL/930/36/D	PL Wally Black 930 36° Dali	411,47	5.6
PL/WBL/930/50/D	PL Wally Black 930 50° Dali	411,47	5.6
PL/W2BR/927/16/PD	PL Wally 2 Bronze 927 16° Phase Dim	577,37	5.6
PL/W2BR/927/36/PD	PL Wally 2 Bronze 927 36° Phase Dim	577,37	5.6
PL/W2BR/927/50/PD	PL Wally 2 Bronze 927 50° Phase Dim	577,37	5.6
PL/W2BR/930/16/PD	PL Wally 2 Bronze 930 16° Phase Dim	577,37	5.6
PL/W2BR/930/36/PD	PL Wally 2 Bronze 930 36° Phase Dim	577,37	5.6
PL/W2BR/930/50/PD	PL Wally 2 Bronze 930 50° Phase Dim	577,37	5.6
PL/W2CH/927/16/PD	PL Wally 2 Champagne 927 16° Phase Dim	577,37	5.6
PL/W2CH/927/36/PD	PL Wally 2 Champagne 927 36° Phase Dim	577,37	5.6
PL/W2CH/927/50/PD	PL Wally 2 Champagne 927 50° Phase Dim	577,37	5.6
PL/W2CH/930/16/PD	PL Wally 2 Champagne 930 16° Phase Dim	577,37	5.6
PL/W2CH/930/36/PD	PL Wally 2 Champagne 930 36° Phase Dim	577,37	5.6
PL/W2CH/930/50/PD	PL Wally 2 Champagne 930 50° Phase Dim	577,37	5.6
PL/W2GM/927/16/PD	PL Wally 2 Gun Metal Bronze 927 16° Phase Dim	577,37	5.6
PL/W2GM/927/36/PD	PL Wally 2 Gun Metal Bronze 927 36° Phase Dim	577,37	5.6
PL/W2GM/927/50/PD	PL Wally 2 Gun Metal Bronze 927 50° Phase Dim	577,37	5.6
PL/W2GM/930/16/PD	PL Wally 2 Gun Metal Bronze 930 16° Phase Dim	577,37	5.6
PL/W2GM/930/36/PD	PL Wally 2 Gun Metal Bronze 930 36° Phase Dim	577,37	5.6
PL/W2GM/930/50/PD	PL Wally 2 Gun Metal Bronze 930 50° Phase Dim	577,37	5.6
PL/W2WH/927/16/PD	PL Wally 2 White 927 16° Phase Dim	577,37	5.6
PL/W2WH/927/36/PD	PL Wally 2 White 927 36° Phase Dim	577,37	5.6
PL/W2WH/927/50/PD	PL Wally 2 White 927 50° Phase Dim	577,37	5.6
PL/W2WH/930/16/PD	PL Wally 2 White 930 16° Phase Dim	577,37	5.6
PL/W2WH/930/36/PD	PL Wally 2 White 930 36° Phase Dim	577,37	5.6
PL/W2WH/930/50/PD	PL Wally 2 White 930 50° Phase Dim	577,37	5.6
PL/W2BL/927/16/PD	PL Wally 2 Black 927 16° Phase Dim	577,37	5.6
PL/W2BL/927/36/PD	PL Wally 2 Black 927 36° Phase Dim	577,37	5.6
PL/W2BL/927/50/PD	PL Wally 2 Black 927 50° Phase Dim	577,37	5.6
PL/W2BL/930/16/PD	PL Wally 2 Black 930 16° Phase Dim	577,37	5.6
PL/W2BL/930/36/PD	PL Wally 2 Black 930 36° Phase Dim	577,37	5.6
PL/W2BL/930/50/PD	PL Wally 2 Black 930 50° Phase Dim	577,37	5.6
PL/W2BR/927/16/D	PL Wally 2 Bronze 927 16° Dali	632,72	5.6
PL/W2BR/927/36/D	PL Wally 2 Bronze 927 36° Dali	632,72	5.6
PL/W2BR/927/50/D	PL Wally 2 Bronze 927 50° Dali	632,72	5.6
PL/W2BR/930/16/D	PL Wally 2 Bronze 930 16° Dali	632,72	5.6
PL/W2BR/930/36/D	PL Wally 2 Bronze 930 36° Dali	632,72	5.6
PL/W2BR/930/50/D	PL Wally 2 Bronze 930 50° Dali	632,72	5.6
PL/W2CH/927/16/D	PL Wally 2 Champagne 927 16° Dali	632,72	5.6
PL/W2CH/927/36/D	PL Wally 2 Champagne 927 36° Dali	632,72	5.6
PL/W2CH/927/50/D	PL Wally 2 Champagne 927 50° Dali	632,72	5.6
PL/W2CH/930/16/D	PL Wally 2 Champagne 930 16° Dali	632,72	5.6
PL/W2CH/930/36/D	PL Wally 2 Champagne 930 36° Dali	632,72	5.6
PL/W2CH/930/50/D	PL Wally 2 Champagne 930 50° Dali	632,72	5.6
PL/W2GM/927/16/D	PL Wally 2 Gun Metal Bronze 927 16° Dali	632,72	5.6
PL/W2GM/927/36/D	PL Wally 2 Gun Metal Bronze 927 36° Dali	632,72	5.6
PL/W2GM/927/50/D	PL Wally 2 Gun Metal Bronze 927 50° Dali	632,72	5.6
PL/W2GM/930/16/D	PL Wally 2 Gun Metal Bronze 930 16° Dali	632,72	5.6
PL/W2GM/930/36/D	PL Wally 2 Gun Metal Bronze 930 36° Dali	632,72	5.6
PL/W2GM/930/50/D	PL Wally 2 Gun Metal Bronze 930 50° Dali	632,72	5.6
PL/W2WH/927/16/D	PL Wally 2 White 927 16° Dali	632,72	5.6
PL/W2WH/927/36/D	PL Wally 2 White 927 36° Dali	632,72	5.6
PL/W2WH/927/50/D	PL Wally 2 White 927 50° Dali	632,72	5.6
PL/W2WH/930/16/D	PL Wally 2 White 930 16° Dali	632,72	5.6
PL/W2WH/930/36/D	PL Wally 2 White 930 36° Dali	632,72	5.6
PL/W2WH/930/50/D	PL Wally 2 White 930 50° Dali	632,72	5.6
PL/W2BL/927/16/D	PL Wally 2 Black 927 16° Dali	632,72	5.6
PL/W2BL/927/36/D	PL Wally 2 Black 927 36° Dali	632,72	5.6
PL/W2BL/927/50/D	PL Wally 2 Black 927 50° Dali	632,72	5.6
PL/W2BL/930/16/D	PL Wally 2 Black 930 16° Dali	632,72	5.6
PL/W2BL/930/36/D	PL Wally 2 Black 930 36° Dali	632,72	5.6
PL/W2BL/930/50/D	PL Wally 2 Black 930 50° Dali	632,72	5.6
PL/WOBR/927/16/PD	PL Wally ON Bronze 927 16° Phase Dim	342,02	5.6
PL/WOBR/927/36/PD	PL Wally ON Bronze 927 36° Phase Dim	342,02	5.6
PL/WOBR/927/50/PD	PL Wally ON Bronze 927 50° Phase Dim	342,02	5.6
PL/WOBR/930/16/PD	PL Wally ON Bronze 930 16° Phase Dim	342,02	5.6
PL/WOBR/930/36/PD	PL Wally ON Bronze 930 36° Phase Dim	342,02	5.6
PL/WOBR/930/50/PD	PL Wally ON Bronze 930 50° Phase Dim	342,02	5.6
PL/WOCH/927/16/PD	PL Wally ON Champagne 927 16° Phase Dim	342,02	5.6
PL/WOCH/927/36/PD	PL Wally ON Champagne 927 36° Phase Dim	342,02	5.6
PL/WOCH/927/50/PD	PL Wally ON Champagne 927 50° Phase Dim	342,02	5.6
PL/WOCH/930/16/PD	PL Wally ON Champagne 930 16° Phase Dim	342,02	5.6
PL/WOCH/930/36/PD	PL Wally ON Champagne 930 36° Phase Dim	342,02	5.6
PL/WOCH/930/50/PD	PL Wally ON Champagne 930 50° Phase Dim	342,02	5.6
PL/WOGM/927/16/PD	PL Wally ON Gun Metal Bronze 927 16° Phase Dim	342,02	5.6
PL/WOGM/927/36/PD	PL Wally ON Gun Metal Bronze 927 36° Phase Dim	342,02	5.6
PL/WOGM/927/50/PD	PL Wally ON Gun Metal Bronze 927 50° Phase Dim	342,02	5.6
PL/WOGM/930/16/PD	PL Wally ON Gun Metal Bronze 930 16° Phase Dim	342,02	5.6
PL/WOGM/930/36/PD	PL Wally ON Gun Metal Bronze 930 36° Phase Dim	342,02	5.6
PL/WOGM/930/50/PD	PL Wally ON Gun Metal Bronze 930 50° Phase Dim	342,02	5.6
PL/WOWH/927/16/PD	PL Wally ON White 927 16° Phase Dim	342,02	5.6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

PL/WOWH/927/36/PD	PL Wally ON White 927 36° Phase Dim	342,02	5.6
PL/WOWH/927/50/PD	PL Wally ON White 927 50° Phase Dim	342,02	5.6
PL/WOWH/930/16/PD	PL Wally ON White 930 16° Phase Dim	342,02	5.6
PL/WOWH/930/36/PD	PL Wally ON White 930 36° Phase Dim	342,02	5.6
PL/WOWH/930/50/PD	PL Wally ON White 930 50° Phase Dim	342,02	5.6
PL/WOBL/927/16/PD	PL Wally ON Black 927 16° Phase Dim	342,02	5.6
PL/WOBL/927/36/PD	PL Wally ON Black 927 36° Phase Dim	342,02	5.6
PL/WOBL/927/50/PD	PL Wally ON Black 927 50° Phase Dim	342,02	5.6
PL/WOBL/930/16/PD	PL Wally ON Black 930 16° Phase Dim	342,02	5.6
PL/WOBL/930/36/PD	PL Wally ON Black 930 36° Phase Dim	342,02	5.6
PL/WOBL/930/50/PD	PL Wally ON Black 930 50° Phase Dim	342,02	5.6
PL/WOBR/927/16/D	PL Wally ON Bronze 927 16° Dali	401,47	5.6
PL/WOBR/927/36/D	PL Wally ON Bronze 927 36° Dali	401,47	5.6
PL/WOBR/927/50/D	PL Wally ON Bronze 927 50° Dali	401,47	5.6
PL/WOBR/930/16/D	PL Wally ON Bronze 930 16° Dali	401,47	5.6
PL/WOBR/930/36/D	PL Wally ON Bronze 930 36° Dali	401,47	5.6
PL/WOBR/930/50/D	PL Wally ON Bronze 930 50° Dali	401,47	5.6
PL/WOCH/927/16/D	PL Wally ON Champagne 927 16° Dali	401,47	5.6
PL/WOCH/927/36/D	PL Wally ON Champagne 927 36° Dali	401,47	5.6
PL/WOCH/927/50/D	PL Wally ON Champagne 927 50° Dali	401,47	5.6
PL/WOCH/930/16/D	PL Wally ON Champagne 930 16° Dali	401,47	5.6
PL/WOCH/930/36/D	PL Wally ON Champagne 930 36° Dali	401,47	5.6
PL/WOCH/930/50/D	PL Wally ON Champagne 930 50° Dali	401,47	5.6
PL/WOGM/927/16/D	PL Wally ON Gun Metal Bronze 927 16° Dali	401,47	5.6
PL/WOGM/927/36/D	PL Wally ON Gun Metal Bronze 927 36° Dali	401,47	5.6
PL/WOGM/927/50/D	PL Wally ON Gun Metal Bronze 927 50° Dali	401,47	5.6
PL/WOGM/930/16/D	PL Wally ON Gun Metal Bronze 930 16° Dali	401,47	5.6
PL/WOGM/930/36/D	PL Wally ON Gun Metal Bronze 930 36° Dali	401,47	5.6
PL/WOGM/930/50/D	PL Wally ON Gun Metal Bronze 930 50° Dali	401,47	5.6
PL/WOWH/927/16/D	PL Wally ON White 927 16° Dali	401,47	5.6
PL/WOWH/927/36/D	PL Wally ON White 927 36° Dali	401,47	5.6
PL/WOWH/927/50/D	PL Wally ON White 927 50° Dali	401,47	5.6
PL/WOWH/930/16/D	PL Wally ON White 930 16° Dali	401,47	5.6
PL/WOWH/930/36/D	PL Wally ON White 930 36° Dali	401,47	5.6
PL/WOWH/930/50/D	PL Wally ON White 930 50° Dali	401,47	5.6
PL/WOBL/927/16/D	PL Wally ON Black 927 16° Dali	401,47	5.6
PL/WOBL/927/36/D	PL Wally ON Black 927 36° Dali	401,47	5.6
PL/WOBL/927/50/D	PL Wally ON Black 927 50° Dali	401,47	5.6
PL/WOBL/930/16/D	PL Wally ON Black 930 16° Dali	401,47	5.6
PL/WOBL/930/36/D	PL Wally ON Black 930 36° Dali	401,47	5.6
PL/WOBL/930/50/D	PL Wally ON Black 930 50° Dali	401,47	5.6
PL/WO2BR/927/16/PD	PL Wally 2 ON Bronze 927 16° Phase Dim	567,37	5.6
PL/WO2BR/927/36/PD	PL Wally 2 ON Bronze 927 36° Phase Dim	567,37	5.6
PL/WO2BR/927/50/PD	PL Wally 2 ON Bronze 927 50° Phase Dim	567,37	5.6
PL/WO2BR/930/16/PD	PL Wally 2 ON Bronze 930 16° Phase Dim	567,37	5.6
PL/WO2BR/930/36/PD	PL Wally 2 ON Bronze 930 36° Phase Dim	567,37	5.6
PL/WO2BR/930/50/PD	PL Wally 2 ON Bronze 930 50° Phase Dim	567,37	5.6
PL/WO2CH/927/16/PD	PL Wally 2 ON Champagne 927 16° Phase Dim	567,37	5.6
PL/WO2CH/927/36/PD	PL Wally 2 ON Champagne 927 36° Phase Dim	567,37	5.6
PL/WO2CH/927/50/PD	PL Wally 2 ON Champagne 927 50° Phase Dim	567,37	5.6
PL/WO2CH/930/16/PD	PL Wally 2 ON Champagne 930 16° Phase Dim	567,37	5.6
PL/WO2CH/930/36/PD	PL Wally 2 ON Champagne 930 36° Phase Dim	567,37	5.6
PL/WO2CH/930/50/PD	PL Wally 2 ON Champagne 930 50° Phase Dim	567,37	5.6
PL/WO2GM/927/16/PD	PL Wally 2 ON Gun Metal Bronze 927 16° Phase Dim	567,37	5.6
PL/WO2GM/927/36/PD	PL Wally 2 ON Gun Metal Bronze 927 36° Phase Dim	567,37	5.6
PL/WO2GM/927/50/PD	PL Wally 2 ON Gun Metal Bronze 927 50° Phase Dim	567,37	5.6
PL/WO2GM/930/16/PD	PL Wally 2 ON Gun Metal Bronze 930 16° Phase Dim	567,37	5.6
PL/WO2GM/930/36/PD	PL Wally 2 ON Gun Metal Bronze 930 36° Phase Dim	567,37	5.6
PL/WO2GM/930/50/PD	PL Wally 2 ON Gun Metal Bronze 930 50° Phase Dim	567,37	5.6
PL/WO2WH/927/16/PD	PL Wally 2 ON White 927 16° Phase Dim	567,37	5.6
PL/WO2WH/927/36/PD	PL Wally 2 ON White 927 36° Phase Dim	567,37	5.6
PL/WO2WH/927/50/PD	PL Wally 2 ON White 927 50° Phase Dim	567,37	5.6
PL/WO2WH/930/16/PD	PL Wally 2 ON White 930 16° Phase Dim	567,37	5.6
PL/WO2WH/930/36/PD	PL Wally 2 ON White 930 36° Phase Dim	567,37	5.6
PL/WO2WH/930/50/PD	PL Wally 2 ON White 930 50° Phase Dim	567,37	5.6
PL/WO2BL/927/16/PD	PL Wally 2 ON Black 927 16° Phase Dim	567,37	5.6
PL/WO2BL/927/36/PD	PL Wally 2 ON Black 927 36° Phase Dim	567,37	5.6
PL/WO2BL/927/50/PD	PL Wally 2 ON Black 927 50° Phase Dim	567,37	5.6
PL/WO2BL/930/16/PD	PL Wally 2 ON Black 930 16° Phase Dim	567,37	5.6
PL/WO2BL/930/36/PD	PL Wally 2 ON Black 930 36° Phase Dim	567,37	5.6
PL/WO2BL/930/50/PD	PL Wally 2 ON Black 930 50° Phase Dim	567,37	5.6
PL/WO2BR/927/16/D	PL Wally 2 ON Bronze 927 16° Dali	632,72	5.6
PL/WO2BR/927/36/D	PL Wally 2 ON Bronze 927 36° Dali	632,72	5.6
PL/WO2BR/927/50/D	PL Wally 2 ON Bronze 927 50° Dali	632,72	5.6
PL/WO2BR/930/16/D	PL Wally 2 ON Bronze 930 16° Dali	632,72	5.6
PL/WO2BR/930/36/D	PL Wally 2 ON Bronze 930 36° Dali	632,72	5.6
PL/WO2BR/930/50/D	PL Wally 2 ON Bronze 930 50° Dali	632,72	5.6
PL/WO2CH/927/16/D	PL Wally 2 ON Champagne 927 16° Dali	632,72	5.6
PL/WO2CH/927/36/D	PL Wally 2 ON Champagne 927 36° Dali	632,72	5.6
PL/WO2CH/927/50/D	PL Wally 2 ON Champagne 927 50° Dali	632,72	5.6
PL/WO2CH/930/16/D	PL Wally 2 ON Champagne 930 16° Dali	632,72	5.6
PL/WO2CH/930/36/D	PL Wally 2 ON Champagne 930 36° Dali	632,72	5.6
PL/WO2CH/930/50/D	PL Wally 2 ON Champagne 930 50° Dali	632,72	5.6
PL/WO2GM/927/16/D	PL Wally 2 ON Gun Metal Bronze 927 16° Dali	632,72	5.6

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be

Gross Price list 15-05-2023 Gross price excl. VAT and Recupel(WEEE)

PL/WO2GM/927/36/D	PL Wally 2 ON Gun Metal Bronze 927 36° Dali	632,72	5,6
PL/WO2GM/927/50/D	PL Wally 2 ON Gun Metal Bronze 927 50° Dali	632,72	5,6
PL/WO2GM/930/16/D	PL Wally 2 ON Gun Metal Bronze 930 16° Dali	632,72	5,6
PL/WO2GM/930/36/D	PL Wally 2 ON Gun Metal Bronze 930 36° Dali	632,72	5,6
PL/WO2GM/930/50/D	PL Wally 2 ON Gun Metal Bronze 930 50° Dali	632,72	5,6
PL/WO2WH/927/16/D	PL Wally 2 ON White 927 16° Dali	632,72	5,6
PL/WO2WH/927/36/D	PL Wally 2 ON White 927 36° Dali	632,72	5,6
PL/WO2WH/927/50/D	PL Wally 2 ON White 927 50° Dali	632,72	5,6
PL/WO2WH/930/16/D	PL Wally 2 ON White 930 16° Dali	632,72	5,6
PL/WO2WH/930/36/D	PL Wally 2 ON White 930 36° Dali	632,72	5,6
PL/WO2WH/930/50/D	PL Wally 2 ON White 930 50° Dali	632,72	5,6
PL/WO2BL/927/16/D	PL Wally 2 ON Black 927 16° Dali	632,72	5,6
PL/WO2BL/927/36/D	PL Wally 2 ON Black 927 36° Dali	632,72	5,6
PL/WO2BL/927/50/D	PL Wally 2 ON Black 927 50° Dali	632,72	5,6
PL/WO2BL/930/16/D	PL Wally 2 ON Black 930 16° Dali	632,72	5,6
PL/WO2BL/930/36/D	PL Wally 2 ON Black 930 36° Dali	632,72	5,6
PL/WO2BL/930/50/D	PL Wally 2 ON Black 930 50° Dali	632,72	5,6
PL/WSBR/927/16/PD	PL Wally Susp. Bronze 927 16° Phase Dim	403,27	5,6
PL/WSBR/927/36/PD	PL Wally Susp. Bronze 927 36° Phase Dim	403,27	5,6
PL/WSBR/927/50/PD	PL Wally Susp. Bronze 927 50° Phase Dim	403,27	5,6
PL/WSBR/930/16/PD	PL Wally Susp. Bronze 930 16° Phase Dim	403,27	5,6
PL/WSBR/930/36/PD	PL Wally Susp. Bronze 930 36° Phase Dim	403,27	5,6
PL/WSBR/930/50/PD	PL Wally Susp. Bronze 930 50° Phase Dim	403,27	5,6
PL/WSCH/927/16/PD	PL Wally Susp. Champagne 927 16° Phase Dim	403,27	5,6
PL/WSCH/927/36/PD	PL Wally Susp. Champagne 927 36° Phase Dim	403,27	5,6
PL/WSCH/927/50/PD	PL Wally Susp. Champagne 927 50° Phase Dim	403,27	5,6
PL/WSCH/930/16/PD	PL Wally Susp. Champagne 930 16° Phase Dim	403,27	5,6
PL/WSCH/930/36/PD	PL Wally Susp. Champagne 930 36° Phase Dim	403,27	5,6
PL/WSCH/930/50/PD	PL Wally Susp. Champagne 930 50° Phase Dim	403,27	5,6
PL/WSGM/927/16/PD	PL Wally Susp. Gun Metal Bronze 927 16° Phase Dim	403,27	5,6
PL/WSGM/927/36/PD	PL Wally Susp. Gun Metal Bronze 927 36° Phase Dim	403,27	5,6
PL/WSGM/927/50/PD	PL Wally Susp. Gun Metal Bronze 927 50° Phase Dim	403,27	5,6
PL/WSGM/930/16/PD	PL Wally Susp. Gun Metal Bronze 930 16° Phase Dim	403,27	5,6
PL/WSGM/930/36/PD	PL Wally Susp. Gun Metal Bronze 930 36° Phase Dim	403,27	5,6
PL/WSGM/930/50/PD	PL Wally Susp. Gun Metal Bronze 930 50° Phase Dim	403,27	5,6
PL/WSWH/927/16/PD	PL Wally Susp. White 927 16° Phase Dim	403,27	5,6
PL/WSWH/927/36/PD	PL Wally Susp. White 927 36° Phase Dim	403,27	5,6
PL/WSWH/927/50/PD	PL Wally Susp. White 927 50° Phase Dim	403,27	5,6
PL/WSWH/930/16/PD	PL Wally Susp. White 930 16° Phase Dim	403,27	5,6
PL/WSWH/930/36/PD	PL Wally Susp. White 930 36° Phase Dim	403,27	5,6
PL/WSWH/930/50/PD	PL Wally Susp. White 930 50° Phase Dim	403,27	5,6
PL/WSBL/927/16/PD	PL Wally Susp. Black 927 16° Phase Dim	403,27	5,6
PL/WSBL/927/36/PD	PL Wally Susp. Black 927 36° Phase Dim	403,27	5,6
PL/WSBL/927/50/PD	PL Wally Susp. Black 927 50° Phase Dim	403,27	5,6
PL/WSBL/930/16/PD	PL Wally Susp. Black 930 16° Phase Dim	403,27	5,6
PL/WSBL/930/36/PD	PL Wally Susp. Black 930 36° Phase Dim	403,27	5,6
PL/WSBL/930/50/PD	PL Wally Susp. Black 930 50° Phase Dim	403,27	5,6
PL/WSBR/927/16/D	PL Wally Susp. Bronze 927 16° Dali	462,72	5,6
PL/WSBR/927/36/D	PL Wally Susp. Bronze 927 36° Dali	462,72	5,6
PL/WSBR/927/50/D	PL Wally Susp. Bronze 927 50° Dali	462,72	5,6
PL/WSBR/930/16/D	PL Wally Susp. Bronze 930 16° Dali	462,72	5,6
PL/WSBR/930/36/D	PL Wally Susp. Bronze 930 36° Dali	462,72	5,6
PL/WSBR/930/50/D	PL Wally Susp. Bronze 930 50° Dali	462,72	5,6
PL/WSCH/927/16/D	PL Wally Susp. Champagne 927 16° Dali	462,72	5,6
PL/WSCH/927/36/D	PL Wally Susp. Champagne 927 36° Dali	462,72	5,6
PL/WSCH/927/50/D	PL Wally Susp. Champagne 927 50° Dali	462,72	5,6
PL/WSCH/930/16/D	PL Wally Susp. Champagne 930 16° Dali	462,72	5,6
PL/WSCH/930/36/D	PL Wally Susp. Champagne 930 36° Dali	462,72	5,6
PL/WSCH/930/50/D	PL Wally Susp. Champagne 930 50° Dali	462,72	5,6
PL/WSGM/927/16/D	PL Wally Susp. Gun Metal Bronze 927 16° Dali	462,72	5,6
PL/WSGM/927/36/D	PL Wally Susp. Gun Metal Bronze 927 36° Dali	462,72	5,6
PL/WSGM/927/50/D	PL Wally Susp. Gun Metal Bronze 927 50° Dali	462,72	5,6
PL/WSGM/930/16/D	PL Wally Susp. Gun Metal Bronze 930 16° Dali	462,72	5,6
PL/WSGM/930/36/D	PL Wally Susp. Gun Metal Bronze 930 36° Dali	462,72	5,6
PL/WSGM/930/50/D	PL Wally Susp. Gun Metal Bronze 930 50° Dali	462,72	5,6
PL/WSWH/927/16/D	PL Wally Susp. White 927 16° Dali	462,72	5,6
PL/WSWH/927/36/D	PL Wally Susp. White 927 36° Dali	462,72	5,6
PL/WSWH/927/50/D	PL Wally Susp. White 927 50° Dali	462,72	5,6
PL/WSWH/930/16/D	PL Wally Susp. White 930 16° Dali	462,72	5,6
PL/WSWH/930/36/D	PL Wally Susp. White 930 36° Dali	462,72	5,6
PL/WSWH/930/50/D	PL Wally Susp. White 930 50° Dali	462,72	5,6
PL/WSBL/927/16/D	PL Wally Susp. Black 927 16° Dali	462,72	5,6
PL/WSBL/927/36/D	PL Wally Susp. Black 927 36° Dali	462,72	5,6
PL/WSBL/927/50/D	PL Wally Susp. Black 927 50° Dali	462,72	5,6
PL/WSBL/930/16/D	PL Wally Susp. Black 930 16° Dali	462,72	5,6
PL/WSBL/930/36/D	PL Wally Susp. Black 930 36° Dali	462,72	5,6
PL/WSBL/930/50/D	PL Wally Susp. Black 930 50° Dali	462,72	5,6
Crater ano			
A6185GM/927/20	Mini Crater Gun Metal 927 20°	95,00	5,6
A6185BR/927/20	Mini Crater Bronze 927 20°	95,00	5,6
A6185CH/927/20	Mini Crater Champagne 927 20°	95,00	5,6
A6185GM/930/20	Mini Crater Gun Metal 930 20°	95,00	5,6
A6185BR/930/20	Mini Crater Bronze 930 20°	95,00	5,6
A6185CH/930/20	Mini Crater Champagne 930 20°	95,00	5,6

Please send your orders to:

order@exterus.be

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

F :: +32(0)51 69 49 95

T :: +32(0)51 251 281 // info@exterus.be

A6185GM/927/36	Mini Crater Gun Metal 927 36°	95,00	5.6
A6185BR/927/36	Mini Crater Bronze 927 36°	95,00	5.6
A6185CH/927/36	Mini Crater Champagne 927 36°	95,00	5.6
A6185GM/930/36	Mini Crater Gun Metal 930 36°	95,00	5.6
A6185BR/930/36	Mini Crater Bronze 930 36°	95,00	5.6
A6185CH/930/36	Mini Crater Champagne 930 36°	95,00	5.6
A6185GM/927/50	Mini Crater Gun Metal 927 50°	95,00	5.6
A6185BR/927/50	Mini Crater Bronze 927 50°	95,00	5.6
A6185CH/927/50	Mini Crater Champagne 927 50°	95,00	5.6
A6185GM/930/50	Mini Crater Gun Metal 930 50°	95,00	5.6
A6185BR/930/50	Mini Crater Bronze 930 50°	95,00	5.6
A6185CH/930/50	Mini Crater Champagne 930 50°	95,00	5.6
A6174GM/927/20	Crater IP44 Gun Metal 927 20°	119,00	5.6
A6174BR/927/20	Crater IP44 Bronze 927 20°	119,00	5.6
A6174CH/927/20	Crater IP44 Champagne 927 20°	119,00	5.6
A6174GM/930/20	Crater IP44 Gun Metal 930 20°	119,00	5.6
A6174BR/930/20	Crater IP44 Bronze 930 20°	119,00	5.6
A6174CH/930/20	Crater IP44 Champagne 930 20°	119,00	5.6
A6174GM/927/36	Crater IP44 Gun Metal 927 36°	119,00	5.6
A6174BR/927/36	Crater IP44 Bronze 927 36°	119,00	5.6
A6174CH/927/36	Crater IP44 Champagne 927 36°	119,00	5.6
A6174GM/930/36	Crater IP44 Gun Metal 930 36°	119,00	5.6
A6174BR/930/36	Crater IP44 Bronze 930 36°	119,00	5.6
A6174CH/930/36	Crater IP44 Champagne 930 36°	119,00	5.6
A6174GM/927/50	Crater IP44 Gun Metal 927 50°	119,00	5.6
A6174BR/927/50	Crater IP44 Bronze 927 50°	119,00	5.6
A6174CH/927/50	Crater IP44 Champagne 927 50°	119,00	5.6
A6174GM/930/50	Crater IP44 Gun Metal 930 50°	119,00	5.6
A6174BR/930/50	Crater IP44 Bronze 930 50°	119,00	5.6
A6174CH/930/50	Crater IP44 Champagne 930 50°	119,00	5.6
A6174BL/927/20	Crater IP44 Black 927 20°	119,00	5.6
A6174BL/927/36	Crater IP44 Black 927 20°	119,00	5.6
A6174BL/927/50	Crater IP44 Black 927 20°	119,00	5.6
A6174BL/930/20	Crater IP44 Black 930 20°	119,00	5.6
A6174BL/930/36	Crater IP44 Black 930 20°	119,00	5.6
A6174BL/930/50	Crater IP44 Black 930 20°	119,00	5.6
A6174WH/927/20	Crater IP44 White 927 20°	119,00	5.6
A6174WH/927/36	Crater IP44 White 927 20°	119,00	5.6
A6174WH/927/50	Crater IP44 White 927 20°	119,00	5.6
A6174WH/930/20	Crater IP44 White 930 20°	119,00	5.6
A6174WH/930/36	Crater IP44 White 930 20°	119,00	5.6
A6174WH/930/50	Crater IP44 White 930 20°	119,00	5.6

Please send your orders to:

order@exterus.be

F :: +32(0)51 69 49 95

Exterus b.v.b.a. // Kachtemsestraat 190 // 8800 Roeselare // Belgium

T :: +32(0)51 251 281 // info@exterus.be